

HAND TOOLS : NON SPARKING TOOLS : INSULATED STEEL TOOLS :  
INSULATED NON SPARKING TOOLS : STAINLESS STEEL TOOLS :  
TOOL KITS : TOOL TROLLEYS : TOOL CABINETS

# DE NEERS®

*Best Ever Tools*



ISO CERTIFIED  
COMPANY  
ISO 9001:2015  
ISO 14001:2015  
ISO 45001:2018

WE PROMOTE



[www.deneerstools.com](http://www.deneerstools.com)

Download our App



/DeNeersTools

REVISED MRP & REVISED DISCOUNT STRUCTURE

## A Heritage Of Breakthrough Innovation

DE NEERS TOOLS is an ISO 9001:2015 Certified and ISO 14001:2015 accredited Company. Today, we are the fourth-generation serving the Hand Tools Industry since 1951. Generation on generations, we have adopted new and improved modern systems and the best practices to satisfy our customers' needs to the fullest.

DE NEERS is one of the leading hand tools manufacturers in India. Our well-acclaimed Managing Director, Mr. Neeraj Kumar Aggarwal, with his committed and diligent workforce, has a focused and target-oriented approach towards meeting the customer requirements and ensuring the quality of their products. DE NEERS Tools, being the best hand tool manufacturers, endeavor to offer the best quality products at the most competitive prices. We aim to provide hand tools of the utmost quality that are worth our customers' money. We continuously work on innovation and research to develop products that can bring a kind of revolution in the hand tool industry.

DE NEERS is known as one of the reputed hand tools suppliers that provides the broadest range of hand tools in India. Our extensive range of products includes Spanners, Wrenches, Pliers, Cutters, Allen keys, Hammers, Socketry, Screw Drivers, Tool Kits, Tool Cabinets, Trolleys, etc. We are also specialized in providing Safety Tools like Non-Sparking Tools, Insulated Steel Tools, Non-Sparking Insulated Tools, Stainless Steel Anti-magnetic Tools, and Titanium Tools, with our range of hand tools.

We are counted among the leading hand tool distributors & hand tool exporters due to our consistent hard work to deliver quality products. We aim to provide professional hand tools of the utmost quality, made from German technology with the essence of "Make in India." Our R&D department has experienced and dedicated personnel that keeps a regular check on the latest trends and opportunities in the market and focuses on improving the design and structure of the products. Our focus is on producing tools that can stand up to the demands of the professionals who use them every day. DE NEERS is famous for providing the broadest range of products to its customers in India, making us the best hand tool manufacturers.

When it comes to increasing workplace safety in different industrial environments, our tools act as support. These tools find their applications in Aerospace, Marine, Petrochemical, Medical, Defence, and Nuclear industries where anti-magnetic, anti-corrosive tools are mandatory for ensuring users' safety.

Our DE NEERS team welcomes you all with keen interest for a long-lasting association.

**SERVING THE HAND TOOLS INDUSTRY SINCE 1951**

**WE PROMOTE**



## **OUR ESTEEMED CUSTOMERS**

» ACE DESIGNERS LIMITED	» MAHINDRA & MAHINDRA LIMITED
» ASSAM PETRO-CHEMICALS LIMITED	» MEMORA INDIA PRIVATE LIMITED
» BHARAT PETROLEUM CORPORATION LIMITED	» MICROTEK INTERNATIONAL PRIVATE LIMITED
» BRIDGE AND ROOF CO.(I) LIMITED	» MITSUBISHI HEAVY INDUSTRY VST DIESEL ENGINES (P) LTD
» CENTRAL RAILWAY	» NATIONAL THERMAL POWER CORPORATION LIMITED
» CHITTARANJAN LOCOMOTIVE WORKS	» NIMBOL CEMENT PLANT
» DELTON CABLES LIMITED	» NORTHERN CENTRAL RAILWAY
» DIESEL LOCO MODERNISATION WORKS	» NUBERG ENGINEERING LIMITED.
» EASTERN RAILWAY	» NUCLEAR POWER CORPORATION OF INDIA LTD.
» HARYANA POWER GENERATION CORP LIMITED.	» ORIENT ELECTRIC LIMITED
» HINDALCO INDUSTRIES LIMITED	» RAIL COACH FACTORY
» HONDA MOTORCYCLE AND SCOOTER INDIA PVT. LTD.	» RAJASTHAN STATE MINES & MINERALS LIMITED
» INDIAN OIL ADANI GAS PRIVATE LIMITED	» RAJESH POWER SERVICES PVT. LTD.
» INDIAN OIL CORPORATION LIMITED	» SAFE EXPRESS PVT. LTD.
» KANODIA CEMENT PLANT	» SOUTH EASTERN RAILWAY (WORKSHOP CARRIAGE)
» KANODIA INFRA PRIVATE LIMITED	» SOUTHERN RAILWAY
» LALITPUR POWER GENERATION COMPANY LIMITED. (BAJAJ ENERGY)	» SRB INTERNATIONAL PVT. LTD.
» LARSEN & TOUBRO HYDROCARBON ENGINEERING	» TATA PROJECT LIMITED
» LOHIA CORPORATION LIMITED	» TATA STEEL LIMITED
» MAHANADI COALFIELDS LIMITED	» TORRENT POWER LIMITED

# OUR CREDENTIALS



# OUR CREDENTIALS

**सीएसआईआर-केन्द्रीय खनन एवं ईंधन अनुसंधान संस्थान**  
**CSIR-Central Institute of Mining and Fuel Research**  
 (विज्ञानिक एवं औद्योगिक अनुसंधान परिषद)  
 (Council of Scientific & Industrial Research)  
 बरना रोड, धनबाद-826015, झारखण्ड, भारत  
 Barua Road, Dhanbad - 826015, Jharkhand, India  
**ज्वलन एवं उपकरण सुरक्षा / FLAMEPROOF & EQUIPMENT SAFETY**  
**परीक्षण प्रमाण पत्र / TEST CERTIFICATE**

**मूल मॉडल**  
ORIGINAL COPY

**Test Report No. (HCSIR/FR/1921/W)** 11110      **Date:** 11<sup>th</sup> November 2021  
**Equipment ID No. (R021)**      **Code No. FES14421-02**  
**Your Ref. No. (N)**      **Date of**

**Supplier:** M/s. DESIGNERS Tools Limited  
 408 FIE Papapuri Industrial Area,  
 Durg-92

**Manufacturer:** Same as above.

**Date of Test:** 08/11/2021

**Description of the Sample & Comments as Declared by the Manufacturer:**  
 Non-Sparking sample made of different composition Beryllium Copper alloy Rods in size of length (Minimum 30mm length as per the composition given). The chemical composition declared by Manufacturer is as follows:

Alloy	Co (%)	Al (%)	Be (%)	Cu (%)	Others (%)	Ca (%)
Beryllium Copper	Over 4.2	-	1.5-1.7	1.2	0.3	Rest

**Equipment Used:** A fabricated unit for non-sparking tool test apparatus.

Test as per standard	Conditions of Testing (at Durg, Jharkhand)	Remarks
Class 5.1 as per IS-4395-1999	The environment inside the chamber consists of 50% oxygen (Ambient temp. at 27°C.)	Non-Sparking test COMPLETES

**Conclusion:** Non-Sparking sample made of Beryllium Copper Alloy as declared by the manufacturer meets the test requirements of class 5.1 of IS-4395-1999 and above mentioned material may be used as "Non-Sparking" material.

**Reported by:** (A. KUMAR) Technical Officer  
 Date: 8<sup>th</sup> November, 2021  
 Flameproof & Equipment Safety  
 CSIR-Central Institute of Mining & Fuel Research,  
 Barua Road, Dhanbad-826015,  
 Jharkhand, INDIA.

**Check & Approved by:** (A. K. SINGH) Chief Scientist & IROES  
 Flameproof & Equipment Safety.

**सीएसआईआर-केन्द्रीय खनन एवं ईंधन अनुसंधान संस्थान**  
**CSIR-Central Institute of Mining and Fuel Research**  
 (विज्ञानिक एवं औद्योगिक अनुसंधान परिषद)  
 (Council of Scientific & Industrial Research)  
 बरना रोड, धनबाद-826015, झारखण्ड, भारत  
 Barua Road, Dhanbad - 826015, Jharkhand, India  
**ज्वलन एवं उपकरण सुरक्षा / FLAMEPROOF & EQUIPMENT SAFETY**  
**परीक्षण प्रमाण पत्र / TEST CERTIFICATE**

**मूल मॉडल**  
ORIGINAL COPY

**Test Report No. (HCSIR/FR/1921/W)** 11110      **Date:** 08<sup>th</sup> November, 2021  
**Equipment ID No. (R021)**      **Code No. FES14421-02**  
**Your Ref. No. (N)**      **Date of**

**Supplier:** M/s. DESIGNERS Tools Limited  
 408 FIE Papapuri Industrial Area,  
 Durg-92

**Manufacturer:** Same as above.

**Date of Test:** 08/11/2021

**Description of the Sample & Comments as Declared by the Manufacturer:**  
 Non-Sparking sample made of Aluminium Bronze in size of length (Minimum 30mm length as per the composition given). The chemical composition declared by Manufacturer is as follows:

Alloy	Mn (%)	Al (%)	Mg (%)	Pb (%)	Cu (%)	Others (%)
Aluminium Bronze	0.4	6-12	1.2	1-2	86-99	= 0

**Equipment Used:** A fabricated unit for non-sparking tool test apparatus.

Test as per standard	Conditions of Testing (at Durg, Jharkhand)	Remarks
Class 5.1 as per IS-4395-1999	The environment inside the chamber consists of 50% oxygen (Ambient temp. at 27°C.)	Non-Sparking test COMPLETES

**Conclusion:** Non-Sparking sample made of Aluminium Bronze as declared by the manufacturer meets the test requirements of class 5.1 of IS-4395-1999 and above mentioned material may be used as "Non-Sparking" material.

**Reported by:** (A. K. SINGH) Technical Officer (C)  
 Date: 08<sup>th</sup> November, 2021  
 Flameproof & Equipment Safety  
 CSIR-Central Institute of Mining & Fuel Research,  
 Barua Road, Dhanbad-826015,  
 Jharkhand, INDIA.

**Check & Approved by:** (A. K. SINGH) Chief Scientist & IROES  
 Flameproof & Equipment Safety.

WE PROMOTE



**भारत सरकार**  
**Government of India**  
**सूक्ष्म, नवोदय तथा मध्यम उद्यम विभाग**  
**Ministry of Micro, Small and Medium Enterprises**

**MSME**  
 2015-2019  
 2015-2019  
 2015-2019

**UDYAM**  
**REGISTRATION CERTIFICATE**

Our small hands to make you LARGE

<b>UDYAM REGISTRATION NUMBER</b>	UDYAM-DL-42-000000
<b>NAME OF ENTERPRISE</b>	M/S. DESIGNERS TOOLS LIMITED
<b>TYPE OF ENTERPRISE</b>	MSME
<b>INDUSTRY SECTOR</b>	MANUFACTURING
<b>SPECIAL CATEGORY OF ENTERPRISE</b>	GENERAL
<b>NAME OF OWNER</b>	M/s. DESIGNERS TOOLS LIMITED Designers Tools Ltd. 408 FIE Papapuri Industrial Area, Durg-92, Jharkhand, India. Phone: 9836004477 Email: info@designerstools.com
<b>GENERAL ADDRESS OF ENTERPRISE</b>	408 FIE Papapuri Industrial Area, Durg-92, Jharkhand, India. Phone: 9836004477 Email: info@designerstools.com
<b>DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE</b>	08/11/2021
<b>DATE OF FURNISHMENT OF THIS UDYAM CERTIFICATE</b>	08/11/2021
<b>NATIONAL INDUSTRIAL CLASSIFICATION (ISIC)</b>	2829

MSME Type	MSME Code	MSME Description	Remarks
1. Micro	1001	1001 - Manufacture of articles of plastic, rubber, leather and other materials	Manufactured by MSME
2. Small	2001	2001 - Manufacture of articles of metal, iron and steel	Manufactured by MSME
3. Medium	3001	3001 - Manufacture of articles of metal, iron and steel	Manufactured by MSME
4. Large	4001	4001 - Manufacture of articles of metal, iron and steel	Manufactured by MSME

**Ministry of Electronics and Information Technology**  
**Government of India**

**e-GOV**  
 2015-2019  
 2015-2019  
 2015-2019

**Be Vocal About Local**  
**Certificate**

This is to certify that

**THE DESIGNERS TOOLS LIMITED**

has taken the 'Be Vocal About Local' and committed himself/herself to consciously support and promote products that are made in India.

4730408234  
  
 August, 10 2021

**BE VOCAL ABOUT LOCAL**



# DE NEERS®

*Best Ever Tools*



SPANNERS

**DOUBLE OPEN END SPANNERS (HSN 8204)**



- » Forged from Chrome Vanadium Steel
- » Hardened & Tempered, Chrome Plated
- » **Generally Conforming to IS 2028-2004**

Metric (mm)	Size		Shelf Carton (Packing)
	English (ww)	Layman सूत	
5x5.5	-	-	10
5.5 x7	-	-	10
6x7	-	-	10
6x8	-	-	10
7x8	-	-	10
8x9	-	-	10
8x10	-	-	10
9x10	-	-	10
9x11	-	-	10
10x11	1/8x3/16 WW	1½ x 2	10
10x12	-	-	10
10x13	-	-	10
11x12	-	-	10
11x13	-	-	10
12x13	3/16x1/4 WW	2 x 2½	10
12x14	-	-	10
13x14	-	-	10
13x15	-	-	10
14x15	1/4x5/16 WW	2½ x 3	10
13x16	-	-	10
13x17	-	-	10
14x17	-	-	10
16x17	5/16x3/8 WW	3 x 3½	10
16x18	5/16x7/16 WW	3 x 4	10
17x19	-	-	10
18x19	-	-	10
19x22	3/8x7/16 WW	3½ x 4	10
19x21	-	-	10
19x24	-	-	10
20x22	7/16x1/2 WW	4 x 4½	10
21x23	-	-	5
22x24	-	-	5
-	7/16x9/16 WW	4 x 5	5
24x26	1/2x9/16 WW	4½ x 5	5
24x27	-	-	5
25x28	9/16x5/8 WW	5 x 5½	5
22x27	-	-	5
24x30	-	-	5
27x30	-	-	5
27x32	11/16x3/4 WW	6 x 7	5
30x32	9/16x11/16 WW	5 x 6	5
-	5/8x3/4 WW	5½ x 7	5

**DOUBLE OPEN END SPANNERS-SFTS (HSN 8204)**



- » Forged from Chrome Vanadium Steel
- » Hardened & Tempered, Chrome Plated
- » Each Head Set at 15° Angle, Ground precisely to exact nominal size which ensures secure bolt fitting and long life of both Bolt & Spanner.
- » **Generally Conforming to IS 2028-2004**

Set No.	Pcs. Per Set	SETS	Master Carton (Packing)
		Sizes	
12-6M	6 Pcs	6x7-16x17mm	40
12-8M	8 Pcs	6x7-20x22mm	40
Weight : 625 Gms (+/- 3% Tolerance)			
12-10M	10 Pcs	6x7-24x27mm	20
12-100M	10 Pcs	6x7-30x32mm	20
12-12M	12 Pcs	6x7-30x32mm	16
Weight : 1750 Gms (+/- 3% Tolerance)			
12-6W	6 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2ww	40
12-9W	9 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4ww	16

**DOUBLE OPEN END SPANNERS ELLIPTICAL / LONG PATTERN**



Size (mm)	Shelf Carton (Packing)
6x7 <b>ELLIPTICAL</b>	10
8x9 <b>ELLIPTICAL</b>	10
10x11 <b>ELLIPTICAL</b>	10
12x13 <b>ELLIPTICAL</b>	10
14x15 <b>ELLIPTICAL</b>	10
16x17 <b>ELLIPTICAL</b>	10
18x19 <b>ELLIPTICAL</b>	10
20x22 <b>ELLIPTICAL</b>	10
21x23 <b>ELLIPTICAL</b>	5
24x26 <b>ELLIPTICAL</b>	5
24x27 <b>ELLIPTICAL</b>	5
25x28 <b>ELLIPTICAL</b>	5
30x32 <b>ELLIPTICAL</b>	5

Set No.	Pcs. Per Set	SETS	Master Carton (Packing)
		Sizes	
12ELP-8M	8 Pcs	6x7-20x22mm <b>(Long Pattern Elliptical)</b>	40
12ELP-12M	12 Pcs	6x7-30x32mm <b>(Long Pattern Elliptical)</b>	16

**COMPARE PRICES WITH QUALITY**



**DOUBLE OPEN END SPANNERS**  
(HSN 8204)



**SAE SIZES**

- » Forged from Chrome Vanadium Steel
- » Hardened & Tempered, Chrome Plated
- » Each Head Set at 15° Angle, Ground precisely to exact nominal size which ensures secure bolt fitting and long life of both Bolt & Spanner.
- » **Generally Conforming to IS 2028-2004**

Size
AMERICAN (SAE)
1/4x5/16 SAE
5/16x3/8 SAE
3/8x7/16 SAE
7/16x1/2 SAE
1/2x9/16 SAE
9/16x5/8 SAE
19/32x11/16 SAE
5/8x11/16 SAE
5/8x3/4 SAE
3/4x7/8 SAE
25/32x7/8 SAE
13/16x7/8 SAE
15/16x1 SAE
1x1.1/8 SAE
1.1/16x1.1/8 SAE
1.1/16x1.1/4 SAE
1.1/8x1.1/4 SAE

**DOUBLE OPEN END SPANNERS SETS**



Set No.	Pcs. Per Set	SETS
		Sizes
12-8 SAE	8 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE
12-12 SAE	12 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE

**FISH BOLT SPANNER**  
(AS PER INDIAN RAILWAY DESIGN)



» **Generally Conforming to JUS : 4835**

Sizes (mm)	Length (mm)	Wt. (Gms.)	Hardness (BHN)
36x41	680	1300	380-400

**DOUBLE OPEN END SPANNERS** (HSN 8204)  
(HEAVY DUTY)



» **Generally Conforming to DIN 895, IS 2028-2004**

Size		
Metric (mm)	English (ww)	Layman सूत
<b>32x36</b>	3/4x7/8 WW	7x8
33x34	-	-
33x37	-	-
33x38	-	-
34x36	-	-
34x37	-	-
34x38	-	-
35x37	-	-
35x38	-	-
36x38	-	-
<b>36x41</b>	7/8x1 WW	8x9
37x42	-	-
37x43	-	-
38x43	-	-
<b>41x46</b>	1x1.1/8 WW	9x10
1x1.1/4 Bolt Size	7/8x1.1/8 WW	8x10
42x47	-	-
42x48	-	-
43x46	-	-
43x48	-	-
<b>46x50</b>	-	-
46x51	-	-
47x50	-	-
47x51	-	-
47x56	-	-
47x52	-	-
-	1.1/8x1.1/4 WW	10x11
48x50	-	-
48x52	-	-
<b>50x55</b>	-	-
-	1.1/8x1.3/8 WW	10x12
51x56	-	-
51x57	-	-
52x57	-	-
<b>55x60</b>	-	-
56x61	-	-
56x62	-	-
57x61	-	-
57x62	-	-
<b>60x65</b>	-	-
65x70	-	-
70x75	-	-
75x80	-	-
80x85	-	-
85x90	-	-
90x95	-	-
95x100	-	-

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

SPANNERS

**GEAR WRENCH - STRAIGHT (HSN 8204)**



» Chrome Vanadium Steel

» Ring Side Ratchet Other Side Open Spanner

Sizes (mm)	Shelf Carton (Packing)
6	10
7	10
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	10
16	10
17	10
18	10
19	10
20	10
21	10
22	5
23	5
24	5
25	5
26	5
27	5
28	5
29	5
30	5
32	5
34	5
36	2
5/16 A	-
3/8 A	-
7/16 A	-
1/2 A	-
9/16 A	-
5/8 A	-
11/16 A	-
3/4 A	-

**GEAR WRENCH SETS (HSN 8204)**

» Available in Pouch packing



Set No.	Pcs. Per Set	SETS
		Sizes
GW-12M	12	6 - 21mm or 6 - 22mm
GW-16M	16	6 - 32mm

**FLARE NUT SPANNER (HSN 8204)**



» Hardened & Tempered

» Chrome Vanadium Steel


» Generally Conforming to IS 2029-1998 / DIN3118

Sizes (mm)
7x11
8x9
8x10
9x10
10x11
9x12
10x12
10x13
11x12
11x13
12x13
12x14
13x15
13x16
13x17
14x15
14x17
15x17
16x17
16x18
17x19
18x19
19x21
19x22
22x24
24x27
30x32

**S-SHAPE SPANNER (HSN 8204)**

» Chrome Vanadium Steel

» Hardened & Tempered



Sizes
8x10
10x11
12x13
14x15
16x17
18x19
20x22
3/8x13/32 SAE
7/16x1/2 SAE
9/16x19/32 SAE
5/8x11/16 SAE
3/4x11/16 SAE

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

**C-SPANNER - HALF MOON (HSN 8204)**



- » Duly Hardened & Tempered
- » Chrome Vanadium Steel
- » Generally Conforming to IS : 6389 - 1972

Sizes
8x9mm
8x10mm
9x11mm
10x11mm
10x12mm
10x13mm
11x13mm
12x13mm
12x14mm
13x14mm
13x15mm
13x17mm
14x15mm
14x16mm
14x17mm
14x19mm
16x17mm
16x18mm
17x19mm
18x19mm
19x22mm
20x22mm
21x22mm
21x23mm
3/8x13/32 SAE
1/2x7/16 SAE
1/2x9/16 SAE
9/16x19/32 SAE
5/8x11/16 SAE
5/8x3/4 SAE
3/4x11/16 SAE

**OXYGEN - CYLINDER KEY (HSN 8204)**



Description	Sizes
7mm Square	15x28mm
8mm Square	18x28mm
7mm Square	19x28mm
7mm Square	21x28mm

**ER-UM TYPE WRENCH SPANNER (CNC MACHINE SPANNER)**



- » Suitable for ER Nut Collect Chuck Holder of CNC Milling Lathe Tool.

Sizes
ER-25 UM
ER-32 UM
ER-40 UM
ER-50 UM

**COMPARE PRICES WITH QUALITY**



# RING SPANNERS

# DE NEERS®

*Best Ever Tools*



**BI-HEXAGON RING SPANNERS-  
SHALLOW OFFSET**



- » Forged from Chrome Vanadium Steel
- » Hardened & Tempered, Chrome Plated
- » Shallow Offset, Strong & Thin Walls
- » **Generally Conforming to IS 2029-1998**

**Head Polished**  
(HSN 8204)

Metric (mm)	Size		Shelf Carton (Packing)
	English (ww)	Layman सूत	
6x7	-		10
6x8	-		10
7x8	-		10
7x9	-		10
8x9	-		10
8x10	-		10
9x10	-		10
10x11	1/8x3/16 WW	1½ x 2	10
10x12	-		10
10x13	-		10
11x13	-		10
12x13	3/16x1/4 WW	2 x 2½	10
12x14	-		10
14x15	1/4x5/16 WW	2½ x 3	10
13x14	-		10
13x15	-		10
13x17	-		10
14x17	5/16x3/8 WW	3 x 3½	10
16x17	-		10
17x19	-		10
17x19 Deep	-		10
17x22	-		10
18x19	-		10
18x21	-		10
-	5/16x7/16 WW	3 x 4	10
19x21	-		10
19x22	3/8x7/16 WW	3½ x 4	10
20x22	7/16x1/2 WW	4 x 4½	5
21x22	-		5
21x23	-		5
19x24	-		5
-	7/16x9/16 WW	4 x 5	5
22x24	-		5
22x27	-		5
24x26	1/2x9/16 WW	4½ x 5	5
24x27	-		5
25x28	9/16x5/8 WW	5 x 5½	5
24x30	-		5
24x32	-		5
27x30	-		5
27x32	5/8x3/4 WW	5½ x 7	5
30x32	9/16x11/16 WW	5 x 6	5
-	11/16x3/4 WW	6 x 7	5
32x33	-		5

**RING SPANNER SETS**

(HSN 8204)



- » Hardened & Tempered, Chrome Plated
- » Shallow Offset, Strong & Thin Walls
- » **Generally Conforming to IS 2029-1998**

**Head Polished**

Set No.	Pcs. Per Set	SETS	Master Carton (Packing)
		Sizes	
13-6M	6 Pcs	6x7 - 16x17mm	30
13-8M	8 Pcs	6x7 - 20x22mm	20
Weight : 1340 Gms (+/- 3% Tolerance)			
13-10M	10 Pcs	6x7 - 24x27mm	10
13-100M	10 Pcs	6x7 - 30x32mm	10
13-12M	12 Pcs	6x7 - 30x32mm	8
Weight : 3400 Gms (+/- 3% Tolerance)			
13-6W	6 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2 WW	20
13-9W	9 Pcs	1/8x3/16, 3/16x1/4, 1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 WW	10

**RING SPANNERS ELLIPTICAL / DEEP OFFSET**



- » **Generally Conforming to IS 2029-1998** (HSN 8204)

Size (mm)
6x7 ELLIPTICAL / DEEP OFFSET
8x9 ELLIPTICAL / DEEP OFFSET
10x11 ELLIPTICAL / DEEP OFFSET
12x13 ELLIPTICAL / DEEP OFFSET
14x15 ELLIPTICAL / DEEP OFFSET
16x17 ELLIPTICAL / DEEP OFFSET
18x19 ELLIPTICAL / DEEP OFFSET
20x22 ELLIPTICAL / DEEP OFFSET
21x23 ELLIPTICAL / DEEP OFFSET
24x26 ELLIPTICAL / DEEP OFFSET
24x27 ELLIPTICAL / DEEP OFFSET
25x28 ELLIPTICAL / DEEP OFFSET
30x32 ELLIPTICAL / DEEP OFFSET

**RING SPANNERS (DEEP OFFSET) - SET ELLIPTICAL PATTERN**

Set No.	Pcs. Per Set	SETS
		Sizes
13ELP-8M	8 Pcs	6x7 - 20x22mm (Elliptical Pattern)
13ELP-12M	12 Pcs	6x7 - 30x32mm (Elliptical Pattern)

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

SPANNERS

**RING SPANNERS**  
(HSN 8204)

**SAE SIZES**



- » Forged from Chrome Vanadium Steel
- » Hardened & Tempered, Chrome Plated
- » Shallow Offset, Strong & Thin Walls
- » **Generally Conforming to IS 2029-1998**

**Head Polished**

Size AMERICAN (SAE)
1/4x5/16 SAE
5/16x3/8 SAE
3/8x7/16 SAE
7/16x1/2 SAE
1/2x9/16 SAE
9/16x5/8 SAE
19/32x11/16 SAE
5/8x11/16 SAE
5/8x3/4 SAE
3/4x7/8 SAE
25/32x7/8 SAE
13/16x7/8 SAE
15/16x1 SAE
1x1.1/8 SAE
1.1/16x1.1/8 SAE
1.1/16x1.1/4 SAE
1.1/8x1.1/4 SAE

**RING SPANNERS SETS**



Set No.	Pcs. Per Set	SETS
		Sizes
13-8 SAE	8 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4 & 25/32x7/8 SAE
13-12 SAE	12 Pcs	1/4x5/16, 5/16x3/8, 3/8x7/16, 7/16x1/2, 1/2x9/16, 9/16x5/8, 5/8x3/4, 25/32x7/8, 3/4x7/8, 15/16x1, 1.1/16x1.1/8, 1.1/8x1.1/4 SAE

**FLAT RING SPANNER (HSN 8204)**



**Generally Conforming to DIN : 837**

Sizes (mm)
17x19

**RING SPANNER - HEAVY DUTY**



- » Forged from Chrome Vanadium / Alloy Steel
- » Hardened & Tempered, Chrome Plated
- » **Generally Conforming to IS 2029-1998**

**Head Polished**  
(HSN 8204)

Metric (mm)	Size English (ww)	Layman सूत
32x36	3/4x7/8 WW	7 x 8
33x34	-	
33x37	-	
33x38	-	
34x36	-	
34x37	-	
34x38	-	
35x37	-	
35x38	-	
36x38	-	
36x41	7/8x1 WW	8 x 9
37x42	-	
37x43	-	
38x43	-	
41x46	1x1-1/8 WW	9 x 10
1x1.1/4 Bolt Size	7/8x1-1/8 WW	8 x 10
42x47	-	
42x48	-	
43x46	-	
43x48	-	
46x50	1-1/8x1-1/4 WW	10 x 11
47x50	-	
47x51	-	
47x52	-	
47x56	-	
48x50	-	
48x52	1-1/8x1-3/8 WW	10 x 12
48x56	-	
50x55	-	
51x56	-	
51x57	-	
52x57	-	
55x60	-	
56x61	-	
56x62	-	
57x61	-	
57x62	-	
60x65	-	
65x70	-	
70x75	-	
75x80	-	
80x85	-	
85x90	-	
90x95	-	
95x100	-	

**ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED**

## TUBULAR BOX SPANNERS



**HEAVY DUTY**

- » Made out of Selected Tubing.
- » Chrome Plated.
- » Generally Conforming to IS 2030-1989


(HSN 8204)

Size (mm)	Shelf Carton (Packing)
6x7	10
6x8	10
8x9	10
10x11	10
10x12	10
12x13	10
12x14	10
14x15	10
14x17	10
16x17	10
17x19	10
18x19	10
19x22	10
20x22	6
21x23	6
22x24	6
24x26	6
24x27	6
25x28	6
27x32	6
30x32	6
32x36	4
36x41	4
41x46	4
46x50	4
50x52	4
50x55	4
55x60	4
65x70	4
70x75	4
75x80	2
Set of 8 Pcs.	6x7-20x22 with Tommy Bar
Set of 12 Pcs.	6x7-30x32 with Tommy Bar
Tommy Bar (Small)	Tommy Bar (Big)

## FOUR WAY WHEEL SPANNERS HEAVY DUTY

(HSN 8204)

- » All ends Induction Hardened
- » Generally Conforming as per IS 12521-1988



**FULLY HARDENED**

Size (mm)	Product Code	Wt in Gms
10,11,13,14 in $\varnothing$ = 12mm Rod Length 260mm	CW0314	550
17,18,19,21 in $\varnothing$ = 16mm Rod Length 400mm	CW7981	1400

## ANGLE WRENCH (HSN 8204)



Size (mm)  
17

## L - SPANNERS (FOR WHEELS) (HSN 8204)



- » Generally Conforming to IS : 2030 - 1989

**IMPORTANT**

**FULLY HARDENED**

Item No.	Size (mm)	Length (mm)	Shelf Carton (Packing)
L 17 (1534)	17mm	135x300	6
L 18 (1535)	18mm	135x300	6
L 19 (1536)	19mm	135x300	6
L-19 (1536H)	19mm with hole	135x310	6
L 21 (1537)	20.8mm(13/16)	140x310	6
L-21(1537H)	21mm with hole	140x320	6

## TWO WAY WHEEL SPANNERS (HSN 8204)



**FULLY HARDENED**

- » Manufactured from Selected Steel.
- » Supplied In Individual Box Packing
- » Generally Conforming to IS 2030-1989

Size (mm)	Product Code	Length (mm)
24x26	2426	400
24x27	1728	400
26x27	2427	400
27x27	1731	400
27x28	2728	400
27x30	1725	400
27x32	2732	400
27x33	1730	400
28x30	2830	400
28x32	2832	400
30x30	3030	400
30x32	1720	400
30x33	3033	400
32x32	1740	400
32x32 (LONG)	3232L	550
32x33	3233	400
33x33	1741	400
33x33 (LONG)	3333L	550
32x36	3236	400
32x38	3238	400
21x36	2136	400
21x38	2138	400
38x41	3841	400
21x41	2141	400
Tommy Bar 1750	1750	750

COMPARE PRICES WITH QUALITY

SPANNERS

# DE NEERS®

*Best Ever Tools*



COMBINATION SPANNERS



**COMBINATION RING & OPEN END SPANNERS  
(HSN 8204)**



- » Forged from Chrome Vanadium / Alloy Steel
- » Hardened & Tempered, Chrome Plated
- » Long Profile Handle for extra leverage
- » **Generally Conforming to IS 6389-1998 / DIN 3113**

**Head Polished**

Size Metric (mm)	Shelf Carton (Packing)
CS-5.5	10
CS-6	10
CS-7	10
CS-8	10
CS-9	10
CS-10	10
CS-11	10
CS-12	10
CS-13	10
CS-14	10
CS-15	10
CS-16	10
CS-17	10
CS-18	10
CS-19	10
CS-20	10
CS-21	10
CS-22	10
CS-23	5
CS-24	5
CS-25	5
CS-26	5
CS-27	5
CS-28	5
CS-29	5
CS-30	5
CS-31	5
CS-32	5

**COMBINATION SPANNER SETS**

**Head Polished**

SETS			
Set No.	Pcs. Per Set	Sizes	Master Carton (Packing)
14-12M	12 Pcs	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22mm	30
14-22M	22 Pcs	6-32mm (W/o Pouch Packing)	4
14-22M	22 Pcs	6-32mm (Pouch Packing)	4
14-25M	25 Pcs	6-32mm (W/o Pouch Packing)	4
14-25M	25 Pcs	6-32mm (Pouch Packing)	4
14-14 SAE	14 Pcs	1/4 - 1-1/4 SAE	20

**COMBINATION RING & OPEN END SPANNERS  
ELLIPTICAL PATTERN (MIRROR FINISH)**



**(HSN 8204)**

- » Chrome Vanadium / Alloy Steel
- » Hardened and Tempered
- » Long Profile Handle for extra leverage
- » **Generally Conforming to IS 6389-1998**
- » Mirror Finish

Size Metric (mm)
6 ELLIPTICAL
7 ELLIPTICAL
8 ELLIPTICAL
9 ELLIPTICAL
10 ELLIPTICAL
11 ELLIPTICAL
12 ELLIPTICAL
13 ELLIPTICAL
14 ELLIPTICAL
15 ELLIPTICAL
16 ELLIPTICAL
17 ELLIPTICAL
18 ELLIPTICAL
19 ELLIPTICAL
20 ELLIPTICAL
21 ELLIPTICAL
22 ELLIPTICAL
23 ELLIPTICAL
24 ELLIPTICAL
25 ELLIPTICAL
26 ELLIPTICAL
27 ELLIPTICAL
28 ELLIPTICAL
29 ELLIPTICAL
30 ELLIPTICAL
32 ELLIPTICAL

**COMBINATION SPANNER SETS  
ELLIPTICAL PATTERN (MIRROR FINISH)**

SETS		
Set No.	Pcs. Per Set	Sizes
8M ELIP	8 Pcs	8-19mm (ELLIPTICAL PATTERN)
12M ELIP	12 Pcs	6 -22mm (ELLIPTICAL PATTERN)
24M ELIP	24 Pcs	6 -32mm (ELLIPTICAL PATTERN)



TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

SPANNERS

**COMBINATION RING & OPEN END SPANNERS**



**SAE  
SIZES**

Size American (SAE)
CS-1/4 SAE
CS-5/16 SAE
CS-3/8 SAE
CS-7/16 SAE
CS-1/2 SAE
CS-9/16 SAE
CS-5/8 SAE
CS-11/16 SAE
CS-3/4 SAE
CS-13/16 SAE
CS-7/8 SAE
CS-15/16 SAE
CS-1 SAE
CS-1-1/16 SAE
CS-1-1/8 SAE
CS-1-1/4 SAE
CS-1.5/16 SAE
CS-1.3/8 SAE
CS-1.7/16 SAE
CS-1.1/2 SAE
CS-1.5/8 SAE
CS-1.11/16 SAE
CS-1.3/4 SAE
CS-1.13/16 SAE
CS-1.7/8 SAE
CS-2 SAE
CS-2.1/16 SAE
CS-2.1/8 SAE
CS-2.3/16 SAE
CS-2.1/4 SAE
CS-2.5/16 SAE
CS-2.3/8 SAE
CS-2.7/16 SAE
CS-2.1/2 SAE
CS-2.9/16 SAE
CS-2.5/8 SAE
CS-2.11/16 SAE
CS-2.3/4 SAE
CS-2.13/16 SAE
CS-2.15/16 SAE
CS-2.7/8 SAE
CS-3 SAE
CS-3.1/8 SAE
CS-3.1/4 SAE
CS-3.3/8 SAE
CS-3.1/2 SAE

**JUMBO COMBINATION SPANNER (RING & OPEN END) HEAVY DUTY (HSN 8204)**



» Chrome Vanadium / Alloy Steel

Sizes (mm)
CS-33
CS-34
CS-35
CS-36
CS-37
CS-38
CS-39
CS-40
CS-41
CS-42
CS-43
CS-44
CS-45
CS-46
CS-47
CS-48
CS-49
CS-50
CS-51
CS-52
CS-54
CS-55
CS-59
CS-60
CS-62
CS-63
CS-65
CS-66
CS-67
CS-68
CS-70
CS-71
CS-73
CS-75
CS-76
CS-79
CS-80
CS-82
CS-83
CS-85
CS-86
CS-89
CS-90
CS-95
CS-100
CS-105
CS-110

**ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED**

**DE NEERS®**

*Best Ever Tools*



**SLOGGING SPANNERS**

# SLOGGING OPEN END SPANNER

(HSN 8204)

#133



- » Head Set at 15 angle.
- » Black Phosphated.
- » Heavy Duty Impact Spanner with strong profile handle and durable striking end.
- » Manufactured from Chrome Vanadium / Alloy Steel.
- » **Generally conforming to IS-4508-1992, DIN:133**

Product Code	Sizes (mm)
DN-SLO-17	17
DN-SLO-19	19
DN-SLO-22	22
DN-SLO-24	24
DN-SLO-26	26
DN-SLO-27	27
DN-SLO-28	28
DN-SLO-29	29
DN-SLO-30	30
DN-SLO-31	31
DN-SLO-32	32
DN-SLO-33	33
DN-SLO-34	34
DN-SLO-35	35
DN-SLO-36	36
DN-SLO-37	37
DN-SLO-38	38
DN-SLO-39	39
DN-SLO-40	40
DN-SLO-41	41
DN-SLO-42	42
DN-SLO-43	43
DN-SLO-44	44
DN-SLO-45	45
DN-SLO-46	46
DN-SLO-47	47
DN-SLO-48	48
DN-SLO-49	49
DN-SLO-50	50
DN-SLO-51	51
DN-SLO-52	52
DN-SLO-53	53

Product Code	Sizes (mm)
DN-SLO-54	54
DN-SLO-55	55
DN-SLO-56	56
DN-SLO-57	57
DN-SLO-58	58
DN-SLO-59	59
DN-SLO-60	60
DN-SLO-61	61
DN-SLO-62	62
DN-SLO-63	63
DN-SLO-64	64
DN-SLO-65	65
DN-SLO-66	66
DN-SLO-67	67
DN-SLO-68	68
DN-SLO-69	69
DN-SLO-70	70
DN-SLO-73	73
DN-SLO-74	74
DN-SLO-75	75
DN-SLO-76	76
DN-SLO-78	78
DN-SLO-80	80
DN-SLO-82	82
DN-SLO-84	84
DN-SLO-85	85
DN-SLO-89	89
DN-SLO-90	90
DN-SLO-92	92
DN-SLO-94	94
DN-SLO-95	95
DN-SLO-96	96

Product Code	Sizes (mm)
DN-SLO-98	98
DN-SLO-100	100
DN-SLO-102	102
DN-SLO-105	105
DN-SLO-108	108
DN-SLO-110	110
DN-SLO-115	115
DN-SLO-120	120
DN-SLO-125	125
DN-SLO-127	127
DN-SLO-130	130
DN-SLO-135	135
DN-SLO-140	140
DN-SLO-145	145
DN-SLO-146	146
DN-SLO-150	150
DN-SLO-155	155
DN-SLO-160	160
DN-SLO-165	165
DN-SLO-170	170
DN-SLO-175	175
DN-SLO-180	180
DN-SLO-185	185
DN-SLO-190	190
DN-SLO-195	195
DN-SLO-200	200
DN-SLO-205	205
DN-SLO-210	210
DN-SLO-215	215
DN-SLO-220	220
-	-
-	-

**Many more sizes can be produced against specific orders.**

# SLOGGING OPEN END SPANNER

(HSN 8204)

**#133**



- » Head Set at 15 angle.
- » Black Phosphated.
- » Heavy Duty Impact Spanner with strong profile handle and durable striking end.
- » Manufactured from Chrome Vanadium / Alloy Steel.
- » **Generally conforming to IS-4508-1992, DIN:133**

**SAE SIZES**

**SAE SIZES**

**WW SIZES**

Sizes (SAE)
3/4 SAE
7/8 SAE
15/16 SAE
1 SAE
1.1/16 SAE
1.1/8 SAE
1.3/16 SAE
1.1/4 SAE
1.5/16 SAE
1.3/8 SAE
1.7/16 SAE
1.1/2 SAE
1.5/8 SAE
1.11/16 SAE
1.3/4 SAE
1.13/16 SAE
1.7/8 SAE
1.15/16 SAE
2 SAE
2.1/16 SAE
2.1/8 SAE
2.3/16 SAE
2.1/4 SAE
2.3/8 SAE
2.7/16 SAE

Sizes (SAE)
2.1/2 SAE
2.9/16 SAE
2.5/8 SAE
2.3/4 SAE
2.15/16 SAE
3 SAE
3.1/8 SAE
3.1/4 SAE
3.3/8 SAE
3.1/2 SAE
3.3/4 SAE
3.7/8 SAE
4 SAE
4.1/8 SAE
4.1/4 SAE
4.3/8 SAE
4.1/2 SAE
4.5/8 SAE
4.3/4 SAE
5 SAE
5.1/8 SAE
5.1/4 SAE
5.3/8 SAE
5.1/2 SAE
5.3/4 SAE

Sizes (WW)	Bolt Size
5/8 WW	(for 3/4 Bolt)
3/4 WW	(for 7/8 Bolt)
7/8 WW	(for 1 Bolt)
1 WW	(for 1.1/8 Bolt)
1-1/8 WW	(for 1-1/4 Bolt)
1.1/4 WW	(for 1.3/8 Bolt)
1-3/8 WW	(for 1-1/2 Bolt)
1.1/2 WW	(for 1.5/8 Bolt)
1.3/4 WW	(for 1.7/8 Bolt)
1-7/8 WW	(for 2 Bolt)
2 WW	(for 2.1/8 Bolt)



**Many more sizes can be produced against specific orders.**

# SLOGGING RING SPANNER

(HSN 8204)

**#306**



- » Heavy Duty Impact Spanner with strong profile handle and durable striking end.
- » Manufactured from Chrome Vanadium / Alloy Steel.
- » Black Phosphated.
- » **Generally conforming to IS-4509-1992, DIN:7444**

Product Code	Sizes (mm)
DN-SLR-17	17
DN-SLR-19	19
DN-SLR-22	22
DN-SLR-23	23
DN-SLR-24	24
DN-SLR-25	25
DN-SLR-26	26
DN-SLR-27	27
DN-SLR-28	28
DN-SLR-29	29
DN-SLR-30	30
DN-SLR-31	31
DN-SLR-32	32
DN-SLR-33	33
DN-SLR-34	34
DN-SLR-35	35
DN-SLR-36	36
DN-SLR-37	37
DN-SLR-38	38
DN-SLR-39	39
DN-SLR-40	40
DN-SLR-41	41
DN-SLR-42	42
DN-SLR-43	43
DN-SLR-44	44
DN-SLR-45	45
DN-SLR-46	46

Product Code	Sizes (mm)
DN-SLR-47	47
DN-SLR-48	48
DN-SLR-49	49
DN-SLR-50	50
DN-SLR-51	51
DN-SLR-52	52
DN-SLR-54	54
DN-SLR-55	55
DN-SLR-56	56
DN-SLR-57	57
DN-SLR-58	58
DN-SLR-60	60
DN-SLR-62	62
DN-SLR-65	65
DN-SLR-66	66
DN-SLR-67	67
DN-SLR-69	69
DN-SLR-70	70
DN-SLR-75	75
DN-SLR-76	76
DN-SLR-80	80
DN-SLR-85	85
DN-SLR-86	86
DN-SLR-89	89
DN-SLR-90	90
DN-SLR-95	95
DN-SLR-98	98

Product Code	Sizes (mm)
DN-SLR-100	100
DN-SLR-102	102
DN-SLR-105	105
DN-SLR-110	110
DN-SLR-115	115
DN-SLR-120	120
DN-SLR-125	125
DN-SLR-130	130
DN-SLR-135	135
DN-SLR-140	140
DN-SLR-145	145
DN-SLR-146	146
DN-SLR-150	150
DN-SLR-155	155
DN-SLR-160	160
DN-SLR-165	165
DN-SLR-170	170
DN-SLR-175	175
DN-SLR-180	180
DN-SLR-185	185
DN-SLR-190	190
DN-SLR-195	195
DN-SLR-200	200
DN-SLR-205	205
DN-SLR-210	210
DN-SLR-215	215
DN-SLR-220	220

**Many more sizes can be produced against specific orders.**

# SLOGGING RING SPANNER

(HSN 8204)

**#7444**



- » Heavy Duty Impact Spanner with strong profile handle and durable striking end.
- » Manufactured from Chrome Vanadium / Alloy Steel.
- » Black Phosphated.
- » **Generally conforming to IS-4509-1992, DIN:7444**

**SAE SIZES**

Sizes (SAE)
3/4 SAE
7/8 SAE
15/16 SAE
1 SAE
1.1/16 SAE
1.1/8 SAE
1.3/16 SAE
1.1/4 SAE
1.5/16 SAE
1.3/8 SAE
1.7/16 SAE
1.1/2 SAE
1.5/8 SAE
1.11/16 SAE
1.3/4 SAE
1.13/16 SAE
1.7/8 SAE
2 SAE
2.1/16 SAE
2.1/8 SAE
2.3/16 SAE
2.1/4 SAE
2.3/8 SAE
2.7/16 SAE
2.1/2 SAE

**SAE SIZES**

Sizes (SAE)
2.9/16 SAE
2.5/8 SAE
2.3/4 SAE
2.15/16 SAE
3 SAE
3.1/8 SAE
3.1/4 SAE
3.3/8 SAE
3.1/2 SAE
3.3/4 SAE
3.7/8 SAE
4 SAE
4.1/8 SAE
4.1/4 SAE
4.3/8 SAE
4.1/2 SAE
4.5/8 SAE
4.3/4 SAE
5 SAE
5.1/8 SAE
5.1/4 SAE
5.3/8 SAE
5.1/2 SAE
5.3/4 SAE
-

**WW SIZES**

Sizes (WW)	Bolt Size
5/8 WW	(for 3/4 Bolt)
3/4 WW	(for 7/8 Bolt)
7/8 WW	(for 1 Bolt)
1 WW	(for 1.1/8 Bolt)
1-1/8 WW	(for 1-1/4 Bolt)
1.1/4 WW	(for 1.3/8 Bolt)
1-3/8 WW	(for 1-1/2 Bolt)
1.1/2 WW	(for 1.5/8 Bolt)
1.3/4 WW	(for 1.7/8 Bolt)
1-7/8 WW	(for 2 Bolt)
2 WW	(for 2.1/8 Bolt)



**Many more sizes can be produced against specific orders.**

# SINGLE OPEN END SPANNER

(HSN 8204)

**#894**



- » German Type Engineers Spanner with a raised collar around the open end.
- » Head Set at 15 angle.
- » Forged from Chrome Vanadium / Alloy Steel.
- » Black Phosphated.
- » **Generally conforming to IS-2028-2004, DIN:894**

Product Code	Sizes (mm)
DN-SOE-7	S/E-7
DN-SOE-8	S/E-8
DN-SOE-9	S/E-9
DN-SOE-10	S/E-10
DN-SOE-11	S/E-11
DN-SOE-12	S/E-12
DN-SOE-13	S/E-13
DN-SOE-14	S/E-14
DN-SOE-15	S/E-15
DN-SOE-16	S/E-16
DN-SOE-17	S/E-17
DN-SOE-18	S/E-18
DN-SOE-19	S/E-19
DN-SOE-20	S/E-20
DN-SOE-21	S/E-21
DN-SOE-22	S/E-22
DN-SOE-23	S/E-23
DN-SOE-24	S/E-24
DN-SOE-25	S/E-25
DN-SOE-26	S/E-26
DN-SOE-27	S/E-27
DN-SOE-28	S/E-28
DN-SOE-29	S/E-29
DN-SOE-30	S/E-30
DN-SOE-31	S/E-31
DN-SOE-32	S/E-32
DN-SOE-33	S/E-33
DN-SOE-34	S/E-34

Product Code	Sizes (mm)
DN-SOE-35	S/E-35
DN-SOE-36	S/E-36
DN-SOE-37	S/E-37
DN-SOE-38	S/E-38
DN-SOE-39	S/E-39
DN-SOE-40	S/E-40
DN-SOE-41	S/E-41
DN-SOE-42	S/E-42
DN-SOE-43	S/E-43
DN-SOE-44	S/E-44
DN-SOE-45	S/E-45
DN-SOE-46	S/E-46
DN-SOE-47	S/E-47
DN-SOE-48	S/E-48
DN-SOE-49	S/E-49
DN-SOE-50	S/E-50
DN-SOE-51	S/E-51
DN-SOE-52	S/E-52
DN-SOE-53	S/E-53
DN-SOE-54	S/E-54
DN-SOE-55	S/E-55
DN-SOE-56	S/E-56
DN-SOE-57	S/E-57
DN-SOE-58	S/E-58
DN-SOE-59	S/E-59
DN-SOE-60	S/E-60
DN-SOE-61	S/E-61
DN-SOE-62	S/E-62

Product Code	Sizes (mm)
DN-SOE-63	S/E-63
DN-SOE-65	S/E-65
DN-SOE-66	S/E-66
DN-SOE-67	S/E-67
DN-SOE-68	S/E-68
DN-SOE-70	S/E-70
DN-SOE-75	S/E-75
DN-SOE-76	S/E-76
DN-SOE-79	S/E-79
DN-SOE-80	S/E-80
DN-SOE-83	S/E-83
DN-SOE-85	S/E-85
DN-SOE-86	S/E-86
DN-SOE-89	S/E-89
DN-SOE-90	S/E-90
DN-SOE-95	S/E-95
DN-SOE-98	S/E-98
DN-SOE-100	S/E-100
DN-SOE-102	S/E-102
DN-SOE-105	S/E-105
DN-SOE-110	S/E-110
DN-SOE-115	S/E-115
DN-SOE-120	S/E-120
DN-SOE-125	S/E-125
DN-SOE-130	S/E-130
DN-SOE-135	S/E-135
DN-SOE-140	S/E-140
DN-SOE-150	S/E-150

**Many more sizes can be produced against specific orders.**



# SINGLE OPEN END SPANNER

## #894



**SAE SIZES**

» Generally conforming to IS-2028-2004, DIN:894

Sizes (SAE)
S/E-3/4 SAE
S/E-13/16 SAE
S/E-7/8 SAE
S/E-15/16 SAE
S/E-1 SAE
S/E-1.1/16 SAE
S/E-1.1/8 SAE
S/E-1.3/16 SAE
S/E-1.1/4 SAE
S/E-1.5/16 SAE
S/E-1.3/8 SAE
S/E-1.7/16 SAE
S/E-1.1/2 SAE
S/E-1.5/8 SAE
S/E-1.11/16 SAE
S/E-1.3/4 SAE
S/E-1.13/16 SAE
S/E-1.7/8 SAE
S/E-2 SAE
S/E-2.1/16 SAE
S/E-2.1/8 SAE
S/E-2.3/16 SAE
S/E-2.1/4 SAE
S/E-2.3/8 SAE
S/E-2.7/16 SAE
S/E-2.1/2 SAE
S/E-2.9/16 SAE
S/E-2.5/8 SAE
S/E-2.3/4 SAE
S/E-2.15/16 SAE
S/E-3 SAE
S/E-3.1/8 SAE
S/E-3.1/4 SAE
S/E-3.3/8 SAE
S/E-3.1/2 SAE
S/E-3.3/4 SAE
S/E-3.7/8 SAE
S/E-4 SAE

**WW SIZES**

Sizes (WW)	Bolt Size
S/E-5/8 WW	(for 3/4 Bolt)
S/E-3/4 WW	(for 7/8 Bolt)
S/E-7/8 WW	(for 1 Bolt)
S/E-1 WW	(for 1.1/8 Bolt)
S/E-1-1/8 WW	(for 1-1/4 Bolt)
S/E-1.1/4 WW	(for 1.3/8 Bolt)
S/E-1-3/8 WW	(for 1-1/2 Bolt)
S/E-1.1/2 WW	(for 1.5/8 Bolt)
S/E-1.3/4 WW	(for 1.7/8 Bolt)
S/E-1-7/8 WW	(for 2 Bolt)
S/E-2 WW	(for 2.1/8 Bolt)

**ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED**



**Many more sizes can be produced against specific orders.**

**DEEP OFFSET SLOGGING RING SPANNER  
ROUND HANDLE  
#310RH**



Pipe Extension can be used for Extra Leverage.

- » Heavy Duty Impact Spanner ideal to be used with club or pneumatic hammer.
- » Pipe Extension can be used for extra leverage.
- » Manufactured from Chrome Vanadium / Alloy Steel.
- » Black Phosphated. **(HSN 8204)**

Size (mm)
24 RH
27 RH
30 RH
32 RH
36 RH
41 RH
46 RH
50 RH
55 RH
60 RH
65 RH
70 RH
75 RH
80 RH

**PIPE EXTENSION  
(FOR OPERATING DEEP OFFSET SLOGGING RING SPANNER ROUND HANDLE)**



Pipe Length Size (mm)
460mm
610mm
760mm
860mm

**SLOG RING SQUARE SLOGGING TUBE EXTENSION**



Pipe Extension can be used for Extra Leverage.

Size (mm)
24mm (Deep Offset)
30mm (Deep Offset)
36mm (Deep Offset)
41mm (Straight Shank)
46mm (Straight Shank)

**DEEP OFFSET SLOGGING RING SPANNERS**

**#310**



Size (mm)	Size (mm)
23 SR D	55 SR D
24 SR D	57 SR D
27 SR D	60 SR D
28 SR D	61 SR D
29 SR D	63 SR D
30 SR D	64 SR D
32 SR D	65 SR D
33 SR D	70 SR D
34 SR D	75 SR D
36 SR D	76 SR D
37 SR D	80 SR D
38 SR D	85 SR D
41 SR D	90 SR D
42 SR D	95 SR D
43 SR D	96 SR D
44 SR D	100 SR D
46 SR D	105 SR D
47 SR D	107 SR D
48 SR D	110 SR D
50 SR D	115 SR D
51 SR D	120 SR D
54 SR D	

Sizes (SAE)	Sizes (SAE)
7/8 SAE	2.1/2 SAE
15/16 SAE	2.9/16 SAE
1 SAE	2.5/8 SAE
1.1/16 SAE	2.11/16 SAE
1.1/8 SAE	2.3/4 SAE
1.3/16 SAE	2.13/16 SAE
1.1/4 SAE	2.7/8 SAE
1.5/16 SAE	2.15/16 SAE
1.3/8 SAE	3 SAE
1.7/16 SAE	3.1/16 SAE
1.1/2 SAE	3.1/8 SAE
1.9/16 SAE	3.3/16 SAE
1.5/8 SAE	3.1/4 SAE
1.11/16 SAE	3.5/16 SAE
1.3/4 SAE	3.3/8 SAE
1.13/16 SAE	3.7/16 SAE
1.7/8 SAE	3.1/2 SAE
1.15/16 SAE	3.9/16 SAE
2 SAE	3.5/8 SAE
2.1/16 SAE	3.11/16 SAE
2.1/8 SAE	3.3/4 SAE
2.3/16 SAE	3.13/16 SAE
2.1/4 SAE	3.7/8 SAE
2.5/16 SAE	3.15/16 SAE
2.3/8 SAE	4 SAE
2.7/16 SAE	-

**COMPARE PRICES WITH QUALITY**

# DE NEERS®

*Best Ever Tools*



# PLIERS

**PLIERS**

**MINI PLIER - FLAT NOSE (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1401	Flat Nose	125	10

**MINI PLIER - ROUND NOSE (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1402	Round Nose	125	10

**MINI PLIER - LONG NOSE (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1403	Long Nose	125	10

**MINI PLIER - BENT NOSE (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1404	Bent Nose	125	10

**MINI PLIER - SIDE CUTTING (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1405	Side Cutting	125	10

**MINI PLIER - END CUTTING (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1406	End Cutting	125	10

**MINI PLIER - COMBINATION (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1407	Combination	125	10

**MINI PLIER - LONG NEEDLE NOSE (HSN 8203)**



**Blister Packing**

» Induction Hardened

Product No.	Description	Length mm	Shelf Carton (Packing)
DN-1408	Long Needle Nose	125	10
DN-1409	Long Needle Bent Nose	125	10

**REVOLVING PUNCH PLIER (HSN 8203)**



**Blister Packing**

Size	Shelf Carton (Packing)
200mm	5

**SLIP JOINT PLIERS WITH DIP INSULATION (HSN 8203)**



\* Drop Forged

\* Generally Conforming to IS 13323-1992

Product No.	Sizes (mm)	Shelf Carton (Packing)
DN/23/6	150mm-6	10
DN/23/8	200mm-8	10

**COMPARE QUALITY WITH PRICES**

**COMBINATION PLIERS-HEAVY DUTY (HSN 8203)**



- » Hardened And Tempered
- » High Alloy Steel
- » Generally Conforming to IS 3650-1981

IMPROVED

Size	Shelf Carton (Packing)	Master Carton (Packing)
150mm-6	10	100
175mm-7	10	100
210mm-8	10	80
1621/8 Special	10	80

**COMBINATION PLIER- HEAVY DUTY- PROFESSIONAL SERIES (HSN 8203)**



- » Hardened And Tempered
- » Generally Conforming to IS 3650-1981

Size	Shelf Carton (Packing)
200mm-8	5

**COMBINATION PLIER - PROFESSIONAL SERIES (HSN 8203)**



- » Hardened And Tempered
- » Generally Conforming to IS 3650-1981

Size	Shelf Carton (Packing)
MCP-10/250mm	5
MCP-12/300mm	5

**COMBINATION PLIER / LINEMAN PLIER (VDE)**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**BENT NOSE PLIER (HSN 8203)**



- » Generally Conforming to IS 5658-1990

Product No.	Description	Length mm	Shelf Carton (Packing)
BN-06	Bent Nose	165	10
BN-08	Bent Nose	200	10
DN/BN-13	Bent Nose	325	10

**SIDE CUTTING PLIERS - A (HSN 8203)**



- » Jaws And Cutting edge Induction Hardened for Longer Life.
- » Generally Conforming to IS 4378(I)-2017

Product No.	Size	Shelf Carton (Packing)
DN/1121/6	150mm-6	10

**SIDE CUTTING PLIERS - B PROFESSIONAL SERIES (HSN 8203)**



- » Generally Conforming to IS 4378-1990

Product No.	Size	Shelf Carton (Packing)
DN/1121/8	200mm	5

**DIAGONAL SIDE CUTTING PLIER (VDE)**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**LONG NOSE PLIERS (HSN 8203)**



- » Chrome Vanadium Steel
- » Generally Conforming to IS 5658-1990

IMPROVED

Product No.	Description	Length mm	Shelf Carton (Packing)
1430/6	Long Nose	150mm-6	10
1430/8	Long Nose	200mm-8	5
1421/6	Flat Nose	165mm-6	10
1431/6	Round Nose	165mm-6	10
DN/LN-11	Extra Long Nose	275mm-11	5
DN/LN-13	Extra Long Nose	325mm-13	5

**LONG NOSE PLIER / SNIPE NOSE PLIER (VDE)**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

PLIERS

PLIERS

**CIRCLIP PLIERS**

**INTERNAL STRAIGHT - # 1441**  
**INTERNAL BENT - # 1442**  
**(HSN 8203)**



**PROFESSIONAL SERIES**

**Blister Packing**

» Hardened & Tempered  
» Generally Conforming to IS 7989-1976 (Int.), 7990-1976 (Ext.)

Sizes (mm)	Capacity	Shelf Carton (Packing)
125mm-5	8-25mm	10
175mm-7	19-60mm	10
225mm-9	40-100mm	5
325mm-13	85-165mm	2
450mm-18 (Printed Polybag)		

**CIRCLIP PLIERS**

**EXTERNAL STRAIGHT - # 1443**  
**EXTERNAL BENT # 1444**  
**(HSN 8203)**



**Blister Packing**

» Generally Conforming to IS 7990-1976 (Ext.)

Sizes (mm)	Capacity	Shelf Carton (Packing)
125mm-5	8-25mm	10
175mm-7	19-60mm	10
225mm-9	40-100mm	5
325mm-13	85-165mm	2
450mm-18 (Printed Polybag)		

**CIRCLIP PLIER SET**

**Tetron Packing**



Contents	Sizes (mm)
Internal Straight	175mm-7
External Straight	175mm-7
Internal Bent	175mm-7
External Bent	175mm-7

**FENCING PLIER- HEAVY DUTY (HSN 8203)**



» Hardened And Tempered  
» Generally Conforming to IS 5067-1969

Sizes (mm)	Shelf Carton (Packing)
250mm-10	5

**WATER PUMP PLIER BOX JOINT WITH DIP INSULATION-RED WPP (HSN 8203)**

**HEAVY DUTY**



» Hardened and Tempered  
» Generally Conforming to IS 6118-2017

Product No.	Size (mm)	Shelf Carton (Packing)
WPP RED 7	175	10
WPP RED 10	250	10
WPP RED 12	300	5

**WATER PUMP PLIER - GROOVE JOINT (HSN 8203)**



**Blister Packing**

» Generally Conforming to IS 6118-1991

Product No.	Size (mm)	Shelf Carton (Packing)
DN1225/10	250mm (with insulation)	5
DN1226/12	300mm (with insulation)	5
DN1227/16	400mm (with insulation)	2

**VICE GRIP PLIER (HSN 8203)**



» Generally Conforming to IS 10372-1982

Product No.	Size (mm)	Weight in Gms	Shelf Carton (Packing)
DN/1641-7	175mm-7	370	10
DN/1641-10	250mm-10	550	6

**COBBLER PINCER-WITH DIP INSULATION (HSN 8203)**



\* Generally Conforming to IS 4095-1991

Product No.	Size (mm)	Shelf Carton (Packing)
DN/1541/6	150	10
DN/1541/8	200	6

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

# DE NEERS®

*Best Ever Tools*



WRENCHES

**ADJUSTABLE WRENCHES**  
(HSN 8204)



- » Generally Conforming to IS 6149-1984 Grade-II
- » Our Licence No. CM/L - 9700060818
- ★ Sizes 200, 250, 300, 375mm are marked also

Product No.	Length (mm)	Opening Capacity (mm)	Shelf Carton (Packing)
11169-4	100	14	10
11170-6	155	19	10
★ 11171-8	205	26	10
★ 11172-10	255	30	5
★ 11173-12	305	35	5
★ 11174-15	380	43	2
11175-18	445	55	1
11176-24	606	62	1
11177-30	780	90	1

**PIPE WRENCHES STILLSON PATTERN**  
(HSN 8204)



- » Generally Conforming to IS 4003 Part- I 1978
- » Our Licence No. CM/L - 9700050015
- ★ Sizes 300, 350, 450, 600mm are marked also

Product No.	Length (mm)	Opening Capacity (mm)	Shelf Carton (Packing)
1271-8	200	35	5
1272-10	250	33	5
★ 1273-12	300	42	5
★ 1274-14	350	48	5
★ 1275-18	450	60	4
★ 1276-24	600	73	2
1277-36	900	95	1
1278-48	1200	166	1
1279-60 HD	1500	220	1

**PIPE WRENCHES ALUMINUM**  
(HSN 8204)



- » Generally Conforming to IS 4003 (Part-II)1986

Product No.	Size (mm)	Opening Capacity (mm)
116AL 10	250	49
116AL 12	300	60
116AL 14	350	60
116AL 18	450	76
116AL 24	600	90
116AL 36	900	140
116AL 48	1200	166

**PIPE WRENCHES - Heavy Duty**  
(HSN 8204)



- » Handle made of malleable cast iron.
- » Hook & Heel Jaws induction hardened.
- » Efficient Design to improve productivity.

- » Generally Conforming to IS 4003 (Part-II)1986

Product No.	Size (mm)	Opening Capacity (mm)
1116R-8 HD	200	35
1116R-10 HD	250	49
1116R-12 HD	300	60
1116R-14 HD	350	60
1116R-18 HD	450	76
1116R-24 HD	600	90
1116R-36 HD	900	140
1116R-48 HD	1200	166
1116R-60 HD	1500	220

**SPARES FOR PIPE WRENCHES-HEAVY DUTY**  
» SET OF HOOK / HEEL JAWS, ROLLER, SPRING

Product No.	Size (mm)
1116R-8	200
1116R-10	250
1116R-12	300
1116R-14	350
1116R-18	450
1116R-24	600
1116R-36	900
1116R-48	1200
1116R-60	1500

**FILTER WRENCH : BELT TYPE**  
(HSN 8204)



Size

225mm Long

300mm Long

**STRAP WRENCH**  
(HSN 8204)



- » Drop Forged Handle.

Size

275mm - 11

COMPARE PRICES WITH QUALITY

WRENCHES



**CHAIN PIPE WRENCHES - HEAVY DUTY (SOLID HANDLE) (HSN 8204)**



- » Salient Design Features : Specially Designed Double Sided Reversible and Interchangeable Forged Jaw to give Longer Life
- » The Ribs on the Jaw Share and Minimize the Load on Holding Fasteners
- » Jaws Drop Forged from Alloy Steel.
- » Generally Conforming to IS 4123-1998

Size	Length (mm)	Chain Length (mm)	Capacity
3-75mm	710	475	90
4-100mm	920	585	115
6-150mm	1100	834	165
8-200mm	1200	1100	220
10-250mm	1400	1200	260
12-300mm	1610	1360	300
16-400mm	1750	1500	385

**CHAIN PIPE WRENCHES - HEAVY DUTY (HOLLOW HANDLE)**



- » Salient Design Features : Specially Designed Double Sided Reversible and Interchangeable Forged Jaw to give Longer Life
- » The Ribs on the Jaw Share and Minimize the Load on Holding Fasteners
- » Jaws Drop Forged from Alloy Steel.
- » Generally Conforming to IS 4123-1998 (HSN 8204)

Size	Length (mm)	Chain Length (mm)	Capacity
3-75mm	710	475	90
4-100mm	920	585	115
6-150mm	1100	834	165
8-200mm	1200	1100	220

**SPARES JAW FOR HEAVY DUTY CHAIN PIPE WRENCHES**

Size
3-75mm
4-100mm
6-150mm
8-200mm
12-300mm

**SPARES CHAIN FOR HEAVY DUTY CHAIN PIPE WRENCHES**

Size
3-75mm
4-100mm
6-150mm
8-200mm
12-300mm

**TORQUE WRENCH (HSN 8204)**



- » Hardened and Tempered
- » Calibration Certificate provided with each pc.
- » Induction Hardened
- » Generally conforming to IS 6789-2008

Item No.	Square Drive	Capacity		
		Lb-ft	Nm	Kgf-m
DN 8	3/8	2-10	2.5-11	0.3-1.4
DN 25	3/8	5-25	5-35	0.5-3.5
DN 50	1/2	10-50	12-68	1 - 7
DN 100	1/2	20-100	25-135	3-14
DN 160	1/2	40-160	50-220	5-23
DN 250	1/2	50-250	70-330	7-35
DN 400	3/4	100-400	135-540	14-56
DN 500	3/4	100-500	135-675	14-70
DN 600	3/4	140-600	200-810	22-82
DN 750	3/4	350-750	475-1050	49-105
DN 1000	1	400-1000	540-1380	55-140
DN 1400	1	750-1400	1000-1900	105-195
DN 2000	1	1000-2000	1350-2700	135-275

**SQUARE COUPLER (FOR TORQUE WRENCHES)**



Drive
1/2
3/4
1

**TORQUE WRENCH (CLICK TYPE) (HSN 8204)**



**Ratchet Type Only**

- » Hardened and Tempered
- » Induction Hardened
- » As Per IS 6789-2008

Item No.	Square Drive	Capacity Nm
DN 50 (Ratchet type)	1/2	10-50
DN 100 (Ratchet type)	1/2	20-100
DN 160 (Ratchet type)	1/2	40-160
DN 250 (Ratchet type)	1/2	50-250
DN 400 (Ratchet type)	3/4	100-400

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

WRENCHES

**HOOK WRENCH  
(HSN 8204)**



» Generally Conforming to DIN:1810

Size (mm)
15 - 20
15 - 25
15 - 35
16 - 20
20 - 25
20 - 30
25 - 28
25 - 30
25 - 35
28 - 32
30 - 32
30 - 35
30 - 40
34 - 36
35 - 40
35 - 45
35 - 50
40 - 42
40 - 45
40 - 50
45 - 50
45 - 52
45 - 55
50 - 55
50 - 60
52 - 55
55 - 60
55 - 62
55 - 65
56 - 58
58 - 62
60 - 70
60 - 80
65 - 75
65 - 85
68 - 72
68 - 75
70 - 80
70 - 90
75 - 85
78 - 85
75 - 95
80 - 90
80 - 100
85 - 95
85 - 105
90 - 95



Size (mm)
90 - 100
95 - 100
95 - 105
100 - 110
110 - 115
115 - 130
120 - 130
135 - 145
145 - 155
150 - 160
155 - 165
165 - 170
165 - 180
180 - 195
180 - 200
200 - 220
205 - 220
220 - 240

**HOOK WRENCH (ADJUSTABLE)**



Size (mm)
19-50 <b>Adjustable</b>
32-75 <b>Adjustable</b>
50 - 80 <b>Adjustable</b>
50-120 <b>Adjustable</b>
85-105 <b>Adjustable</b>
80-120 <b>Adjustable</b>
115-170 <b>Adjustable</b>
120-180 <b>Adjustable</b>

**HOOK WRENCH (PIN TYPE)**

**(HSN 8204)**



Size (mm)	Size (mm)
16 - 18	45 - 50
16 - 20	52 - 55
25 - 28	58 - 62
30 - 32	68 - 75
34 - 36	80 - 90
40 - 42	95 - 100
50 - 80 <b>Adjustable</b>	120-180 <b>Adjustable</b>
80-120 <b>Adjustable</b>	-

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

WRENCHES

# DE NEERS®

*Best Ever Tools*



CUTTERS

**BOLT CUTTERS**  
(HSN 8203)



- » Suitable for Cutting Metal upto 25 HRc Hardness
- » **Generally Conforming to IS 5200-1998.**

Size	Length (mm)	Cutting Capacity in Round Bar
8	200	3mm
12	300	5mm
14	350	7mm
18	450	8mm
24	600	10mm
30	750	13mm
36	900	16mm
42	1050	19mm
48	1200	22mm

**SPARE BLADES SETS FOR BOLT CUTTER**



Size	Length (mm)
12	300
14	350
18	450
24	600
30	750
36	900
42	1050
48	1200

**WIRE ROPE CUTTER - HEAVY DUTY**  
(HSN 8203)



- » Drop Forged Adaptor
- » Blade Drop-Forged from Chrome Vanadium Steel

Size	Cutting Capacity	In Threaded Bolt	In Round Bar
350mm-14	25 HRC	10mm	8mm
450mm-18	25 HRC	12mm	10mm
600mm-24	25 HRC	12mm	10mm
900mm-36	25 HRC	12mm	14mm
1050mm-42	25 HRC	14mm	16mm
1200mm-48	25 HRC	16mm	18mm

**CABLE CUTTER**  
(HSN 8203)



- » Hardened and Tempered
- » Used for Cutting Copper & Aluminium Cable, not for Cutting ACSR, Wire Rope Steel, or Self Supporting Stand

Size	Copper Conductor Cable Suitable
6-150mm	6mm Dia
8-200mm	7mm Dia
10-250mm	8mm Dia
18-450mm	16mm Dia
24-600mm	175mm <sup>2</sup> Cable
28-700mm	250mm <sup>2</sup> Cable
30-750mm	300mm <sup>2</sup> Cable
36-900mm	430mm <sup>2</sup> Cable
38-950mm	500mm <sup>2</sup> Cable
42-1050mm	600mm <sup>2</sup> Cable

**TIN CUTTER**  
(HSN 8203)



- » Induction hardened cutting edges to cut sheets with ease.
- » Spring loaded handles.
- » Manufactured from selected steel
- » **Generally Conforming to IS 6087-1971**

Size
8-200mm
10-250mm
12-300mm
14-350mm

**TIN CUTTER - HEAVY DUTY AMERICAN SCISSOR TYPE**



- » **Generally Conforming to IS 6087-1971 (HSN 8203)**

Size
8-200mm
10-250mm
12-300mm

COMPARE PRICES WITH QUALITY

CUTTERS

**WIRE STRIPPER & CUTTER  
(HSN 8203)**



»Generally Conforming to IS 5087-1969

Product No.	Sizes (mm)	Shelf Carton (Packing)
DN 150/5	125	10

**ERGOMATIC WIRE STRIPPER & CUTTER  
(HSN 8203)**



»Generally Conforming to IS 5087-1969

Product No.	Sizes (mm)	Shelf Carton (Packing)
DN-EWS 06	160	10

**WIRE STRIPPER**



**VDE**

Available in Injection Moulding & Dipped Coated

Size (mm)

150mm-6

**REBAR CUTTER & BENDER- (HSN 8203)  
FOR METAL BARS (SOLID BARS CUTTER)**



Product No.	Size	Length (mm)	Capacity
RCC	52	1320	16mm(5/8)



**AVIATION CUTTERS  
(HSN 8203)**



»Generally Conforming to IS 6087-1971

Description	Length (mm)
Straight Nose ATC	250
Right Nose ATC	250
Left Nose ATC	250

**UTILITY KNIFE**



Size	Blade Size
DN-UK-3 (with 3 Spare Blade)	60x19mm
Spare Blades for DN-UK-3	60x19mm

**WIRE BRUSH**



Size
WIRE BRUSH

**PLASTIC CUTTERS  
(HSN 8203)**



»Generally Conforming to IS 5087-1969

Product No.	Sizes (mm)	Shelf Carton (Packing)
DN-PCP-150	150	10

**CUTTING BLADES**



Item	Size
Marble Cutting Blades	110mm (Rim)
Marble Cutting Blades	150mm (Rim)
Marble Cutting Blades	110mm (Cut)
Marble Cutting Blades	200mm (Cut)
Marble Cutting Blades	250mm (Cut)
Marble Cutting Blades	110mm (Turbo)
Cut Off Wheels-Green	107mm (4) x 1NET
Cut Off Wheels-Green	355mm (14) x 1NET

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

CUTTERS

HAMMERS

DE NEERS®

*Best Ever Tools*



**BALL PEIN / CROSS PEIN HAMMERS**  
**(HSN 8205)**



HIGH QUALITY  
ASHWOOD  
HANDLE

» Drop Forged from Carbon Steel

» Generally Conforming to IS 841 - 1983

Size (gms)	Shelf Carton (Packing)	Master Carton (Packing)
100	10	100
200	4	60
300	4	60
500	2	40
600	2	24
800	2	24
1000	2	24

**BALL PEIN / CROSS PEIN HAMMER with Fiberglass Handle**  
**(HSN 8205)**



Size (gms)	Shelf Carton (Packing)
224	6
336	6
448	2
500	2
672	2
896	2
1000	2
1250	2

**MACHINIST HAMMERS**  
**(HSN 8205)**



HIGH QUALITY  
ASHWOOD  
HANDLE

» Generally Conforming to IS 841 - 1983

Size (gms)	Shelf Carton (Packing)
100	4
200	4
300	4
500	2
800	2
1000	2
1500	2
2000	2

**CHIPPING HAMMER**  
**(HSN 8205)**



Size (gms)
700

**CLAW HAMMER** **(HSN 8205)**  
with Fiberglass Handle / Wooden Handle



» Generally Conforming to IS 6546-1989

Size (gms)
450 gms Magnetic / Non-Magnetic with TPR Handle (Gross Weight 700 gm)
336 gms (Ashwood Handle)
448 gms Non-Magnetic (Ashwood Handle)
560 gms Non-Magnetic (Ashwood Handle)

**SLEDGE HAMMER - WITH WOODEN HANDLE**  
**(HSN 8205)**



HIGH QUALITY  
ASHWOOD  
HANDLE

» Generally Conforming to IS 841 - 1983

Size (gms)	Size (gms)
1000	5000
1500	6000
2000	7000
2500	8000
3000	10000
4000	-

**SLEDGE HAMMER with Fiberglass Handle**  
**(HSN 8205)**



» Drop Forged from Carbon Steel

Size (gms)	Size (gms)
1000	5000
1500	6000
2000	7000
2500	8000
3000	10000
4000	-

**FIBERGLASS HANDLE FOR HAMMERS**  
**(HSN 3926)**



Suitable for
100 & 200 Gms (Ball/Cross Pein)
450 Gms (Claw Hammer)
500 & 800 Gms (Ball/Cross Pein)
1 Kg & 2 Kg (Sledge Hammer)
4 Kg, 5 Kg & 6 Kg (Sledge Hammer)

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

HAMMERS

**SOFT FACED PLASTIC HAMMERS  
(HSN 8205)**



»Generally Conforming to IS 10838-1984

Product No.	Mallet Dia (mm)	Shelf Carton (Packing)	Master Carton (Packing)
DN-20FL	20	5	100
DN-25FL	25	4	100
DN-30FL	30	4	60
DN-40FL	40	4	36
DN-50FL	50	4	36

**SPARE MALLET**

For Soft Faced Plastic Hammers  
(HSN 8205)

»Generally Conforming to IS 10838-1984



Product No.	Mallet Dia (mm)	Shelf Carton (Packing)
DN-20T	20	10
DN-25T	25	10
DN-30T	30	10
DN-40T	40	10
DN-50T	50	10

**PVC RUBBER HAMMER  
WITH Fiberglass Handle**



Size	Weight (in Gms)
8 oz / 45mm	224
12 oz / 50mm	336
16 oz / 55mm	448
24 oz / 65mm	672
32 oz / 75mm	896
40 oz / 85mm	1120

**CLUB HAMMER with Fibreglass Handle  
(HSN 8205)**



»Generally Conforming to IS 841 - 1983

Size (gms)	Shelf Carton (Packing)
1250	2
1500	2
2000	2

**DEAD BLOW HAMMER with  
Fiberglass Handle  
(HSN 8205)**



» Ideal for Denting use.

Size (gms)	Size (gms)
500	1000
800	1250
900	-

**BRASS HAMMER with Fiberglass / Wooden Handle**



(HSN 8205)

Size (gms)	Size (gms)
450	4000
1000	5000
1500	6000
2000	7200
2500	10000
2700 / 3000	-

**COPPER HAMMER with Fiberglass / Wooden Handle**



Size (Ball Pein) (gms)	Size (Sledge Type) (gms)
230	450
340	1000
450	1500
680	2000
910	3000
1130	4000
-	5000
-	6000
-	10000

**HAND AXE / HATCHET AXE / FIREMAN AXE)  
with Fiberglass Handle / Wooden Handle**



(HSN 8205)

Size (gms)
600
800
1000
3000 (IS-3748)

COMPARE PRICES WITH QUALITY

HAMMERS



# DE NEERS®

*Best Ever Tools*



SCREW DRIVERS

**FLAT SCREW DRIVERS** ⊖  
(HSN 8205)



» Engineer's Pattern

» Generally Conforming to IS 844 - 1979

Product No.	Blade Size Length x Dia (mm)	Shelf Carton (Packing)
DN-2550	50 x 2.5	10
DN-2575	75 x 2.5	10
DN-25100	100 x 2.5	10
DN-25150	150 x 2.5	10
DN-932	50 x 3	10
DN-933	75 x 3	10
DN-911	50 x 3	10
DN-901	75 x 3	10
DN-902	100 x 3	10
DN-912	75 x 3.5	10
DN-842	150 x 3.5	10
DN-913	100 x 4	10
DN-712	125 x 4	10
DN-833	200 x 4	10
DN-713	75 x 5	10
DN-936	150 x 5	10
DN-921	75 x 6	10
DN-922	100 x 6	10
DN-923	125 x 6	10
DN-824	150 x 6	10
DN-825	200 x 6	10
DN-826	250 x 6	10
DN-725	150 x 8	10
DN-6300	300 x 6	10
DN-924	125 x 8	10
DN-925	150 x 8	10
DN-926	175 x 8	10
DN-827	200 x 8	10
DN-828	250 x 8	10
DN-829	300 x 8	10
DN-8350	350 x 8	10
DN-927	200 x 10	6
DN-928	250 x 10	6
DN-929	300 x 10	6
DN-930	400 x 10	6
DN-931	450 x 10	6
DN-940	600 x 10	6

**TESTER - WITH NEON BULB**  
(HSN 8205)



» Generally Conforming to IS 5579 - 1985 Grade II

Item No.	Handle Colour	Overall Length (mm)	Shelf Carton (Packing)
DN-813	Yellow	125	20
DN-814	Green	125	20
DN-818	Yellow	200	10

**POKER (HSN 8205)**



Description	Shelf Carton (Packing)
Poker 871 - 100mmx6mm	10
Poker 606 - 150mmx6mm	10
Poker 608 - 200mmx6mm	10

**FLAT SCREW DRIVERS-INSULATED** ⊖



» Generally Conforming to IS 844 - 1979

(HSN 8205)

Product No.	Blade Size Length x Dia (mm)	Shelf Carton (Packing)
DN-354 Ins	100 x 3.5	20
DN-356 Ins	150 x 3.5	20
DN-358 Ins	200 x 3.5	20
DN-822 Ins	125 x 3.5	20
DN-842 Ins	150 x 3.5	20
DN-832 Ins	200 x 3.5	20
DN-823 Ins	150 x 4.0	20
DN-833 Ins	200 x 4.0	20
DN-934 Ins	100 x 5.0	10
DN-935 Ins	125 x 5.0	10
DN-936 Ins	150 x 5.0	10
DN-937 Ins	200 x 5.0	10
DN-938 Ins	250 x 5.0	10
DN-939 Ins	300 x 5.0	10
DN-824 Ins	150 x 6.0	10
DN-825 Ins	200 x 6.0	10
DN-826 Ins	250 x 6.0	10
DN-827 Ins	200 x 8.0	10
DN-828 Ins	250 x 8.0	10
DN-829 Ins	300 x 8.0	10
DN-928 Ins	250 x 10.0	10

**PHILIPS SCREW DRIVERS** ⊕



» Engineer's Pattern

» Generally Conforming to IS 844 - 1979

(HSN 8205)

Product No.	Blade Size Length x Dia (mm)	Phillips Tip Size	Shelf Carton (Packing)
DN 2550P	50 x 2.5	0	10
DN 2575P	75 x 2.5	0	10
DN 25100P	100 x 2.5	0	10
DN 25150P	150 x 2.5	0	10
DN 859 50	50 x 3	0	10
DN 859 100	100 x 3	0	10
DN 860 60	60 x 3	0	10
DN 860 150	150 x 3	0	10
DN 861 75	75 x 5	1	10
DN 861 100	100 x 5	1	10
DN 861 150	150 x 5	1	10
DN 861 200	200 x 5	1	10
DN 861 250	250 x 6	2	10
DN 862 100	100 x 6	2	10
DN 862 150	150 x 6	2	10
DN 862 200	200 x 6	2	10
DN 862 250	250 x 6	2	10
DN 862 300	300 x 6	2	10
DN 863 150	150 x 8	3	10
DN 863 200	200 x 8	3	10
DN 863 250	250 x 8	3	10
DN 863 300	300 x 8	3	10
DN 863 350	350 x 8	3	10
DN 864 200	200 x 10	4	10
DN 864 250	250 x 10	4	6
DN 864 300	300 x 10	4	6

**Phillips Set (Set of 5 Pcs)**

6x100, 6x150, 6x200, 6x250, 6x300

Pouch Packing. Handle Opaque Blue Colour

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

SCREW DRIVERS

**SCREW DRIVERS - TWO IN ONE**



»Generally Conforming to IS 844 - 1979 (HSN 8205)

Product No.	Blade Size Length x Dia (mm)	Shelf Carton (Packing)
DN-810	60 x 3.5	10
DN-803	55 x 3.0	10
DN-803 Long	100 x 3.0	10
DN-804	75 x 5.0	10
DN-805	100 x 5.0	10
DN-850	200 x 5.0	10
DN-904	100 x 6.0	10
DN-905	140 x 6.0	10
⊕ DN-854 ⊕	140 x 6.0	10
⊕ DN-851 ⊕	200 x 6.0	10
⊕ DN-853 ⊕	200 x 6.0	10
DN-907	200 x 6.0	10
DN-903	250 x 6.0	10
DN-9012	300 x 6.0	10
DN-8300 T	300 x 8.0	10
DN-8350 T	350 x 8.0	10
DN-8300 TP	300 x 8.0	10
DN-8350 TP	350 x 8.0	10
DN-906	150 x 8.0	10
DN-854	140 x 8.0	10
DN-910	250 x 8.0	10
⊕ DN-852 ⊕	200 x 8.0	10
DN-908	250 x 8.0	10

**TWO IN ONE - STUBBY SCREW DRIVER**



(HSN 8205)

Product No.	Blade Length (mm)	Tip Dimensions	Shelf Carton (Packing)
DN-855	50	2 Philips	10
DN-974	75	2 Philips 6.0 x 0.8	10

**SCREW DRIVERS - OPAQUE HANDLE**

(HSN 8205)



»Generally Conforming to IS 844 - 1979

Product No.	Blade Size Dia x Length (mm)	Shelf Carton (Packing)
DN-786	6.0 x 100	10
DN-788	6.0 x 150	10
DN-787Ins	6.0 x 250	10
⊕ DN-OB-665 ⊕	6.0 x 65	10

**STRIKING SCREW DRIVERS**

(Strictly not for Electric Use)

(HSN 8205)



Product No.	Size (mm)
OGS-8150	8x150
OGS-8210	8x210
OGS-8260	8x260
OGS-8300	8x300
OGS-10200	10x200
OGS-10250	10x250
OGS-10300	10x300

**SCREW DRIVERS KITS**

Product No.	Contents
1013	Consisting of 8 Screw Drivers 713, 922, 725, 828, 912, 712, 937 I, P5 861 75
1014	Consisting of 7 Screw Drivers 824, P5 861 75, P6 862 100, 913, 925. 935 I, 814
1017	Consisting of 5 Philips Screw Drivers P3 859 50, P3 860 60, P5 861 75, P6 862 100, P8 863 200

**SCREW DRIVER SETS (ROUND BOX)**

(HSN 8205)

**DN-800**



Description	Master Carton (Packing)
Screw Driver Set No.DN-800 (Neon Bulb with eight Blades in 6mm Dia Consisting Extn.Rod)	100

**SCREW DRIVER SETS**

(HSN 8205)

**DN-812**



Description	Master Carton (Packing)
Screw Driver Set No.DN-812 (Neon Bulb with Five Blades including Poker)	120

**PRECISION SCREW DRIVER SETS**

(HSN 8205)



Description	Master Carton (Packing)
PRECISION / WATCH MAKER DN-PSF6 Precision Screw Driver Set (6 Pcs) (containing Flat 1.4mm, 2.0mm, 2.4mm, 3.0mm & Philips Tip no 0&1)	100

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

SCREW DRIVERS

**TORX SCREW DRIVERS**  
(HSN 8205)



Size	Blade in Length mm	Blade dia mm
T-5	75	3.0
T-5 LONG	150	3.0
T-6	75	3.0
T-6 LONG	150	3.5
T-8	75	3.5
T-8LONG	150	3.5
T-10	75	3.5
T-10 LONG	150	3.5
T-15	75	5.0
T-15 LONG	150	5.0
T-20	100	5.0
T-20 LONG	200	6.0
T-25	100	6.0
T-25 LONG	200	6.0
T-30	100	6.0
T-30 LONG	200	6.0
T-40	125	8.0
T-40 LONG	200	8.0

**TORX SCREW DRIVER SET 8 PCS**  
(Containing T-5 to T-40)



**SCREW DRIVER BITS**  
(HSN 8205)



Product No.	Size / Type	Thickness (mm)
PH2PH265	PH2 x PH2 x 65mm	6.5mm
PH2SL665	PH2 x SL6 x 65mm	6.5mm
PH240	PH2 x 40mm	6.5mm
PH340	PH3 x 40mm	6.5mm
PH280	PH2 x 80mm	6.5mm
PH380	PH3 x 80mm	6.5mm
SL640	SL6 x 40mm	6.5mm
SL840	SL8 x 40mm	8mm
SL680	SL6 x 80mm	6.5mm
SL880	SL8 x 80mm	8mm
SBP250	PH0 x 25mm	6.5mm
SBP252	PH2 x 25mm	6.5mm
SBP501	PH1 x 50mm	6.5mm
SBP502	PH2 x 50mm	6.5mm
SBPP5011	PH1 x PH1 x 50mm	6.5mm
SBPP5012	PH1 x PH2 x 50mm	6.5mm
SBPP5013	PH1 x PH3 x 50mm	6.5mm
SBPP5022	PH2 x PH2 x 50mm	6.5mm
SBPP5023	PH2 x PH3 x 50mm	6.5mm
SBPP6512	PH1 x PH2 x 65mm	6.5mm
SBPP6522	PH2 x PH2 x 65mm	6.5mm
SBPP6523	PH2 x PH3 x 65mm	6.5mm
SBPP11011	PH1 x PH1 x 110mm	6.5mm
SBPP11012	PH1 x PH2 x 110mm	6.5mm
SBPP11022	PH2 x PH2 x 110mm	6.5mm
SBPP11023	PH2 x PH3 x 110mm	6.5mm
SBPP11033	PH3 x PH3 x 110mm	6.5mm
8PH240	PH2 x 40mm	8mm
8PH340	PH3 x 40mm	8mm
8PH280	PH2 x 80mm	8mm
8PH380	PH3 x 80mm	8mm

**COMPARE PRICES WITH QUALITY**

**IMPACT SCREW DRIVER SET**  
(HSN 8205)



Product Code	Description
ISD-7	<b>7 pcs Screw Driver Bit Set</b> (1 Socket with Rubber Handle, 4pcs small bits, 2pcs long bits) <b>Packed in Plastic Box</b>
ISD-12	<b>12 pcs Screw Driver Bit Set</b> (2 Sockets, 1 Rubber Handle, 1 Impact Driver, 4pcs small bits, 4pcs long bits) <b>Packed in Box</b>

# DE NEERS®

*Best Ever Tools*



**SOCKETTERY**

**6.3mm (1/4) DRIVE HEX SOCKETS  
(A Series)  
(HSN 8204)**

- » Chrome Vanadium Steel
- » Chrome Plated Mirror Finish
- » Generally Conforming to IS 7381 - 1986

**1/4  
DRIVE**



Size (mm)	Regular Length in mm		
	6 Pt.	Regular Length in mm	Long Length in mm
A-4	Hex	25	50
A-4.5	Hex	25	50
A-5	Hex	25	50
A-5.5	Hex	25	50
A-6	Hex	25	50
A-6.5	Hex	25	50
A-7	Hex	25	50
A-8	Hex	25	50
A-9	Hex	25	50
A-10	Hex	25	50
A-11	Hex	25	50
A-12	Hex	25	50
A-13	Hex	25	50
A-14	Hex	25	50

**1/4 DRIVE HEX SOCKET SET  
(A Series)  
(HSN 8204)**

**1/4  
DRIVE**



SETS	
Set No.	Contents
NA-2462 46 Pcs. (Sockets & Accessories)	<p><b>Regular Sockets</b> : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm</p> <p><b>Bit Sockets(Hex)</b> : 3, 4, 5, 6, 7, 8 mm</p> <p><b>Bit Sockets (Star)</b>: T10, T15, T20, T25, T30, T40</p> <p><b>Bit Sockets (Slotted)</b> : 4, 5.5, 7 mm</p> <p><b>Bit Sockets (Phillips)</b> : PH-1, PH2, PH3</p> <p><b>Bit Sockets (Pozi Drive)</b> : PZ1, PZ2, PZ3</p> <p><b>KEY WRENCH</b> : 1.27, 1.5, 2, 2.5 mm</p> <p><b>Extension Bar</b> : 50mm &amp; 100mm</p> <p><b>Sliding T-Handle</b> : 115mm</p> <p><b>Universal Joint</b></p> <p><b>Round Ratchet Handle with Quick Release</b></p> <p><b>Flexible Extension</b></p> <p><b>Bit Adaptor</b></p>

**CAT. No.**  
**NA-2462**

**6.3mm (1/4) DRIVE Regular HEX SOCKETS  
(A Series)** **SAE SIZES**

Size	6 Pt.	Size	6 Pt.
A-5/32 SAE	Hex	A-11/32 SAE	Hex
A-3/16 SAE	Hex	A-3/8 SAE	Hex
A-7/32 SAE	Hex	A-7/16 SAE	Hex
A-1/4 SAE	Hex	A-1/2 SAE	Hex
A-9/32 SAE	Hex	A-9/16 SAE	Hex
A-5/16 SAE	Hex	-	

**6.3mm (1/4) DRIVE ALLEN SOCKET  
(A Series)**

Size
A-3H
A-4H
A-5H
A-6H
A-7H
A-8H

**6.3mm (1/4) DRIVE TORX BIT SOCKET  
(A Series)**

Size	Size
A-T-8	A-T-27
A-T-10	A-T-30
A-T-15	A-T-35
A-T-20	A-T-40
A-T-25	A-T-45

**6.3mm (1/4) DRIVE SCREW DRIVER BIT SOCKET  
(A Series)**

Size
A-SL-4 (Slotted)
A-SL-6 (Slotted)
A-PH-1 (Phillips)
A-PH-2 (Phillips)
A-Pz-1 (Pozi Drive)
A-Pz-2 (Pozi Drive)

**9.5MM (3/8) DRIVE HEX/BIHEX SOCKETS  
(B Series)**

**3/8  
DRIVE**



- » Chrome Plated Mirror Finish
- » Generally Conforming to IS 7381 - 1986

Size	Size
B-5/16 SAE	B-11/16 SAE
B-3/8 SAE	B-3/4 SAE
B-7/16 SAE	B-13/16 SAE
B-1/2 SAE	B-7/8 SAE
B-9/16 SAE	B-15/16 SAE
B-5/8 SAE	-

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

**9.5mm (3/8) DRIVE HEX/BIHEX SOCKETS (B Series) (HSN 8204)**

**3/8 DRIVE**



» Chrome Plated Mirror Finish  
» Generally Conforming to IS 7381 - 1986

Size (mm)	6 Pt. / 12 Pt.
B-6	Hex / Bi-Hex
B-7	Hex / Bi-Hex
B-8	Hex / Bi-Hex
B-9	Hex / Bi-Hex
B-10	Hex / Bi-Hex
B-11	Hex / Bi-Hex
B-12	Hex / Bi-Hex
B-13	Hex / Bi-Hex
B-14	Hex / Bi-Hex
B-15	Hex / Bi-Hex
B-16	Hex / Bi-Hex
B-17	Hex / Bi-Hex
B-18	Hex / Bi-Hex
B-19	Hex / Bi-Hex
B-20	Hex / Bi-Hex
B-21	Hex / Bi-Hex
B-22	Hex / Bi-Hex
B-23	Hex / Bi-Hex
B-24	Hex / Bi-Hex

**10mm (3/8) DRIVE HEX SOCKET SETS - 10 to 19mm (B Series) (HSN 8204)**

**3/8 DRIVE**



SETS	
Set No.	Contents
DN - 12 Pcs Set 12 Pcs. (10 Sockets & 1 Accessory + Plastic Hanger	Socket Spanners : 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm Reversible Ratchet handle

**9.5mm (3/8) DRIVE HEX/BIHEX DEEP SOCKETS (B Series) (HSN 8204)**

**3/8 DRIVE**

» Chrome Plated Mirror Finish  
» Generally Conforming to IS 7381 - 1986

Size (mm)	6 Pt. / 12 Pt.	Size (mm)	6 Pt. / 12 Pt.
B-6	Hex / Bi-Hex	B-16	Hex / Bi-Hex
B-7	Hex / Bi-Hex	B-17	Hex / Bi-Hex
B-8	Hex / Bi-Hex	B-18	Hex / Bi-Hex
B-9	Hex / Bi-Hex	B-19	Hex / Bi-Hex
B-10	Hex / Bi-Hex	B-20	Hex / Bi-Hex
B-11	Hex / Bi-Hex	B-21	Hex / Bi-Hex
B-12	Hex / Bi-Hex	B-22	Hex / Bi-Hex
B-13	Hex / Bi-Hex	B-23	Hex / Bi-Hex
B-14	Hex / Bi-Hex	B-24	Hex / Bi-Hex
B-15	Hex / Bi-Hex	-	

**12.5mm (1/2) DRIVE HEX & BI-HEX SOCKETS (HSN 8204)**



**1/2 DRIVE**

» Chrome Vanadium Steel  
» Generally Conforming to IS 6131 - 1980 & IS 7381 - 1986

Size	
Metric (mm)	6 Pt. / 12 Pt.
8	Hex / Bi-Hex
9	Hex / Bi-Hex
10	Hex / Bi-Hex
11	Hex / Bi-Hex
12	Hex / Bi-Hex
13	Hex / Bi-Hex
14	Hex / Bi-Hex
15	Hex / Bi-Hex
16	Hex / Bi-Hex
17	Hex / Bi-Hex
18	Hex / Bi-Hex
19	Hex / Bi-Hex
20	Hex / Bi-Hex
21	Hex / Bi-Hex
22	Hex / Bi-Hex
23	Hex / Bi-Hex
24	Hex / Bi-Hex
25	Hex / Bi-Hex
26	Hex / Bi-Hex
27	Hex / Bi-Hex
28	Hex / Bi-Hex
29	Hex / Bi-Hex
30	Hex / Bi-Hex
31 Chrome / IMP	Hex
32	Hex / Bi-Hex
33	Hex
34	Hex
36 Chrome / IMP	Hex
38 Chrome / IMP	Hex
41 Chrome / IMP	Hex
46 Chrome / IMP	Hex

**12.5mm (1/2) DRIVE HEX & BI-HEX SOCKETS**

**SAE WW 1/2 DRIVE (HSN 8204)**

Size		
American (SAE)	English (WW)	6 Pt. / 12 Pt.
3/8 SAE	1/8 WW	Hex / Bi-Hex
7/16 SAE	3/16 WW	Hex / Bi-Hex
1/2 SAE	1/4 WW	Hex / Bi-Hex
9/16 SAE	5/16 WW	Hex / Bi-Hex
5/8 SAE	-	Hex / Bi-Hex
11/16 SAE	3/8 WW	Hex / Bi-Hex
3/4 SAE	7/16 WW	Hex / Bi-Hex
7/8 SAE	1/2 WW	Hex / Bi-Hex
15/16 SAE	-	Hex / Bi-Hex
1 SAE	9/16 WW	Hex / Bi-Hex
1.1/8 SAE	11/16 WW, 5/8 WW	Hex / Bi-Hex
1.1/4 SAE	3/4 WW (Chrome /Imp)	Hex / Bi-Hex

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

SOCKETERY

**12.5mm (1/2) DRIVE HEX & BI-HEX DEEP SOCKETS  
(HSN 8204)**



**1/2 DRIVE  
LONG**

» Chrome Vanadium Steel

Size (mm)	6 Pt. / 12 Pt.
8 Long	Hex / Bi-Hex
9 Long	Hex / Bi-Hex
10 Long	Hex / Bi-Hex
11 Long	Hex / Bi-Hex
12 Long	Hex / Bi-Hex
13 Long	Hex / Bi-Hex
14 Long	Hex / Bi-Hex
15 Long	Hex / Bi-Hex
16 Long	Hex / Bi-Hex
17 Long	Hex / Bi-Hex
18 Long	Hex / Bi-Hex
19 Long	Hex / Bi-Hex
20 Long	Hex / Bi-Hex
21 Long	Hex / Bi-Hex
22 Long	Hex / Bi-Hex
23 Long	Hex / Bi-Hex
24 Long	Hex / Bi-Hex
25 Long	Hex / Bi-Hex
26 Long	Hex / Bi-Hex
27 Long	Hex / Bi-Hex
28 Long	Hex / Bi-Hex
29 Long	Hex / Bi-Hex
30 Long	Hex / Bi-Hex
32 Long	Hex / Bi-Hex

**ALLEN SOCKET 12.5mm (1/2) SQUARE DRIVE  
(HSN 8204)**

**ALLEN**



» Chrome Vanadium Steel  
» Chrome Plated Mirror Finish

Size (mm)	Shelf Carton (Packing)	Regular Length in mm	Long Length in mm
H3	10	60	100
H4	10	60	100
H5	10	60	100
H6	10	60	100
H7	10	60	100
H8	10	60	100
H10	10	60	100
H12	10	60	100
H14	10	60	100
H17	10	60	100
H19	10	60	100
H21 IMP	10	60	-
H22 IMP	10	60	-
H24 IMP	10	60	-
H1/2 SAE	10	60	-

**ALLEN SOCKET SET - 8 PCS SET  
(HSN 8204)**



» Chrome Vanadium Steel

Contents
4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Hanger Packing)
4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Blow Moulded Case)

**E-SOCKET 1/2 SQUARE DRIVE  
(HSN 8204)**

**E**



» Chrome Vanadium Steel  
» Chrome Plated Mirror Finish  
» Generally Conforming to IS 7381 - 1986

Size	Shelf Carton (Packing)
E10	10
E11	10
E12	10
E14	10
E16	10
E18	10
E20	10
E22	10
E24	10

**E-SOCKET SET - 9 PCS SET  
(HSN 8204)**



» Chrome Vanadium Steel

Contents
E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Hanger Packing)
E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Blow Moulded Case)

**SPLINE SOCKET 12.5mm (1/2) SQUARE DRIVE  
(MALE)  
(HSN 8204)**

**SPLINE**



» Chrome Vanadium Steel

Size (mm)	Shelf Carton (Packing)
8	10
9	10
10	10
11	10
12	10
13	10
14	10
15	10
16	10

COMPARE PRICES WITH QUALITY

SOCKETERY



**SPLINE SOCKET 12.5mm (1/2) SQUARE DRIVE (FEMALE) (HSN 8204)**

**SPLINE**



Sizes (mm)	Sizes (mm)
M8	M13
M9	M14
M10	M15
M11	M16
M12	-

**TORX SOCKET 12.5mm (1/2) SQUARE DRIVE (HSN 8204)**

**TORX**



- » Chrome Vanadium Steel
- » Chrome Plated Mirror Finish
- » Generally Conforming to IS 7381 - 1986

Size (mm)	Shelf Carton (Packing)	Regular Length in mm	Long Length in mm
T10	10	60	100
T20	10	60	100
T25	10	60	100
T27	10	60	100
T30	10	60	100
T35	10	60	100
T40	10	60	100
T45	10	60	100
T50	10	60	100
T55	10	60	100
T60	10	60	100
T70	10	60	100
T90 IMP	10	60	100

**TORX SOCKET SET - 8 PCS SET (HSN 8204)**



- » Chrome Vanadium Steel

Contents

T20, T25, T27, T30, T35, T40, T45 & T50  
(Hanger Packing)

T20, T25, T27, T30, T35, T40, T45 & T50  
(Blow Moulded Case)

**1/2 DRIVE SPARK PLUG SOCKETS (HSN 8204)**

- » Generally Conforming to IS 7381 - 1986



Size (mm)	Shelf Carton (Packing)
SP16	10
SP21	10

**DRAIN PLUG REMOVER (HSN 8204)**

- » Chrome Vanadium Steel



(HSN 8204)

Model	Size Metric (mm)
1742 (Square)	8mm
1744 (Square)	10mm
1752 (Hex)	8mm
1754 (Hex)	10mm

**19mm (3/4) SQ. DRIVE HEX & BI-HEX SOCKET (C Series) (EXTRA HEAVY) (HSN 8204)**

**3/4 DRIVE**



- » Sockets with Blue Ribbon (in Chrome Finish)
- » Chrome Vanadium Steel / Chrome Molybdenum
- » Generally Conforming to IS 6131-1980 & 7381-1986

Size (mm)	6 Pt. / 12 Pt.
C-17 Chrome / IMP	Hex / Bi-Hex
C-18 Chrome / IMP	Hex / Bi-Hex
C-19	Hex / Bi-Hex
C-20	Hex / Bi-Hex
C-21	Hex / Bi-Hex
C-22	Hex / Bi-Hex
C-23	Hex / Bi-Hex
C-24	Hex / Bi-Hex
C-25	Hex / Bi-Hex
C-26	Hex / Bi-Hex
C-27	Hex / Bi-Hex
C-28	Hex / Bi-Hex
C-29	Hex / Bi-Hex
C-30	Hex / Bi-Hex
C-31 Chrome / IMP	Hex / Bi-Hex
C-32	Hex / Bi-Hex
C-33	Hex / Bi-Hex
C-34	Hex / Bi-Hex
C-35	Hex / Bi-Hex
C-36	Hex / Bi-Hex
C-37 Chrome / IMP	Hex / Bi-Hex
C-38	Hex / Bi-Hex
C-39 Chrome / IMP	Hex / Bi-Hex
C-40	Hex / Bi-Hex
C-41	Hex / Bi-Hex
C-42	Hex / Bi-Hex
C-43 Chrome / IMP	Hex / Bi-Hex
C-44 Chrome / IMP	Hex / Bi-Hex
C-45 Chrome / IMP	Hex / Bi-Hex
C-46	Hex / Bi-Hex
C-47 Chrome / IMP	Hex / Bi-Hex
C-48	Hex / Bi-Hex
C-49 Chrome / IMP	Hex / Bi-Hex
C-50	Hex / Bi-Hex
C-51 Chrome / IMP	Hex / Bi-Hex
C-52	Hex / Bi-Hex
C-53 Chrome / IMP	Hex / Bi-Hex
C-54 Chrome / IMP	Hex / Bi-Hex
C-55	Hex / Bi-Hex
C-56 Chrome / IMP	Hex / Bi-Hex
C-57 Chrome / IMP	Hex / Bi-Hex
C-58	Hex / Bi-Hex
C-59 Chrome / IMP	Hex / Bi-Hex
C-60	Hex / Bi-Hex
C-65	Hex / Bi-Hex
C-70 Chrome / IMP	Hex / Bi-Hex
C-75 Chrome / IMP	Hex / Bi-Hex

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

SOCKETERY

**19mm (3/4) SQ. DRIVE HEX & BI-HEX SOCKET (C Series) (EXTRA HEAVY) (HSN 8204)**



**SAE SIZES**

**3/4 DRIVE**

- » Sockets with Blue Ribbon
- » Chrome Vanadium Steel
- » Generally Conforming to IS 6131-1980 & 7381-1986

Size (SAE)	Size (SAE)
C-13/16 SAE	C-1.3/8 SAE
C-3/4 SAE	C-1.7/16 SAE
C-7/8 SAE	C-1.1/2 SAE
C-15/16 SAE	C-1.5/8 SAE
C-1 SAE	C-1.11/16 SAE
C-1.1/16 SAE	C-1.3/4 SAE
C-1.1/8 SAE	C-1.13/16 SAE
C-1.3/16 SAE	C-1.7/8 SAE
C-1.1/4 SAE	C-1.15/16 SAE
C-1.5/16 SAE	C-2 SAE

**25mm (1) DRIVE SOCKETS (HSN 8204) (D Series)**



**Chrome Plated Mirror Finish**

**1 DRIVE**

- » Chrome Vanadium Steel
- » Generally Conforming to IS 7381 - 1986

Sizes (mm)
D-1.1/4 SAE
D-1.5/16 SAE
D-1.3/8 SAE
D-1.7/16 SAE
D-1.1/2 SAE
D-1.5/8 SAE
D-1.11/16 SAE
D-1.3/4 SAE
D-1.13/16 SAE
D-1.7/8 SAE
D-2 SAE
D-2.1/8 SAE
D-2.3/16 SAE
D-2.1/4 SAE
D-2.3/8 SAE
D-2.1/2 SAE
D-2.5/8 SAE
D-2.3/4 SAE
D-2.15/16 SAE
D-3 SAE
D-3.1/8 SAE

**25mm (1) DRIVE SOCKETS (HSN 8204) (D Series)**

**Chrome Plated Mirror Finish**

**1 DRIVE**



- » Chrome Vanadium Steel
- » Generally Conforming to IS 7381 - 1986

Size (mm)	6 Pt. / 12 Pt.
D-36	Hex / Bi-Hex
D-38	Hex / Bi-Hex
D-41	Hex / Bi-Hex
D-46	Hex / Bi-Hex
D-48	Hex / Bi-Hex
D-50	Hex / Bi-Hex
D-54	Hex / Bi-Hex
D-55	Hex / Bi-Hex
D-56	Hex / Bi-Hex
D-57	Hex / Bi-Hex
D-60	Hex / Bi-Hex
D-65	Hex / Bi-Hex
D-70	Hex / Bi-Hex
D-75	Hex / Bi-Hex
D-80	Hex / Bi-Hex

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

**T-SOCKETS with 1/4 DRIVE DEEP SOCKET (HSN 8204)**



- » Generally Conforming to IS 9181-1988

Size	Handle Length	Length
4mm	200	350
5mm	200	350
6mm	200	350
7mm	200	350
8mm	200	350
9mm	200	350
10mm	200	350
11mm	200	350
12mm	200	350
13mm	200	350
14mm	200	350

**T-SOCKET with DEEP SOCKET (HSN 8204)**



**NEW**

- » Generally Conforming to IS 9181-1988

Size	Handle Length	Length
T-15mm	200	375
T-16mm	200	375
T-17mm	200	375
T-18mm	200	375
T-19mm	200	375
T-21mm	200	375

SOCKETERY

**REVERSIBLE RATCHET HANDLE (HSN 8204)**



» Generally Conforming to IS 7975-1991

Drive
DN-A-11715 - 1/4
DN-B-11715 - 3/8
DN-11715 - 1/2
DN-12717 - 3/4 (Without Rubber Grip)
DN-13715 - 1 (Without Rubber Grip)

**RATCHET - NON REVERSIBLE (WITHOUT COUPLER)**



Product No.	Drive
DN-1993Z (A)	1/2
DN-2715	3/4
DN-3705	1

**SQUARE COUPLER (FOR RATCHET)**

Drive
1/2
3/4
1

**EXTENSION BAR (HSN 8204)**



» Chrome Plated Finish » Chrome Vanadium Steel  
» Generally Conforming to IS 7991-1991

Product No.	Drive	Length (mm)
DN-A-743	1/4	50
DN-A-750	1/4	75
DN-A-753	1/4	100
DN-A-763	1/4	150
DN-B-743	3/8	75
DN-B-753	3/8	150
DN-B-763	3/8	250
DN-1743	1/2	75
DN-1753	1/2	125
DN-1758	1/2	200
DN-1763	1/2	250
DN-1766	1/2	350
DN-2713	3/4	125
DN-2723	3/4	200
DN-2753	3/4	300
DN-2763	3/4	400
DN-3753	1	200
DN-3763	1	400

**UNIVERSAL JOINT (HSN 8204)**

» Generally Conforming to IS 7991-1991



Product No.	Drive
DN-A-773	1/4
DN-B-773	3/8
DN-1773	1/2
DN-2773	3/4
DN-3773	1

**L - HANDLE (HSN 8204)**

» Chrome Plated Finish

» Chrome Vanadium Steel

» Generally Conforming to IS 7975-1991



Product No.	Drive	Dimension (mm)	Wt. (Gms.)
DN-A-734	1/4	150	
DN-B-734	3/8	200	
1734/8	1/2	60x200	410
1735/10	1/2	75x250	515
1736/12	1/2	75x300	650
1737/18	1/2	120x470	1150
2735/18	3/4	450	
3535IMP/24	1	150x610	

WEIGHT DOES MATTER

**SLIDING T - HANDLE (HSN 8204)**

» Chrome Plated Finish » Chrome Vanadium Steel

» Generally Conforming to IS 7975-1991



Product No.	Drive	Length (mm)
DN-A-733	1/4	115
DN-B-733	3/8	200
1733	1/2	300
2733	3/4	450/500
3733	1	510

**SWIVEL HANDLE (HSN 8204)**

» Generally Conforming to IS 7975-1991



Product No.	Drive	Length (mm)
DN-1703	1/2	250
DN-1705	1/2	380
DN-1706	1/2	500
DN-2703	3/4	400

**SPEED BRACE (HSN 8204)**

Stainless Steel Balls

» Generally Conforming to IS 7975-1991



Drive	Length (mm)
1/2	400

**SOCKET ADAPTORS (HSN 8204)**

» Mirror Finish



Size (mm)
1/4Fx3/8M
3/8Fx1/4M
3/8M x 1/2F
3/8F x 1/2M
1/2F x 3/4M
1/2M x 3/4F
3/4Mx1F
3/4Fx1M

COMPARE PRICES WITH QUALITY

SOCKETERY

# IMPACT SOCKETTY

# DE NEERS®

*Best Ever Tools*



**9.5mm (3/8) DRIVE HEX SOCKETS IMPACT  
(B Series)  
(HSN 8204)**

**3/8  
DRIVE  
IMPACT**



Size (mm)	Regular Length in mm	Long Length in mm	Size (mm)	Regular Length in mm	Long Length in mm
IMP-6	28	63	IMP-15	28	63
IMP-7	28	63	IMP-16	28	63
IMP-8	28	63	IMP-18	28	63
IMP-9	28	63	IMP-19	28	63
IMP-10	28	63	IMP-20	28	63
IMP-11	28	63	IMP-21	28	63
IMP-12	28	63	IMP-22	28	63
IMP-13	28	63	IMP-24	28	63
IMP-14	28	63	-		

**12.5MM (1/2) SQUARE DRIVE IMPACT TORX  
(HSN 8204)**

**SINGLE  
FORGED**

**Cr-Mo**



Size (mm)
IMP-T15
IMP-T20
IMP-T25
IMP-T30
IMP-T35
IMP-T40
IMP-T45
IMP-T50
IMP-T55
IMP-T60
IMP-T70
IMP-T80
IMP-T90
IMP-T100

**12.5mm (1/2) SQUARE DRIVE  
IMPACT SPLINE SOCKET  
(HSN 8204)**

**SINGLE  
FORGED**

**Cr-Mo**



Size (mm)
IMP-M5
IMP-M6
IMP-M8
IMP-M9
IMP-M10
IMP-M12
IMP-M13
IMP-M14
IMP-M16
IMP-M18
IMP-M20
IMP-M22
IMP-M24

**12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET  
(HSN 8204)**

**SINGLE  
FORGED**



**Cr-Mo**

Size (mm)
IMP-H4
IMP-H5
IMP-H6
IMP-H7
IMP-H8
IMP-H9
IMP-H10
IMP-H11
IMP-H12
IMP-H13
IMP-H14
IMP-H15
IMP-H16
IMP-H17
IMP-H18
IMP-H19
IMP-H20
IMP-H21
IMP-H22
IMP-H24
IMP-H27
IMP-H30

**12.5mm (1/2) DRIVE IMPACT ALLEN SOCKET  
(HSN 8204)**

**SINGLE  
FORGED**

**SAE  
SIZES**



**Cr-Mo**

Size
IMP-H-3/16 SAE
IMP-H-7/32 SAE
IMP-H-1/4 SAE
IMP-H- 5/32 SAE
IMP-H- 5/16 SAE
IMP-H- 3/8 SAE
IMP-H- 7/16 SAE
IMP-H- 1/2 SAE
IMP-H- 9/16 SAE
IMP-H- 5/8 SAE
IMP-H- 11/16 SAE
IMP-H- 3/4 SAE



TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

IMPACT SOCKETERY

**12.5MM (1/2) DRIVE HEX IMPACT SOCKET  
HEAVY DUTY**

**1/2  
DRIVE  
IMPACT**



**Hex  
Only**

**Cr-Mo**

- » Black Finish
- » Manufactured from chrome molybdenum steel
- » Generally Conforming to IS 7993-1988

**(HSN 8204)**

Sizes (mm)	Regular Length (mm)	Sizes (mm)	Long Length (mm)
IMP-8	38	IMP-8	78
IMP-9	38	IMP-9	78
IMP-10	38	IMP-10	78
IMP-11	38	IMP-11	78
IMP-12	38	IMP-12	78
IMP-13	38	IMP-13	78
IMP-14	38	IMP-14	78
IMP-15	38	IMP-15	78
IMP-16	38	IMP-16	78
IMP-17	38	IMP-17	78
IMP-18	38	IMP-18	78
IMP-19	38	IMP-19	78
IMP-20	38	IMP-20	78
IMP-21	38	IMP-21	78
IMP-22	38	IMP-22	78
IMP-23	38	IMP-23	78
IMP-24	38	IMP-24	78
IMP-25	38	IMP-25	78
IMP-26	38	IMP-26	78
IMP-27	38	IMP-27	78
IMP-28	38	IMP-28	78
IMP-29	38	IMP-29	78
IMP-30	38	IMP-30	78
IMP-31	38	IMP-31	78
IMP-32	38	IMP-32	78
IMP-33	38	IMP-33	78
IMP-34	38	IMP-34	78
IMP-35	38	IMP-35	78
IMP-36	38	IMP-36	78
IMP-38	38	IMP-38	78
IMP-41	38	IMP-41	78
IMP-46	38	IMP-46	78

**12.5MM (1/2) DRIVE HEX DEEP IMPACT SOCKET**

- » Black Finish
- » Length 78mm
- » Manufactured from chrome molybdenum steel
- » Generally Conforming to IS 7993-1988

**LONG SERIES**

**SAE  
SIZES**



Sizes (SAE)	Sizes (SAE)
IMP-3/8 SAE	IMP-1 SAE
IMP-7/16 SAE	IMP-1.1/16 SAE
IMP-1/2 SAE	IMP-1.1/8 SAE
IMP-9/16 SAE	IMP-1.3/16 SAE
IMP-5/8 SAE	IMP-1.1/4 SAE
IMP-11/16 SAE	IMP-1.5/16 SAE
IMP-3/4 SAE	IMP-1.3/8 SAE
IMP-13/16 SAE	IMP-1.7/16 SAE
IMP-7/8 SAE	IMP-1.1/2 SAE
IMP-15/16 SAE	-

**19mm (3/4) DRIVE HEX IMPACT SOCKETS  
(HEAVY DUTY)  
(HSN 8204)**

**HEX ONLY**

**Cr-Mo**

**3/4  
DRIVE  
IMPACT**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » Generally Conforming to IS 7993-1988

Size (mm)	Regular Length	Long Length	Size (mm)	Regular Length	Long Length
IMP-C-14	56	90	IMP-C-39	56	90
IMP-C-15	56	90	IMP-C-40	56	90
IMP-C-16	56	90	IMP-C-41	56	90
IMP-C-17	56	90	IMP-C-42	56	90
IMP-C-18	56	90	IMP-C-43	56	90
IMP-C-19	56	90	IMP-C-44	56	90
IMP-C-20	56	90	IMP-C-45	56	90
IMP-C-21	56	90	IMP-C-46	56	90
IMP-C-22	56	90	IMP-C-47	56	90
IMP-C-23	56	90	IMP-C-48	56	90
IMP-C-24	56	90	IMP-C-49	56	90
IMP-C-25	56	90	IMP-C-50	56	90
IMP-C-26	56	90	IMP-C-51	56	90
IMP-C-27	56	90	IMP-C-52	56	90
IMP-C-28	56	90	IMP-C-53	56	90
IMP-C-29	56	90	IMP-C-54	56	90
IMP-C-30	56	90	IMP-C-55	56	90
IMP-C-31	56	90	IMP-C-56	56	90
IMP-C-32	56	90	IMP-C-57	56	90
IMP-C-33	56	90	IMP-C-58	56	90
IMP-C-34	56	90	IMP-C-59	56	90
IMP-C-35	56	90	IMP-C-60	56	90
IMP-C-36	56	90	IMP-C-65	56	90
IMP-C-37	56	90	IMP-C-70	56	90
IMP-C-38	56	90	IMP-C-75	56	90

**19MM (3/4) DRIVE BI-HEX IMPACT SOCKETS  
(HEAVY DUTY)  
(HSN 8204)**

**BI-HEX**

**Cr-Mo**

**3/4  
DRIVE  
IMPACT**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » Generally Conforming to IS 7993-1988

Size (mm)	Regular Length	Size (mm)	Regular Length
IMP-C-17	56	IMP-C-32	56
IMP-C-18	56	IMP-C-33	56
IMP-C-19	56	IMP-C-34	56
IMP-C-20	56	IMP-C-35	56
IMP-C-21	56	IMP-C-36	56
IMP-C-22	56	IMP-C-37	56
IMP-C-23	56	IMP-C-38	56
IMP-C-24	56	IMP-C-40	56
IMP-C-25	56	IMP-C-41	56
IMP-C-26	56	IMP-C-46	56
IMP-C-27	56	IMP-C-50	56
IMP-C-28	56	IMP-C-55	56
IMP-C-29	56	IMP-C-60	56
IMP-C-30	56	IMP-C-65	56
IMP-C-31	56	IMP-C-70	56

**19mm 3/4 IMPACT DRIVE SOCKETS**

**SAE**

**3/4 DRIVE IMPACT**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Sizes (SAE)	Long Length
IMP-C-11/16 SAE	90
IMP-C-3/4 SAE	90
IMP-C-13/16 SAE	90
IMP-C-7/8 SAE	90
IMP-C-15/16 SAE	90
IMP-C-1 SAE	90
IMP-C-1.1/16 SAE	90
IMP-C-1.1/8 SAE	90
IMP-C-1.3/16 SAE	90
IMP-C-1.1/4 SAE	90
IMP-C-1.5/16 SAE	90
IMP-C-1.3/8 SAE	90
IMP-C-1.7/16 SAE	90
IMP-C-1.1/2 SAE	90
IMP-C-1.5/8 SAE	90
IMP-C-1.11/16 SAE	90
IMP-C-1.3/4 SAE	90
IMP-C-1.13/16 SAE	90
IMP-C-1.7/8 SAE	90
IMP-C-2 SAE	90
IMP-C-2.1/16 SAE	90
IMP-C-2.1/8 SAE	90
IMP-C-2.3/16 SAE	90
IMP-C-2.1/4 SAE	90
IMP-C-2.3/8 SAE	90
IMP-C-2.7/16 SAE	90
IMP-C-2.1/2 SAE	90
IMP-C-2.9/16 SAE	90
IMP-C-2.5/8 SAE	90
IMP-C-2.3/4 SAE	90
IMP-C-2.15/16 SAE	90
IMP-C-3 SAE	90
IMP-C-3.1/8 SAE	90
IMP-C-3.1/4 SAE	90
IMP-C-3.3/8 SAE	90
IMP-C-3.1/2 SAE	90
IMP-C-3.3/4 SAE	90
IMP-C-3.7/8 SAE	90
IMP-C-4 SAE	90

**IMPACT ALLEN SOCKET 19mm (3/4) DRIVE (HSN 8204)**



**Cr-Mo**

**SINGLE FORGED**

**3/4 DRIVE IMPACT**

Size (mm)
IMP-C-H8
IMP-C-H12
IMP-C-H14
IMP-C-H15
IMP-C-H16
IMP-C-H17
IMP-C-H18
IMP-C-H19
IMP-C-H21
IMP-C-H22
IMP-C-H24
IMP-C-H27
IMP-C-H30
IMP-C-H32
IMP-C-H36

**IMPACT ALLEN SOCKET 19mm (3/4) DRIVE (HSN 8204)**



**SINGLE FORGED**

**SAE SIZES**

**Cr-Mo**

Size (mm)
IMP-H- 1/2 SAE
IMP-H- 9/16 SAE
IMP-H- 11/16 SAE
IMP-H- 3/4 SAE
IMP-H- 13/16 SAE
IMP-H- 7/8 SAE
IMP-H- 15/16 SAE
IMP-H- 1.1/16 SAE
IMP-H- 1.3/16 SAE
IMP-H- 1.1/4 SAE

**19mm 3/4 IMPACT DRIVE SOCKETS**

**WW**

Size (WW)	Size (WW)
7/16 WW	3/4 WW
1/2 WW	7/8 WW
9/16 WW	1 WW
5/8 WW	1.1/8 WW
11/16 WW	1.1/4 WW



**IMPACT SOCKETERY**

**25MM (1) DRIVE SQUARE PUNCH  
BUDWHEEL SOCKETS  
(HSN 8204)**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Size (mm)	D1 (mm)	D2 (mm)	L2 (mm)	Length (mm)
IMP-17	36	47	30	80
IMP-19	37	47	30	80
IMP-20	41	47	30	80
IMP-21	41	47	30	80
IMP-22	44	47	30	80
IMP-24	46	48	30	80
IMP-30	52	58	30	80

**25mm (1) IMPACT DRIVE DEEP SOCKETS**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Sizes (SAE)	Length (mm)
IMP-D-15/16 SAE	150
IMP-D-1.1/8 SAE	150
IMP-D-1.3/16 SAE	150
IMP-D-1.1/4 SAE	150
IMP-D-1.7/16 SAE	150
IMP-D-1.1/2 SAE	150
IMP-D-1.5/8 SAE	150
IMP-D-1.13/16 SAE	150
IMP-D-2.3/16 SAE	150
IMP-D-2.3/8 SAE	150
IMP-D-2.9/16 SAE	150
IMP-D-2.3/4 SAE	150
IMP-D-2.15/16 SAE	150
IMP-D-3.1/8 SAE	150
IMP-D-3.3/8 SAE	150
IMP-D-3.9/16 SAE	150
IMP-D-3.3/4 SAE	150
IMP-D-3.15/16 SAE	150

**25mm (1) IMPACT DRIVE SOCKETS**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Sizes (SAE)	Sizes (SAE)
IMP-D-3/4 SAE	IMP-D-2.3/16 SAE
IMP-D-13/16 SAE	IMP-D-2.1/4 SAE
IMP-D-7/8 SAE	IMP-D-2.5/16 SAE
IMP-D-15/16 SAE	IMP-D-2.3/8 SAE
IMP-D-1 SAE	IMP-D-2.7/16 SAE
IMP-D-1.1/16 SAE	IMP-D-2.1/2 SAE
IMP-D-1.1/8 SAE	IMP-D-2.9/16 SAE
IMP-D-1.3/16 SAE	IMP-D-2.5/8 SAE
IMP-D-1.1/4 SAE	IMP-D-2.11/16 SAE
IMP-D-1.5/16 SAE	IMP-D-2.3/4 SAE
IMP-D-1.3/8 SAE	IMP-D-2.13/16 SAE
IMP-D-1.7/16 SAE	IMP-D-2.7/8 SAE
IMP-D-1.1/2 SAE	IMP-D-2.15/16 SAE
IMP-D-1.5/8 SAE	IMP-D-3 SAE
IMP-D-1.11/16 SAE	IMP-D-3.1/8 SAE
IMP-D-1.3/4 SAE	IMP-D-3.1/4 SAE
IMP-D-1.13/16 SAE	IMP-D-3.3/8 SAE
IMP-D-1.7/8 SAE	IMP-D-3.1/2 SAE
IMP-D-2 SAE	IMP-D-3.3/4 SAE
IMP-D-2.1/16 SAE	IMP-D-3.7/8 SAE
IMP-D-2.1/8 SAE	IMP-D-4 SAE

**25mm (1) IMPACT DRIVE SOCKETS**



Sizes (WW)	Bolt Size
IMP-D-3/4 WW	(for 7/8 Bolt)
IMP-D-7/8 WW	(for 1 Bolt)
IMP-D-1 WW	(for 1.1/8 Bolt)
IMP-D-1.1/8 WW	(for 1-1/4 Bolt)
IMP-D-1.1/4 WW	(for 1.3/8 Bolt)
IMP-D-1-3/8 WW	(for 1-1/2 Bolt)
IMP-D-1.1/2 WW	(for 1.5/8 Bolt)
IMP-D-1.5/8 WW	(for 1.3/4 Bolt)
IMP-D-1.3/4 WW	(for 1.7/8 Bolt)
IMP-D-1-7/8 WW	(for 2 Bolt)
IMP-D-2 WW	(for 2.1/8 Bolt)

**IMPACT ALLEN SOCKET 25mm (1) DRIVE**

**SINGLE FORGED Cr-Mo (HSN 8204)**



Size (mm)
IMP-D-H17
IMP-D-H18
IMP-D-H19
IMP-D-H21
IMP-D-H22
IMP-D-H24
IMP-D-H27
IMP-D-H30
IMP-D-H32
IMP-D-H36

IMPACT SOCKETERY



**25mm (1) DRIVE IMPACT SOCKETS (HEAVY DUTY)**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Size (mm)	Length 90mm (Hex)	Length 70mm (Bi-Hex)	Length 150mm (Hex) Deep
IMP-D-17	90	70	150
IMP-D-18	90	70	150
IMP-D-19	90	70	150
IMP-D-20	90	70	150
IMP-D-21	90	70	150
IMP-D-22	90	70	150
IMP-D-23	90	70	150
IMP-D-24	90	70	150
IMP-D-25	90	70	150
IMP-D-26	90	70	150
IMP-D-27	90	70	150
IMP-D-28	90	70	150
IMP-D-29	90	70	150
IMP-D-30	90	70	150
IMP-D-31	90	70	150
IMP-D-32	90	70	150
IMP-D-33	90	70	150
IMP-D-34	90	70	150
IMP-D-35	90	70	150
IMP-D-36	90	70	150
IMP-D-37	90	70	150
IMP-D-38	90	70	150
IMP-D-39	90	70	150
IMP-D-40	90	70	150
IMP-D-41	90	70	150
IMP-D-42	90	70	150
IMP-D-43	90	70	150
IMP-D-44	90	70	150
IMP-D-45	90	70	150
IMP-D-46	90	70	150
IMP-D-47	90	70	150
IMP-D-48	90	70	150
IMP-D-49	90	70	150
IMP-D-50	90	70	150
IMP-D-51	90	70	150
IMP-D-52	90	70	150
IMP-D-53	90	70	150
IMP-D-54	90	70	150
IMP-D-55	90	70	150
IMP-D-56	90	70	150
IMP-D-57	90	70	150
IMP-D-58	90	70	150
IMP-D-59	90	70	150
IMP-D-60	90	70	150
IMP-D-63	90	70	150
IMP-D-65	90	70	150
IMP-D-70	90	70	150
IMP-D-75	90	70	150
IMP-D-80	90	70	150
IMP-D-85	90	70	150
IMP-D-90	90	70	150
IMP-D-95	90	70	150
IMP-D-100	90	70	150
IMP-D-105	90	70	150
IMP-D-110	90	70	150
IMP-D-115	90	70	150
IMP-D-120	90	70	150

**COMPARE PRICES WITH QUALITY**

**1-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY) (HSN 8204)**



- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Size (mm)	6 Pt.	Length (in mm)
IMP-E-30	Hex	90
IMP-E-32	Hex	90
IMP-E-36	Hex	90
IMP-E-38	Hex	95
IMP-E-41	Hex	95
IMP-E-42	Hex	95
IMP-E-43	Hex	95
IMP-E-46	Hex	100
IMP-E-47	Hex	100
IMP-E-48	Hex	100
IMP-E-50	Hex	100
IMP-E-52	Hex	100
IMP-E-54	Hex	100
IMP-E-55	Hex	100
IMP-E-56	Hex	100
IMP-E-58	Hex	100
IMP-E-60	Hex	100
IMP-E-65	Hex	100
IMP-E-70	Hex	100
IMP-E-75	Hex	100
IMP-E-80	Hex	100
IMP-E-85	Hex	110
IMP-E-90	Hex	110
IMP-E-95	Hex	110
IMP-E-100	Hex	110
IMP-E-105	Hex	110
IMP-E-110	Hex	110
IMP-E-115	Hex	120
IMP-E-120	Hex	120
IMP-E-125	Hex	120
IMP-E-130	Hex	130
IMP-E-135	Hex	130
IMP-E-140	Hex	140
IMP-E-145	Hex	140
IMP-E-150	Hex	150
IMP-E-155	Hex	150
IMP-E-160	Hex	160

**IMPACT SOCKETERY**

**2-1/2 DRIVE IMPACT SOCKETS (HEAVY DUTY)  
(HSN 8204)**

**HEX ONLY**

**2-1/2  
DRIVE  
IMPACT**

- » Black Finish
- » Manufactured from chrome molybdenum steel
- » **Generally Conforming to IS 7993-1988**

Size (mm)	Size (mm)
IMP-F-60	IMP-F-125
IMP-F-65	IMP-F-130
IMP-F-70	IMP-F-135
IMP-F-75	IMP-F-140
IMP-F-80	IMP-F-145
IMP-F-85	IMP-F-150
IMP-F-90	IMP-F-155
IMP-F-95	IMP-F-160
IMP-F-100	IMP-F-165
IMP-F-105	IMP-F-170
IMP-F-110	IMP-F-175
IMP-F-115	IMP-F-180
IMP-F-120	-

**IMPACT RATCHET HANDLE (HSN 8204)**



Drive
IMP- 1/2
IMP- 3/4
IMP- 1
IMP- 1-1/2

**IMPACT EXTENSION BAR  
(HSN 8204)**

- » Black Finish



Drive	Length (mm)
3/8	100
3/8	150
1/2	75
1/2	125
1/2	250
3/4	200
3/4	300
3/4	400
1	200
1	300
1	400
1-1/2	200
1-1/2	300
1-1/2	400
2-1/2	300
2-1/2	400
2-1/2	510

**IMPACT L-HANDLE**



Drive	Length (mm)
IMP-1/2	300
IMP-3/4	450
IMP-1	600
IMP-2-1/2	925

**IMPACT UNIVERSAL JOINT  
(HSN 8204)**



Drive	Shelf Carton (Packing)
IMP-1/2	10
IMP-3/4	10
IMP-1	10

**IMPACT SOCKETS ADAPTORS  
(HSN 8204)**



Size (mm)
IMP- 1/2Fx3/8M
IMP- 3/8Fx1/2M
IMP- 1/2Fx3/4M
IMP- 3/4Fx1/2M
IMP- 3/4Fx1M
IMP- 3/4Mx1F
IMP- 1-1/2Fx1M
IMP- 1-1/2Mx1F

**BIT HOLDER IMPACT TYPE**



**(HSN 8204)**

- » Special Alloy Steel

Size (mm)
3/8 Drive x 1/4 Hex
1/2 Drive x 1/4 Hex

**IMPACT SLIDING T - HANDLE  
(HSN 8204)**



Drive
IMP- 3/8
IMP- 1/2
IMP- 3/4
IMP- 1
IMP- 1-1/2
IMP- 2-1/2

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

IMPACT SOCKETERY

# DE NEERS®

*Best Ever Tools*



# SOCKET SETS

**1/4 DRIVE HEX SOCKET SET  
(A Series)  
(HSN 8204)**



**1/4  
DRIVE**

**ALLEN SOCKET SET - 8 PCS SET  
(HSN 8204)**



**1/2  
DRIVE**

» Chrome Vanadium Steel

Contents	
4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Hanger Packing)	
4H, 5H, 6H, 8H, 10H, 12H, 14H & 17H (Blow Moulded Case)	

**IMPACT ALLEN SOCKET SET  
(HSN 8204)**

**1/2  
DRIVE**

Contents	No. of Pcs
5H, 6H, 8H, 10H, 12H, 14H, 17H & 19H	8 Pcs
5H, 6H, 7H, 8H, 10H, 12H, 14H, 17H & 19H	9 Pcs

**TORX SOCKET SET - 8 PCS SET  
(HSN 8204)**



**1/2  
DRIVE**

» Chrome Vanadium Steel

Contents	
T20, T25, T27, T30, T35, T40, T45 & T50 (Hanger Packing)	
T20, T25, T27, T30, T35, T40, T45 & T50 (Blow Moulded Case)	

**IMPACT TORX SOCKET SET - 8 PCS SET  
(HSN 8204)**

**1/2  
DRIVE**

Contents	
T30, T40, T45, T50, T55, T60, T70 & T80	

**IMPACT SPLINE SOCKET SET - 8 PCS SET  
(HSN 8204)**

**1/2  
DRIVE**

Contents	
M5, M6, M8, M10, M12, M14, M16 & M18	

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

SETS	
Set No.	Contents
NA-2462 46 Pcs. (Sockets & Accessories)	<b>Regular Sockets</b> : 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm <b>Bit Sockets(Hex)</b> : 3, 4, 5, 6, 7, 8 mm <b>Bit Sockets (Star)</b> : T10, T15, T20, T25, T30, T40 <b>Bit Sockets (Slotted)</b> : 4, 5.5, 7 mm <b>Bit Sockets (Phillips)</b> : PH-1, PH2, PH3 <b>Bit Sockets (PoziDrive)</b> : PZ1, PZ2, PZ3 <b>KEY WRENCH</b> : 1.27, 1.5, 2, 2.5 mm <b>Extension Bar</b> : 50mm & 100mm <b>Sliding T-Handle</b> : 115mm <b>Universal Joint</b> <b>Round Ratchet Handle with Quick Release</b> <b>Flexible Extension</b> <b>Bit Adaptor</b>

**CAT. No.**  
**NA-2462**

**10mm (3/8) DRIVE HEX SOCKET SETS - 10 to 19mm  
(B Series)  
(HSN 8204)**



**3/8  
DRIVE**

SETS	
Set No.	Contents
DN - 12 Pcs Set 12 Pcs. (10 Sockets & 1 Accessory + Plastic Hanger)	<b>Socket Spanners</b> : 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm <b>Reversible Ratchet handle</b>

**E-SOCKET SET - 9 PCS SET  
(HSN 8204)**



**1/2  
DRIVE**

» Chrome Vanadium Steel

Contents	
E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Hanger Packing)	
E10, E11, E12, E14, E16, E18, E20, E22 & E24 (Blow Moulded Case)	

SOCKET SETS

**12.5mm (1/2)DRIVE BI-HEX SOCKET SET (SAE)**



**1/2 DRIVE SAE SERIES**

» Triple Chrome Plated » Chrome Vanadium Steel

SETS	
Set No.	Contents
<b>DN-13 SAE (N)</b> 13 Pcs (10 Sockets, 2 Accessories & 1 Plastic Hanger)	<b>Socket Spanners :</b> 3/8 - 1-1/4 SAE <b>Extension Bar :</b> 125 <b>Reversible Ratchet Handle with Quick Release</b>

**12.5mm (1/2)DRIVE HEX & BI-HEX SOCKET SET (SAE)**



**1/2 DRIVE SAE SERIES**

» Triple Chrome Plated » Chrome Vanadium Steel

SETS	
Set No.	Contents
<b>DN-15 SAE REGULAR</b> (10 Sockets & 5 Accessories) (Steel Box Packing)	<b>Socket Spanners :</b> 10 Sockets 3/8 - 1-1/4 SAE <b>Extension Bar :</b> 125, 250mm <b>Sliding T-Handle :</b> 300mm <b>L-Handle :</b> 300mm <b>Reversible Ratchet Handle with Quick Release</b>

**12.5mm (1/2)DRIVE HEX / BI-HEX SOCKET SET (WW)**



**WW SERIES**

» Triple Chrome Plated » Chrome Vanadium Steel

SETS	
Set No.	Contents
<b>DN-15WW REGULAR</b> (10 Sockets & 5 Accessories)	<b>Socket Spanners :</b> 10 Sockets 3/16B.S to 3/4B.S (WW Sizes) <b>Extension Bar :</b> 125, 250mm <b>Sliding T-Handle :</b> 300mm <b>L-Handle :</b> 300mm <b>Reversible Ratchet Handle with Quick Release</b>

**12.5mm (1/2) DRIVE 7 PCS SOCKET SET**

SETS	
Set No.	Contents
<b>DN-31</b> (6 Sockets & 1 Accessories)	<b>Socket Spanners :</b> 11, 14, 17, 19, 22, 24mm <b>L-Handle :</b> 300mm

**12.5mm (1/2) DRIVE HEX & BI-HEX SOCKET SET (HSN 8204)**

**1/2 DRIVE**



» Chrome Vanadium Steel » Available in Metal Box Packing

SETS	
Set No.	Contents
<b>DN-15M REGULAR (N)</b> (11 Sockets & 4 Accessories)	<b>Socket Spanners :</b> 10 - 32mm <b>Extension Bar :</b> 125mm 250mm <b>Sliding T-Handle :</b> 300mm <b>Reversible Ratchet Handle with Quick Release</b>
<b>DN-18M REGULAR (N)</b> (14 Sockets & 4 Accessories)	<b>Socket Spanners :</b> 8 - 22mm <b>Extension Bar :</b> 125mm 250mm <b>Sliding T-Handle :</b> 300mm <b>L- Handle / Universal Joint</b>

**12.5mm (1/2) DRIVE HEX & BI-HEX SOCKET SET**



» Chrome Vanadium Steel » Available in Metal Box Packing

SETS	
Set No.	Contents
<b>DN- 22 REGULAR</b> (19 Sockets & 3 Accessories)	<b>Socket Spanners :</b> 8 - 32mm <b>Extension Bar :</b> Small, Big <b>Sliding T-Handle :</b> 300mm
<b>DN- 24 REGULAR</b> (19 Sockets & 5 Accessories)	<b>Socket Spanners :</b> 11 - 32mm <b>Extension Bar :</b> 125mm 250mm <b>Sliding T-Handle :</b> 300mm <b>L- Handle / Universal Joint Reversible Ratchet Handle with Quick Release</b>
<b>DN-27 REGULAR</b> (22 Sockets & 5 Accessories)	<b>Socket Spanners :</b> 8 - 32mm <b>Extension Bar :</b> 125, 250mm <b>Sliding T-Handle :</b> 300mm <b>L- Handle / Universal Joint Reversible Ratchet Handle with Quick Release</b>

**SOCKET SETS**

**12.5mm (1/2) DRIVE HEX & BI-HEX SOCKET SET**



**Blow  
moulded  
case  
(BMC)**

**1/2  
DRIVE**

SETS	
Set No.	Contents
<b>DN-25 BMC</b> (18 Sockets 7 Accessories)	<b>Socket Spanners : 8 - 32mm</b> <b>Extension Bar : 125mm, 250mm</b> <b>Sliding T-Handle : 300mm</b> <b>Spark Plug: 16 &amp; 21mm</b> <b>Reversible Ratchet (72 Teeth)</b> <b>Universal Joint</b>
<b>DN-27 BMC</b> (20 Sockets 7 Accessories)	<b>Socket Spanners : 8 - 32mm</b> <b>Extension Bar : 125mm, 250mm</b> <b>Sliding T-Handle : 300mm</b> <b>Spark Plug: 16 &amp; 21mm</b> <b>Reversible Ratchet (72 Teeth)</b> <b>Universal Joint</b>

**IMPACT SOCKET SET 12.5MM (1/2) DRIVE**



**Cr-Mo**

**(HSN 8204)**

SETS	
Set No.	Contents
<b>DN-IMP-10M</b> (10 Sockets) Packed in Plastic Box	<b>DN-IMP-10M</b> <b>Regular (IMPACT)</b> <b>Socket Spanners : 10 - 27mm</b>
<b>DN-IMP-10M</b> <b>LONG (A)</b> (10 Sockets) Packed in Plastic Box	<b>DN-IMP-10M - LONG (A)</b> <b>Deep / Long (IMPACT)</b> <b>Socket Spanners : 8 - 22mm</b>
<b>DN-IMP-10M</b> <b>LONG (B)</b> (10 Sockets) Packed in Plastic Box	<b>DN-IMP-10M - LONG (B)</b> <b>Deep / Long (IMPACT)</b> <b>Socket Spanners : 10 - 24mm</b>

**COMPARE PRICES WITH QUALITY**

**12.5mm (1/2) DRIVE HEX & BI-HEX DEEP SOCKETS SETS**  
**(HSN 8204)**



- » Chrome Vanadium Steel
- » Available in Metal Box Packing
- » Triple Chrome Plated

**1/2  
DRIVE**

SETS	
Set No.	Contents
<b>DN-24M Long</b> (18 Sockets & 6 Accessories) <b>(HSN 8204)</b>	<b>Socket Spanners : 10 - 32mm</b> <b>Extension Bar : 125mm , 250mm</b> <b>Sliding T-Handle : 250mm</b> <b>Reversible Ratchet Handle</b> <b>Swivel Handle 380mm</b> <b>L- Handle / Universal Joint</b>



**SOCKET SETS**

**HEX DEEP / LONG IMPACT SOCKET SET  
12.5MM (1/2) DRIVE**



SETS	
Set No.	Contents
DN-IMP-13M H (13 Sockets) Packed in Plastic Box	Deep / Long (IMPACT) Socket Spanners : 10 - 32mm

**HEX IMPACT SOCKET SET  
12.5MM (1/2) DRIVE**

**Blow  
moulded  
case  
(BMC)**

SETS	
Set No.	Contents
DN-IMP-15M H (15 Sockets) Packed in Plastic Box	Regular (IMPACT) Socket Spanners : 10 - 32mm

**HEX DEEP / LONG IMPACT SOCKET SET  
12.5MM (1/2) DRIVE**



**Blow  
moulded  
case  
(BMC)**

SETS	
Set No.	Contents
DN-IMP-15M H (15 Sockets) Packed in Plastic Box	Deep / Long (IMPACT) Socket Spanners : 10 - 32mm

**IMPACT SOCKET SET  
12.5MM (1/2) DRIVE**



**Blow  
moulded  
case  
(BMC)**

SETS	
Set No.	Contents
REGULAR IMPACT DN-IMP-32M (25 Sockets & 6 Accessories) Packed in Plastic Box	(IMPACT) Socket Spanners (Hex) : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30 & 32mm (IMPACT) Socket Spanners (Bi-Hex) : 10, 12, 14, 15, 17 & 19mm Extension Bar : 125mm, 250mm (Alongwith) Sliding T-Handle Spark Plug: 16 & 21mm Reversible Ratchet Handle with Quick Release Universal Joint Plastic Box

LONG IMPACT DN-IMP-32M (25 Sockets & 6 Accessories) Packed in Plastic Box	(IMPACT) Socket Spanners (Hex) : 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31 & 32mm Extension Bar : 125mm, 250mm (Alongwith) Sliding T-Handle Spark Plug: 16 & 21mm Reversible Ratchet Handle with Quick Release Universal Joint Plastic Box
---	--

REGULAR IMPACT DN-IMP-33M (24 Sockets & 8 Accessories) Packed in Plastic Box	(IMPACT) Socket Spanners (Hex) : 8, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, & 32mm Extension Bar : 125mm, 250mm Sliding T-Handle L-Handle - 2 Pcs Reversible Ratchet Handle with Quick Release Universal Joint Speed Brace Plastic Box
--	--

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

**SOCKET SETS**

19mm (3/4) DRIVE HEX & BI-HEX SOCKET SETS -  
**(C Series)**  
**(HSN 8204)**



**3/4  
DRIVE**

**Blow  
moulded  
case  
(BMC)**

SETS	
Set No.	Contents
<b>DN-3/4-C21 SAE</b> (Hex & Bi-Hex) (16 Sockets & 5 Accessories)	<b>Socket Spanners : 3/4 - 2 SAE</b> <b>Extension Bar : 100,200 &amp; 400mm</b> <b>Sliding T Handle : 500mm</b> <b>Reversible Ratchet Handle</b>

19mm (3/4) DRIVE HEX & BI-HEX SOCKET SETS -  
22 to 50mm  
**(C Series)**  
**(HSN 8204)**



**3/4  
DRIVE**

SETS	
Set No.	Contents
<b>DN-3/4-C14</b> (Hex & Bi-Hex) (10 Sockets & 4 Accessories)	<b>Socket Spanners : 22 - 50mm</b> <b>Extension Bar : 100 &amp; 200mm</b> <b>Sliding T-Handle : 500mm</b> <b>Reversible Ratchet handle</b>

19mm (3/4) DRIVE HEX & BI-HEX SOCKET SETS -  
22 to 50mm  
**(C Series)**



**Blow  
moulded  
case  
(BMC)**

SETS	
Set No.	Contents
<b>DN-3/4-C21</b> (Hex & Bi-Hex) 16 Sockets & 4 Accessories)	<b>Socket Spanners : 19 - 50mm</b> <b>Extension Bar : 100 &amp; 200mm</b> <b>Sliding T Handle : 450mm</b> <b>Reversible Ratchet Handle</b>

19mm (3/4) DRIVE IMPACT SOCKET SET

**Blow  
moulded  
case  
(BMC)**

**(HSN 8204)**  
**(C Series)**

**3/4  
DRIVE**

SETS	
Set No.	Contents
<b>DN-IMP-3/4 - C27M</b> (22 Sockets & 4 Accessories) Packed in Plastic Box <b>(Regular)</b>	<b>Impact Socket Spanners :</b> 22 - 50mm (10 Sockets) 7/8SAE - 2 SAE (12 Sockets) <b>(56mm Regular Length)</b> Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle

19mm (3/4) DRIVE HEX IMPACT SOCKET SET  
**(C Series)**



**3/4  
DRIVE**

**(HSN 8204)**

SETS	
Set No.	Contents
<b>DN-IMP-3/4 - C14</b> Hex (10 Sockets & 4 Accessories) <b>(Regular)</b>	<b>Impact Socket Spanners :</b> 22 - 50mm(10 Sockets) <b>(56mm Regular Length)</b> Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

SOCKET SETS



**19mm (3/4) DRIVE IMPACT SOCKET SET**



**(HSN 8204)  
(C Series)**

**Blow  
moulded  
case  
(BMC)**

**3/4  
DRIVE**

SETS	
Set No.	Contents
DN-IMP-3/4 - C21M (16 Sockets & 4 Accessories) Packed in Plastic Box <b>(Regular)</b>	<b>Impact Socket Spanners :</b> 17 - 50mm (16 Sockets) <b>(56mm Regular Length)</b> Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle
DN-IMP-3/4 - C22M (16 Sockets & 4 Accessories) Packed in Plastic Box <b>(Regular)</b>	<b>Impact Socket Spanners :</b> 19 - 50mm (16 Sockets) <b>(56mm Regular Length)</b> Extension Bar Small Extension Bar Big Sliding T-Handle Universal Impact Adaptor Reversible Ratchet handle

**19mm (3/4) DRIVE HEX IMPACT SOCKET SET  
3/4 - 2 SAE (90mm Length)  
(C Series)**

**3/4  
DRIVE**

SETS	
Set No.	Contents
DN-3/4-C21 SAE Hex (16 Sockets & 5 Accessories)	<b>Socket Spanners :</b> 3/4 - 2 SAE (16 Sockets) (90mm Long Length) Extension Bar Small Extension Bar Medium Extension Bar Big Sliding T-Handle Reversible Ratchet handle

**19mm (3/4) DRIVE HEX IMPACT SOCKET SET  
1/2 - 1.1/4 WW (90mm Length)  
(C Series)**

**3/4  
DRIVE**

SETS	
Set No.	Contents
DN-IMP-3/4-15 WW Hex (10 Sockets & 5 Accessories)	<b>Socket Spanners :</b> 7/16 - 1.1/4WW (10 Sockets) <b>(90mm Long Length)</b> Extension Bar Small Extension Bar Medium Extension Bar Big Sliding T-Handle Reversible Ratchet handle

**25mm (1) DRIVE SOCKET SET  
(D Series)  
36 to 80mm  
(HSN 8204)**



**1  
DRIVE**

» **CHROME PLATED POLISHED**

SETS		
Set No.	Pcs. Per Set	Sizes
DN-D-15H 11 Sockets & 4 Accessories	15	<b>Socket Spanner :</b> 36 - 80mm (11 Sockets) Sliding T-Handle Extension Bar Small Extension Bar Big Ratchet Handle
DN-D-SAE15H 10 Sockets & 4 Accessories	14	<b>Socket Spanners :</b> 1.1/4 - 3 SAE (10 Sockets) Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle

**25mm (1) DRIVE IMPACT SOCKET SET  
36 to 80mm (HSN 8204)**

**1  
DRIVE**



SETS		
Set No.	Pcs. Per Set	Sizes
Impact Sockets Set of 14 Pcs (10 Sockets & 4 Accessories)	14	Impact Sockets (10 Sizes) Sockets: 36 to 80mm (90mm Length) Sliding T-Handle, Extension Bar Small, Extension Bar Big Ratchet Handle
Impact Sockets Set of 14 Pcs (10 Sockets & 4 Accessories) <b>SAE</b>	14	<b>Socket Spanners :</b> 1.1/4 - 3 SAE (90mm Length) Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle
Impact Sockets Set of 14 Pcs (11 Sockets & 4 Accessories) <b>WW</b>	15	<b>Socket Spanners :</b> 3/4 - 2 WW (90mm Length) Extension Bar Small Extension Bar Big Sliding T-Handle Reversible Ratchet handle

**COMPARE PRICES WITH QUALITY**

**SOCKET SETS**

# DE NEERS®


*Best Ever Tools*



ALLEN KEYS

**HEX ALLEN KEY - SHORT PATTERN (HSN 8204)**

- » Chrome Vanadium Steel
- » Black Finish
- » Generally Conforming to IS 3082-2008
- » Chamfered Heads
- » Proper Heat Treatment 48-52 HRC



Size (mm)	Shelf Carton (Packing)	Size (mm)	Shelf Carton (Packing)
0.72	100	20	5
1.27	100	21	5
1.5	100	22	4
2	100	23	4
2.5	100	24	4
3	100	25	4
4	50	26	4
5	50	27	4
5.5	50	30	2
6	50	32	2
7	30	34	1
8	30	36	1
9	30	38	1
10	25	41	1
11	20	46	1
12	20	50	1
13	15	55	1
14	10	60	1
15	10	65	1
16	10	70	1
17	10	75	1
18	10	80	1
19	5	-	-

**HEX ALLEN KEY SET - SHORT PATTERN (HSN 8204)**

- » Chrome Vanadium Steel
- » Black Finish
- » Chamfered Heads
- » Proper Heat Treatment 48-52 HRC
- » Sliding Box Packing/ Blister Packing



Product Code	Contents	Shelf Carton (Packing)
DN-KM9V - BL (BLISTER PACKING)	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10	5
DN-KM9V (BOX PACKING)	9 Pcs. Set (mm) 1.5,2,2.5,3,4,5,6,8,10	5

**HEX ALLEN KEY - SHORT PATTERN SAE Sizes**



Size (Sae)	Shelf Carton (Packing)	Size (Sae)	Shelf Carton (Packing)
1/16	200	3/8	30
5/64	100	7/16	30
3/32	100	1/2	30
1/8	100	9/16	20
5/32	100	5/8	10
3/16	100	3/4	10
7/32	50	7/8	5
1/4	50	1	2
5/16	50	-	-

**HEX ALLEN KEY SET - SHORT PATTERN (HSN 8204)**



- » Sliding Box Packing/ Blister Packing

Product Code	Contents	Shelf Carton (Packing)
DN-KI10V - BL (BLISTER PACKING)	10 Pcs. Set (SAE) 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8	5
DN-KI10V (BOX PACKING)	10 Pcs. Set (SAE) 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8	5

**HEX ALLEN KEY - LONG PATTERN (HSN 8204)**



- » Chrome Vanadium Steel/ Special grade High Tensile Alloy Steel
- » Black Finish
- » Chamfered Heads
- » Proper Heat Treatment 48-52 HRC
- » Generally Conforming to IS 3082-2008

Size (mm)	Shelf Carton (Packing)	Size (mm)	Shelf Carton (Packing)
1.5 Long	50	14 Long	10
2 Long	50	17 Long	10
2.5 Long	50	19 Long	10
3 Long	50	34 Long	1
4 Long	50	36 Long	1
5 Long	50	50 Long	1
6 Long	20	55 Long	1
7 Long	20	60 Long	1
8 Long	20	65 Long	1
9 Long	20	70 Long	1
10 Long	20	75 Long	1
12 Long	10	80 Long	1

**HEX ALLEN KEY SETS - LONG PATTERN (HSN 8204)**



- » Black Finish

Contents	Shelf Carton (Packing)
9 Pcs. Set (mm) Long Type 1.5,2,2.5,3,4,5,6,8,10	5
10 Pcs. Set (SAE) Long Type 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8	5

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

**HEX ALLEN KEY SET (HSN 8204)  
LONG ARM (BALL TYPE)**



Product No.	Contents
DNKBHM9L	9 Pcs. Set (mm) {Long arm} (Ball Type) 1.5,2,2.5,3,4,5,6,8,10

**HEX ALLEN KEY SET (HSN 8204)  
EXTRA LONG ARM**



Product No.	Contents
DNXLONG9L	9 Pcs. Set (mm) {Extra Long arm} 1.5,2,2.5,3,4,5,6,8,10

**ALLEN KEY (TORX) (HSN 8204)**



**BLACK FINISH**

Size (mm)
T-5
T-6
T-7
T-8
T-9
T-10
T-15
T-20
T-25
T-27
T-30
T-40
T-45
T-50

**ALLEN KEY SET (TORX)  
(HSN 8204)**



Product No.	Contents
DNKTH9S (REGULAR)	9 Pcs. Set (mm) {Short Type} (Torx) T10,T15,T20,T25,T27,T30,T40,T45,T50
DNKTH9L (LONG)	9 Pcs. Set (mm) {Long Type} (Torx) T10,T15,T20,T25,T27,T30,T40,T45,T50

**ALLEN KEY (BROWN) - S2 MATERIAL  
(HSN 8204)**

**S2 MATERIAL**



» Generally Conforming to IS 3082-2008

Size (mm)	Size (Sae)
1.5 (Brown)	1/16 (Brown)
2 (Brown)	5/64 (Brown)
2.5 (Brown)	3/32 (Brown)
3 (Brown)	1/8 (Brown)
4 (Brown)	5/32 (Brown)
5 (Brown)	3/16 (Brown)
6 (Brown)	7/32 (Brown)
7 (Brown)	1/4 (Brown)
8 (Brown)	5/16 (Brown)
9 (Brown)	3/8 (Brown)
10 (Brown)	-

**ALLEN KEY SET - BROWN  
(HSN 8204)**



Product No.	Contents
DNAKBS	9 Pcs. Set (mm) {Short Pattern} 1.5,2,2.5,3,4,5,6,8,10 (Brown)
DNAKBSL	9 Pcs. Set (mm) {Long Pattern} 1.5,2,2.5,3,4,5,6,8,10 (Brown)

**ALLEN KEY TORX (BROWN) - S2 MATERIAL  
(HSN 8204)**

**S2 MATERIAL**



Size (mm)
T-5 (Brown)
T-6 (Brown)
T-7 (Brown)
T-8 (Brown)
T-9 (Brown)
T-10 (Brown)
T-15 (Brown)
T-20 (Brown)
T-25 (Brown)
T-27 (Brown)
T-30 (Brown)
T-40 (Brown)
T-45 (Brown)
T-50 (Brown)

**ALLEN KEY SET TORX - BROWN - S2 MATERIAL  
(HSN 8204)**



Contents
9 Pcs. Set (mm) Torx Brown T10,15,20,25,27,30,40,45,50

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

**ALLEN KEY LONG BALL POINT (BROWN) - S2 MATERIAL (HSN 8204)**



**S2 MATERIAL**

»Generally Conforming to IS 3082-2008

Size (mm)	Size (Sae)
1.5 (Brown)	1/16 (Brown)
2 (Brown)	5/64 (Brown)
2.5 (Brown)	3/32 (Brown)
3 (Brown)	1/8 (Brown)
4 (Brown)	5/32 (Brown)
5 (Brown)	3/16 (Brown)
6 (Brown)	7/32 (Brown)
7 (Brown)	1/4 (Brown)
8 (Brown)	5/16 (Brown)
9 (Brown)	3/8 (Brown)
10 (Brown)	-

9 Pcs. Set (mm) {Long Ball Point} - Brown  
1.5,2,2.5,3,4,5,6,8,10

10 Pcs. Set (SAE)  
1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8

**TWO-WAY HEX KEY WITH HANDLE(SAE sizes) (HSN 8204)**



Size (SAE)	Size (SAE)
DN-TAK 1/16	DN-TAK 3/16
DN-TAK 5/64	DN-TAK 7/32
DN-TAK 3/32	DN-TAK 1/4
DN-TAK 1/8	DN-TAK 5/16
DN-TAK 5/32	DN-TAK 3/8

Black T Handle Allen Keys  
DN-TAK8A 8 Pcs. Set  
(1/16 - 3/8 SAE)

Black T Handle Allen Keys  
DN-TAK10A 10 Pcs. Set  
(1/16 - 3/8 SAE)

**TWO-WAY HEX KEY WITH HANDLE(mm sizes) BROWN- S2 MATERIAL**

**TWO WAY BROWN**



**(HSN 8204)**

Size (mm)
DN-TAK 1.5 (Brown)
DN-TAK 2 (Brown)
DN-TAK 2.5 (Brown)
DN-TAK 3 (Brown)
DN-TAK 4 (Brown)
DN-TAK 5 (Brown)
DN-TAK 5.5 (Brown)
DN-TAK 6 (Brown)
DN-TAK 7 (Brown)
DN-TAK 8 (Brown)
DN-TAK 9 (Brown)
DN-TAK 10 (Brown)

**TWO-WAY HEX KEY WITH HANDLE(mm sizes) (HSN 8204)**



**TWO WAY**

» Also Available in Box Packing

Size (mm)
DN-TAK 1.5
DN-TAK 2
DN-TAK 2.5
DN-TAK 3
DN-TAK 4
DN-TAK 5
DN-TAK 5.5
DN-TAK 6
DN-TAK 7
DN-TAK 8
DN-TAK 9
DN-TAK 10

**TWO-WAY HEX KEYS SET WITH HANDLE (HSN 8204)**

SETS	
Set No.	Description
Black DN-TAKM8	T Handle Allen Keys 8 Pcs. Set (Black) (2-10mm)
Black DN-TAKM9	T Handle Allen Keys 9 Pcs. Set (Black) (1.5-10mm)

**TWO-WAY HEX KEYS SET WITH HANDLE BROWN- S2 MATERIAL (HSN 8204)**

SETS	
Set No.	Description
Brown DN-TAKM8	T Handle Allen Keys 8 Pcs. Set (Brown) (2-10mm)
Brown DN-TAKM9	T Handle Allen Keys 9 Pcs. Set (Brown) (1.5-10mm)

**FLAG ALLEN KEY (HSN 8204)**



Size (mm)
T-6
T-7
T-8
T-9
T-10
T-15

COMPARE PRICES WITH QUALITY



# DE NEERS®

*Best Ever Tools*



LUBRICANT

**TAPS & ROUND DIE SETS**  
(HSN 8205)



**Complete Tap & Die Set 1/4 to 1/2 BSW**

SETS	
Contents	
Round Die Handle	: 1', 1.1/2' O/D
Tap Handle	: 1/2 Capacity
Tap & Dies	: 1/4, 5/16, 3/8, 7/16, 1/2BSW
Screw Driver	: One Pc.

**Complete Tap & Die Set 6mm to 12mm**

SETS	
Contents	
Round Die Handle	: 1', 1.1/2' O/D
Tap Handle	: 1/2 Capacity
Tap & Dies	: 6, 7, 8, 10, 12 MM
Screw Driver	: One Pc.

**Complete Tap & Die Set 6mm to 18mm**

SETS	
Contents	
Round Die Handle	: 1', 1.1/2' O/D
Tap Handle	: 3/4 Capacity
Tap & Dies	: 6, 8, 10, 12, 14, 16, 18 MM
Screw Driver	: One Pc.

**Complete Tap & Die Set 0 BA To 6 BA**

SETS	
Contents	
Round Die Handle	: 13/16 O/D
Tap Handle	: 1/4 Capacity
Tap & Dies	: 0, 1, 2, 3, 4, 5, 6 BA
Screw Driver	: One Pc.

**Complete Tap & Die Set 0 BA To 8 BA**

SETS	
Contents	
Round Die Handle	: 13/16 O/D
Tap Handle	: 1/4 Capacity
Tap & Dies	: 0, 1, 2, 3, 4, 5, 6, 7, 8 BA
Screw Driver	: One Pc.

**THREAD TAP (WITH HANDLE)**  
UNICEF APPROVED DESIGN  
(HSN 8205)



Size
12 x 1.75(Set of 3 Pcs with Handle)
12 x 1.75(Only One Tap) (First, Second Or Final)
Tap Handle

**ROUND DIE & HANDLE - UNICEF APPROVED DESIGN**  
(HSN 8205)



Size
12 x 1.75 Round Die with Handle
Round Die Handle only

**RATCHET DIE SET**  
(HSN 8205)



Size
1/2, 3/4, 1
1-1/4, 1-1/2, 2
2-1/2 - 3
4

**PIPE DIE SET**  
(HSN 8205)



Size
1/2, 3/4, 1
1-1/4, 1-1/2, 2
1-1/4 / 32MM
2-1/2, 3
4

**PIPE VICE - PILLAR TYPE HEAVY DUTY**  
(HSN 8205)



» Generally Conforming to IS 6007-1971

Size	Weight in Gms
1/2 to 2 - 50mm	3450
3 - 75mm	7300
4 - 100mm	8600

**PIPE VICE - SELF LOCKING HEAVY DUTY (S.G.IRON)**  
(HSN 8205)



» Generally Conforming to IS 6007-1971

Size	Opening (mm)	Weight Kg
1#	25mm	
2#	60mm	3.0
3#	80mm	5.0
4#	110mm	7.0
5#	15-130mm	9.0
6#	15-165mm	11.0
8#	15-220mm	17.0

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION



**C-CLAMP**  
(HSN 8205)



- » Drop Forged Frame
- » **Generally Conforming IS-9181-1988**
- » High Quality Steel Screw With Drop Handle

Product Code	Size
1259-2	50mm-2
1260-3	75mm-3
1261-4	100mm-4
1262-5	125mm-5
1263-6	150mm-6
1264-8	200mm-8
1265-10	250mm-10
1266-12	300mm-12
1267-14	350mm-14

**ALL STEEL BENCH VICE**  
**FIXED BASE**  
(HSN 8205)



- » Body Made from Selected Steel
- » Hardened & Knurled Replaceable High Carbon Steel Jaws
- » **Generally Conforming IS-2586-1986**

Item No. Size	Width of Jaws (mm)	Opening of Jaws (mm)	Depth of Jaws (mm)	Weight Kg
100mm-4	102	110	75	8.0
125mm-5	130	135	78	9.8
150mm-6	152	155	88	13.0
200mm-8	202	210	95	21.0

**SPECIAL GRADED CAST IRON / SG IRON**  
**BENCH VICE**  
**HEAVY WEIGHT PROFESSIONAL**  
(HSN 8205)



- » Body Made from Selected Steel
- » Hardened & Knurled Replaceable High Carbon Steel Jaws
- » **Generally Conforming IS-2586-1986**

Size	Width of Jaws (mm)	Opening of Jaws (mm)	Depth of Jaws (mm)	Weight Kg
75mm-3	75	90	50	6.0
100mm-4	102	112	68	10.0
125mm-5	130	145	76	15.0
150mm-6	155	202	78	20.0
200mm-8	202	230	98	33.0
300mm-12	302	310	135	55.0
400mm-16	405	415	145	75.0

**BEARING PULLER - 2 JAWS**  
(HSN 8205)



- » Hardened and Tempered
- » Jaws from Chrome Vanadium Steel
- » **Generally Conforming to IS 9193-1988**

Size	Capacity (mm)	Load Capacity (Tonne)
2L-4-100mm	20-110	2.60
2L-6-150mm	25-160	4.40
2L-8-200mm	30-210	8.0
2L-10-250mm	30-260	8.80
2L-12-300mm	50-310	14.70

**BEARING PULLER - 3 JAWS**  
(HSN 8205)



- » Jaws from Chrome Vanadium Steel
- » Hardened and Tempered
- » **Generally Conforming to IS 9193-1988**

Size	Capacity (mm)	Load Capacity (Tonne)
3L-4-100mm	20-110	2.60
3L-6-150mm	25-160	4.50
3L-8-200mm	30-210	8.20
3L-10-250mm	40-260	9.0
3L-12-300mm	50-320	12.50
3L-16-400mm	80-420	-
3L-20-500mm	80-520	-
3L-24-600mm	90-600	-
3L-28-700mm	100-720	-

**FLAT FILE (BASTARD)**  
(HSN 8203)

Size (mm)	Shelf Carton (Packing)
250 without Handle	10
300 without Handle	10

**HALF ROUND FILE WITH HANDLE**  
(HSN 8203)



Size (mm)	Shelf Carton (Packing)
250	10

**FILE HANDLE**  
(HSN 8203)



Suitable for Size (mm)
200mm, 250mm, 300mm

ALL TYPES OF REQUIREMENT FOR TENDERS ARE INVITED

MISCELLANEOUS

**CHISELS (HSN 8205)**

» Generally Conforming to IS 5663-1970

**OCTAGONAL CHISELS (HSN 8205)**



» Fully Forged, Induction Hardened

» Generally Conforming to IS 402/1990

Product No.	Length mm	Cutting Edge mm	Shelf Carton (Packing)
DN 1101	125	9	10
DN 1102	150	16	10
DN 1104	200	22	6
DN 1105	200	25	6
DN 1106	250	30	4
DN 1107	300	32	4

**FLAT CHISELS (HSN 8205)**



Product No.	Length mm	Cutting Edge mm	Shelf Carton (Packing)
DN 11046	150	20	10
DN 11048	200	25	5
DN 11059	235	25	5

**CENTRE PUNCHES (HSN 8203)**



» Generally Conforming to IS 7177-1999

Product No.	Length (mm)	Shelf Carton (Packing)
11984	100	10
11985	125	10
11986	150	10
11988	200	10

**LEATHER PUNCHES (HSN 8203)**



Product No.	Length (mm)	Hole Size (mm)	Shelf Carton (Packing)
11786	100	6	10
11787	100	8	10
11788	100	10	10

**FEELER GAUGE (HSN 9017)**



**STAINLESS STEEL 304 COVER**

Size	No. of Blades in mm	Length (mm)
0.03mm to 1.00mm	26	100
0.03mm to 1.00mm	26	150
0.03mm to 1.00mm	26	225
0.03mm to 1.00mm	26	300

**HACKSAW FRAME (HSN 8202)**



Size	Handle	Shelf Carton (Packing)
6 - 150mm	Junior	10
12 - 300mm	Wooden	6
12 - 300mm	Plastic	6
12 - 300mm	Plastic - Adjustable	6

**HACKSAW BLADE (HSN 8202)**



» Full Hard » Blue Painted

» Generally Conforming to IS 2594-2003

**CHECK WEIGHTS**

Size	Shelf Carton (Packing)	Weight (Gms) Per Pkt
1/2X12X24TPI, 18TPI	100	1850
Double Side 1x12x24TPI	50	1850
1/2X12X24TPI (HIGH SPEED STEEL)		

**JACK PLANE - SMOOTH BASE (HSN 8205)**



**With Brass Nut**

**CHECK WEIGHTS**

» Generally Conforming to IS 15385

No.	Master Carton (Packing)	Weight in Gms
4	12	1700
5	10	2450
6	8	2950
7	6	4300

**JACK PLANE BLADE (HSN 8466)**

Size (mm)	Shelf Carton (Packing)
45	10
50	10
60	10

**BLOCK PLANE (HSN 8205)**



**With Brass Nut**

**CHECK WEIGHTS**

» Generally Conforming to IS 15385

No.	Master Carton (Packing)	Weight in Gms
102	10	480
110	10	600

**WEIGHT DOES MATTER**

**GREASE GUNS -WITH FIXED SPOUT**  
(HSN 8205)



Model No.	Piston Size	Grease Holding Capacity In Gms.
DN - 507	5/8	500
DN - 510	1/2	500
DN - 509	5/16	300

**OIL CAN (HSN 8413)**

**GST@5%**



Size	Shelf Carton (Packing)
1/4 Pint	10
1/2 Pint	10
3/4 Pint	10
1 Pint	10

**AIR IMPACT WRENCH**  
(HSN 8204)



Size	Max. Torque	Hammer Type	Anvil Length
(12.7mm) 1/2	720 NM	Twin Hammer	25mm (1)
(12.7mm) 1/2	850 NM	Twin Hammer	25mm (1)
(19mm) 3/4	1400 NM	Twin Hammer	38mm (1.5)
(25mm) 1	3200 NM	Pin Less Clutch	225mm (9)

**DRAWING INSTRUMENT (CONVERSION TABLE)**  
(FOOT RULE)



**Pure Stainless Steel only**

Size	Thickness
150mm	0.80mm
300mm	0.80mm
600mm	1.2mm
1000mm (1 Meter)	1.2mm
1200mm	1.2mm

**BUCKET GREASE PUMP**

**Heavy Duty**  
(HSN 8413)

**GST@5%**

**Free Kit Inside**



- Free Kit Contents**
- » Washer, PU Ring, Piston Ring, O Ring, Brass Bush 2, Plunger Rod, Plunger, Steel Ball, Spring, Nozzle Ring
  - » Useful for cleaning greasing of trucks & machinery Pump has steel construction with cast head and solid steel pump chamber.
  - » High Pressure hand operated portable pump. Comes complete with 2.2 meter of high pressure hose fitted with accessories.

Model No.	Capacity
DN-501	6 Kg. without Trolley
DN-502	10 Kg. without Trolley
DN-601-T	6 Kg. with Trolley
DN-602-T	10 Kg. with Trolley
DN-603-T	15 Kg. with Trolley
DN-604-T	20 Kg. with Trolley

**SPARES FOR BUCKET GREASE PUMP**



Coupler



Pointed Nipple



Bent Nipple



Repair Kit with Brass nut

Product Name	Size	Packing in Box
Coupler 4 Jaw		BLISTER
Coupler 3 Jaw		BLISTER
Fixed Spout	7/175mm	10
Flexible Spout	12/300mm	10
Flexible Spout	15/375mm	10
Flexible Spout	18/450mm	10
Bucket Repair Kit		SINGLE BOX
Bucket Repair Kit with brass nut		SINGLE BOX
Bucket Hose Pipe	2.2 Mtr	
Pointed Nipple		12
Bent Nipple		12
Grease Nipple	M6 X 1 St	100
Grease Nipple	M6 X 1 45* or 90*	100
Grease Nipple	M8 X 1 St	100
Grease Nipple	M8 X 1 45* or 90*	100
Grease Nipple	M10 X 1 St	50
Grease Nipple	M10 X 1 45* or 90*	50
Grease Nipple	M10 X 1.5 St	50
Grease Nipple	M10 X 1.5; 45* or 90*	50
Grease Nipple	M12 X 1.75 St	25
Grease Nipple	M12 X 1.75; 45* or 90*	25
Grease Nipple	1/8 BSP St	50
Grease Nipple	1/8 BSP 45* or 90*	50
Grease Nipple	1/8 NPT St	50
Grease Nipple	1/8 NPT 45* or 90*	50

TECHNICAL LITERATURE FOR PRODUCTS CAN BE PROVIDED FOR TENDER PARTICIPATION

MISCELLANEOUS

# DE NEERS®

*Best Ever Tools*



## HYDRAULIC BOTTLE JACK



A device used for lifting, pushing , spreading, bending, pressing or straightening requirements, widely used in machinery, construction, automobile industry, vehicle repair etc.

(HSN 8425)

- » Compact structure, sturdiness.
- » Wide base design for stability & strength.
- » Polished Ram provides durable performance.
- » Hydraulic oil by-pass system prevents Ram from being over extended.
- » Low maintenance cost.
- » Ideal for Passenger cars, pick-up Vans, Trucks, Heavy Duty Trucks, Agriculture, Mining & Marine applications.
- » DN-50T Packed in Wooden Case.

Model No.	Capacity	Min. Height	Lifting Height	Adjust Height
DN-2T	2 Ton	158	90	60
DN-4T	4 Ton	180	110	50
DN-6T	6 Ton	185	110	60
DN-8T	8 Ton	200	125	60
DN-10T	10 Ton	200	125	60
DN-12T	12 Ton	210	125	60
DN-16T	16 Ton	225	130	60
DN-20T	20 Ton	235	145	60
DN-32T	32 Ton	255	150	
DN-50T	50 Ton	285	180	
DN-100T	100 Ton			

FOR BEST RESULTS USE ENKLO-68 OIL ONLY.

**EXCELLENT QUALITY BUT NO GUARANTEE/WARRANTY**


# DE NEERS®

*Best Ever Tools*



## MONOBLOCK VERNIER CALIPER WITH FINE ADJUSTMENT (HSN 9017)

Size
150mm
200mm
300mm



- » Monoblock Type
  - » Single piece construction gives accuracy for longer period of time
  - » Hardened steel construction
  - » Extra smooth slides
  - » 4 Way Measurement Inside, Outside, Depth, Step
- With Fine adjustment and Locking Screw

## DIGIMATIC VERNIER WITH METAL DISPLAY UNIT (HSN 9017)

Size
0-150mm
0-200mm
0-300mm



- » Least Count : 0.01mm
- » Most Stable Microprocessor
- » Stainless Steel smooth slides
- » 4 Way Measurement Inside, outside, depth, step
- » With Thumb lock and Bezel.

## OUTSIDE MICROMETER (HSN 9017)

Size
0-25mm
25-50mm
50-75mm
75-100mm



- » Printed Marking on the Vernier Scale
- » Carbide Tipped Measuring Faces
- » With Locking Clamp and ratchet stop
- » Least Count : 0.01mm
- » Packed in ABS Box packing

## DIGIMATIC MICROMETER (HSN 9017)

Size
0-25mm
25-50mm
50-75mm
75-100mm



- » Display data is origin data of absolute measurement after charging battery
- » Carbide Tipped Measuring Faces
- » With Locking Clamp
- » Least Count : 0.001mm
- » Abs and inc conversion

N  
E  
W  
L  
A  
U  
N  
C  
H

# DE NEERS®

## TOOL KITS/ TOOL CABINETS TOOL TROLLEYS



- » Specially assembled for the Professionals.
- » Each Tool specifically selected keeping in mind the requirement of professionals for the maintenance / installation / assembly.
- » Convenient portable Tool kits that can be carried or moved on Large Castor Wheels at the sites.
- » Heavy Duty Metal Box made out of Superior Steel Sheet of 18 Gauge to prevent damages during transportation.
- » Most of the Tool kit Contents are of 'DE NEERS' Brand. The tools / product other than DE NEERS Brand will be the best available in the market.

**Note : The Pictures of Tool Kits are illustrative. The actual Tool Kits may vary.**

**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0101  
FOR VEHICLE MECHANICS



(HSN 8206)

Product Code	Description
DN 0101	Tool Kit for Vehicle Mechanics

**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0109  
TWO WHEELER TOOL KIT



Product Code	Description
DN 0109	Tool Kit for Two Wheeler

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Circlip Plier Internal Straight	1
'DE NEERS' Circlip Plier External Straight	1
'DE NEERS' Grip Locking Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Plastic Hammer	1
'DE NEERS' Flat Screw Drivers 150, 250 & 300 mm	3
'DE NEERS' Screw Driver Two in One	1
'DE NEERS' T-Sockets (3 Sizes)	3
'DE NEERS' Sockets 17 to 21mm (any 2 sizes)	2
'DE NEERS' Extension Bar	1
'DE NEERS' Sliding T-Handle / L-Handle	1
'DE NEERS' Allen Key Set	9
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Half Round File with handle	1
'DE NEERS' Flat File Bastard with handle	1
'DE NEERS' Oil Can	1
'DE NEERS' Octagonal Chisel	1
'DE NEERS' Measuring Tape	1
'DE NEERS' Wire Brush	1
'DE NEERS' Torch	1
Scissor	1
Pad Lock	1
Tool Chest	1

\* Total Number of Contents including Locks & Metal Box : 64 Nos.

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Circlip Plier Internal Straight	1
'DE NEERS' Circlip Plier External Straight	1
'DE NEERS' Grip Locking Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Flat Nose Plier	1
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Soft Faced Plastic Hammer	1
'DE NEERS' Two in One Screw Drivers Big	1
'DE NEERS' Two in One Screw Drivers Small	1
'DE NEERS' Screw Drivers Flat	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Centre Punches	1
'DE NEERS' Octagonal Chisel	1
'DE NEERS' Flat File Bastard with Handle	1
'DE NEERS' Half Round File with Handle	1
'DE NEERS' Allen Key (Short Pattern) Set	9
'DE NEERS' Spark Plug Socket 16mm	1
'DE NEERS' Spark Plug Socket 21mm	1
'DE NEERS' Plastic Tool Box with Organizer	1

Total Number of Contents including Box : 54 Nos.

FOR VEHICLE MECHANICS TOOL KIT

FOR TWO WHEELER TOOL KIT

TOOL KITS

**DE NEERS**<sup>®</sup> **TOOL KIT NO. DN 0102 FOR MECHANICS**  
(HSN 8206)



Product Code	Description
DN 0102	Tool Kit for Mechanics

TOOL KITS

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Pipe Wrench	2
'DE NEERS' Grip Locking Plier	1
'DE NEERS' Circlip Plier Internal Straight	1
'DE NEERS' Circlip Plier External Straight	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Plastic Hammer	1
'DE NEERS' Ball Pein Hammer	2
'DE NEERS' Screw Driver Philips Pattern 100 & 150mm	2
'DE NEERS' Flat Screw Drivers 250 & 300mm	2
'DE NEERS' Two-in-One Screw Drivers	2
'DE NEERS' Adjustable Wrench	1
'DE NEERS' 12.5 Square Drive Sockets 8-32 mm (22 Sockets)	22
'DE NEERS' Reversible Ratchet	1
'DE NEERS' Extension Bar	2

**List of Contents**

**Pcs.**

'DE NEERS' Sliding T-Handle / L-Handle	1
'DE NEERS' Socket Set 1/4 Drive (46 pcs.)	46
'DE NEERS' T-Socket (3 Sizes)	3
'DE NEERS' Allen Key Set	9
'DE NEERS' C-Clamp	1
'DE NEERS' Centre Punches	1
'DE NEERS' Octagonal Chisel	1
'DE NEERS' Flat File Bastard with Handle	1
'DE NEERS' Oil Can	1
'DE NEERS' Half Round File with handle	1
'DE NEERS' Measuring Tape Steel 5 Mtrs.	1
'DE NEERS' Wire Brush	1
'DE NEERS' Torch	1
Insulation Tape	1
Scissor	1
'DE NEERS' Tool Box	1
★ Total Number of Contents including Metal Box : 139 Nos.	

**TOOL KIT FOR MECHANICS**



**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0103  
FOR GARAGE MAINTENANCE



Product Code	Description
DN 0103	Tool Kit for Garage Maintenance

**List of Contents**

	Pcs.
'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Circlip Plier Internal Straight	1
'DE NEERS' Circlip Plier External Straight	1
'DE NEERS' Grip Locking Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Flat Screw Drivers 200 & 300 mm	2
'DE NEERS' Two in One Screw Drivers	2
'DE NEERS' 12.5 Square Drive Sockets 8-32 mm (22 Sockets)	22
'DE NEERS' Reversible Ratchet	1
'DE NEERS' Extension Bar	2
'DE NEERS' Sliding T-Handle / L-Handle	1
'DE NEERS' Socket Set 1/4 Drive (46 Pcs)	46
'DE NEERS' Centre Punches	1
'DE NEERS' Flat Chisel	1
'DE NEERS' Soft Faced Plastic Hammer	2
'DE NEERS' Sledge Hammer Fibreglass Handle	1
'DE NEERS' Flat File Bastard with Handle	1
'DE NEERS' Half Round File with Handle	1
'DE NEERS' Allen Key (Short Pattern) Set	9
'DE NEERS' Oil Can	1
'DE NEERS' Torch	1
'DE NEERS' Wire Brush	1
'DE NEERS' Tool Box	1

★ Total Number of Contents including Box : 129 Nos.

**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0202  
FOR HONDA 2-WHEELER TOOL KIT



Product Code	Description
DN 0202	Tool Kit for Two Wheeler

**List of Contents**

	Pcs.
'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32mm	12
'DE NEERS' Double Open End Spanner 6x7-20x22mm	8
'DE NEERS' Double Open End Spanner 24x27mm	1
'DE NEERS' Double Open End Spanner 30x32mm	1
'DE NEERS' Combination Spanner (5 Sizes)	5
'DE NEERS' Combination Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Long Needle Nose Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Circilp Plier External Bent	1
'DE NEERS' Flat Screw Drivers (4 Sizes)	4
'DE NEERS' Philips Screw Drivers (4 Sizes)	4
'DE NEERS' Allen Key Set (mm) Set	9
'DE NEERS' Allen Key T Handle (4 Sizes)	4
'DE NEERS' T-socket (6 Sizes)	6
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Socket Set 1/4 Drive 46 Pcs.	46
'DE NEERS' Plastic Tool Box with Organizer	1

★ Total Number of Contents including Box : 108 Nos.

FOR GARAGE MAINTENANCE TOOL KIT

FOR HONDA 2 WHEELER TOOL KIT

TOOL KITS

**DE NEERS**<sup>®</sup> **TOOL KIT NO. DN 0104 FOR ELECTRICIAN**  
(HSN 8206)



Product Code	Description
DN 0104	Tool Kit for Electrician

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-30x32 mm	12
'DE NEERS' Double Open End Spanner 6x7-30x32 mm	12
'DE NEERS' Pipe Wrench	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Combination Plier	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Flat Screw Drivers 150, 250 & 300 mm	3
'DE NEERS' Two in One Screw Drivers (2 Sizes)	2
'DE NEERS' Screw Driver Philips Pattern 100 & 150 mm	2
'DE NEERS' 12.5 Square Drive Sockets 8-32 mm (22 Sockets)	22
'DE NEERS' Reversible Ratchet	1
'DE NEERS' Extension Bar	1
'DE NEERS' Sliding T-Handle / L-Handle	1
'DE NEERS' Socket Set 1/4 Drive(46 Pcs.)	46
'DE NEERS' Water Pump Plier	1
'DE NEERS' Allen Key Set	9

**List of Contents**

**Pcs.**

'DE NEERS' C-Clamp	1
'DE NEERS' Centre Punches	1
'DE NEERS' Chisel	1
'DE NEERS' Hacksaw Frame	1
'DE NEERS' Half Round File with handle	1
'DE NEERS' Flat File Bastard with handle	1
'DE NEERS' Pincer	1
'DE NEERS' Wire Stripper	1
'DE NEERS' Oil Can	1
'DE NEERS' Measuring Tape Steel	1
'DE NEERS' Torch	1
'DE NEERS' Wire Brush	1
Scissor	1
Drill Machine 10mm <b>(DE NEERS/Bosch Brand)</b>	1
Insulation Tape	2
'DE NEERS' Tool Box	1

★ Total Number of Contents including Metal Box : 134 Nos.

**TOOL KIT FOR ELECTRICIAN**

**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0105  
FOR SUBMERSIBLE PUMPS



Product Code	Description
DN 0105	Tool Kit for Submersible Pumps

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-20x22 mm	8
'DE NEERS' Double Open End Spanner 6x7-20x22 mm	8
'DE NEERS' Pipe Wrench	2
'DE NEERS' Combination Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Flat Screw Drivers 200, 250 & 300mm	3
'DE NEERS' Ball Pein Hammer	1
'DE NEERS' Plastic Hammer	1
'DE NEERS' Sledge Hammer with Fibre glass Handle	1
'DE NEERS' Octagonal Chisel (2 Sizes)	2
'DE NEERS' Flat File Bastard with Handle	1
'DE NEERS' Half Round File with Handle	1
'DE NEERS' Grease Gun	1
'DE NEERS' Hacksaw Frame	1
'DE NEERS' Oil Can	1
'DE NEERS' Measuring Tape Steel	1
'DE NEERS' Torch	1
Wire Brush	1
Teflon Tape	5
Locks	1
Tool Box	1

★ Total Number of Contents including Metal Box : 45 Nos.

**FOR SUBMERSIBLE PUMPS TOOL KIT**

**DE NEERS**<sup>®</sup> TOOL KIT NO. DN 0106  
FOR LINEMAN TOOL KIT  
(HSN 8206)



Product Code	Description
DN 0106	Tool Kit for Lineman

**List of Contents**

**Pcs.**

'DE NEERS' Bi Hexagon Ring Spanner 6x7-20x22 mm	8
'DE NEERS' Double Open End Spanner 6x7-20x22 mm	8
'DE NEERS' Combination Plier	1
'DE NEERS' Side Cutting Plier	1
'DE NEERS' Long Nose Plier	1
'DE NEERS' Water Pump Plier	1
'DE NEERS' Adjustable Wrench	1
'DE NEERS' Flat Screw Drivers 300 mm	1
'DE NEERS' Two in One Screw Drivers (2 Sizes)	2
'DE NEERS' Ball Pein Hammer 500 gms	1
'DE NEERS' Bolt Cutter	1
'DE NEERS' Measuring Tape Steel	1
'DE NEERS' Torch	1
Insulation Tape PVC	5
Drill Machine 10mm (DE NEERS/Bosch Brand)	1
Pocket Knife	1
Pair of Hand Gloves	1
Testing Holder	1
'DE NEERS' Tool Box	1

★ Total Number of Contents including Tool Box : 38 Nos.

**FOR LINEMAN TOOL KIT**

**TOOL KITS**

**TOOLS TROLLEY 5 DRAWER & 7 DRAWER**



**DIMENSION WITH WHEELS (HSN 9403)**

ITEM CODE	H (mm)	W (mm)	L (mm)
5 DRAWER	950	500	675
7 DRAWER	1070	500	675

**TOOL BOX WITH COMPARTMENTS (PROFESSIONAL SERIES)**



**POWDER COATED**

Set No.
475mm = 3 Trays
475mm = 5 Trays

**TOOL BOX WITH COMPARTMENTS (HSN 7310)**



- » Easy to Handle
- » Convenient to Move

Set No.	Weight in Gms
350mm = 3 Trays	3000
450mm = 3 Trays	5200
450mm = 5 Trays	6500
550mm = 3 Trays	6500
550mm = 5 Trays	7500

**TOOL BOX WITH COMPARTMENTS STAINLESS STEEL ANTIMAGNETIC**

**SS 304**

- » Easy to Handle
- » Convenient to Move

Set No.
350mm = 3 Trays
450mm = 3 Trays

**PLASTIC TOOL BOX (PROFESSIONAL)**



**WATER RESISTANT WITH RUBBER PIPING/LINING TO SEAL**

ITEM CODE	H (mm)	W (mm)	L (mm)
PTB-F270	270	250	145
PTB-F340	340	295	155
PTB-F460	460	350	175
PTB-F560	560	430	220

**PLASTIC TOOL BOX WITH ORGANIZER (HSN 3923)**



ITEM CODE	H (mm)	W (mm)	L (mm)
PTBO14	175	175	350
PTBO17	200	200	425
PTBO19	225	213	475
PTBO22	275	250	550

**COMPARE PRICES WITH QUALITY**

**HOME TOOL KIT (IN ZIP KIT PACKING)**



**(HSN 8206)**

**Contents**

- Adjustable Wrench 200mm
- Ball Pein Hammer 300 Gms
- Combiantion Plier 200mm
- Screw Driver Set - DN-812
- Water Pump Plier 250mm
- Wire Stripper

**ELECTRICIAN TOOL KIT (IN TETRON POUCH PACKING)**



**Contents**

- Combiantion Plier 200mm
- Tester 813
- Two in One Screw Driver DN-904
- Insulation Tape
- Wire Stripper

**LEATHER - TOOL APRON**

**(HSN 4202)**



**Contents**

- 11 Pockets



**TOOL KITS**

NON SPARKING TOOLS

# DE NEERS®

*Best Ever Tools*





*Best Ever Tools*

# NON SPARKING TOOLS

Non Sparking tools are made up of Non-ferrous materials and hence reduce the risk of the spark being created while the tool is in use. Non-sparking tools protect against both fire and explosion in the dynamic environment that may contain flammable solvents/liquids, flammable vapours, flammable dusts or residues. When working in the confined spaces and areas where flammable gases or dust are present using a Non-Sparking tool is the best course of action.

**Available in ALUMINIUM BRONZE**

**Available in Beryllium Copper**

**Chemical Composition, Other Mechanical & Physical Properties of Non-Sparking Tools Material Aluminum Bronze**

**Chemical Composition, Other Mechanical & Physical Properties of Non-Sparking Tools Material Beryllium Copper**

Parameters		Aluminum Bronze				
		Cu	Al	Ni	Fe	Mn
<b>Chemical Properties</b>	Min.%	86	9	4	1	-
	Max.%	93	12	6	3	1.5
<b>Physical Properties</b>	Density Weight	8.10 g/cm <sup>3</sup>				
	Magnetic Properties	1.1				
	Dilation Coefficient	0.000015%				
	Electricity Conductivity	8/12				
<b>Mechanical Properties</b>	Strength N/mm <sup>2</sup>	782-989				
	Yield PointN/mm <sup>2</sup>	450-550				
	Hardness Brinell	229/291				

Parameters		Beryllium Copper	
<b>Chemical Properties</b>	Min.%	Be:1.5~1.7%	1.8~2.3%
	Max.%	Co+Ni:over 0.2%	Co+Ni+Fe:below 1.2%
<b>Physical Properties</b>	Density Weight	8.60 g/cm <sup>3</sup>	
	Magnetic Properties	0.25	
	Dilation Coefficient	0.000012%	
	Electricity Conductivity	6/8	
<b>Mechanical Properties</b>	Strength N/mm <sup>2</sup>	1117-1326	
	Yield PointN/mm <sup>2</sup>	840-880	
	Hardness Brinell	283-365	

We have always followed a policy of "Quality Oriented, Customer focus, Continuous Improvement".  
The Idea of enterprise & perseverance to work hard to explore the spirit of focus on the explosion-proof NONSPARKING TOOLS

## DOUBLE OPEN END SPANNERS



Size (mm)
6x7
8x9
8x10
10x11
10x12
11x13
12x13
12x14
13x17
14x15
14x17
16x17
17x19
18x19
18x20
19x22
20x22
21x23
21x26
22x24
24x26
24x27
25x28
27x30
27x32
30x32
30x36
32x36
34x36
36x41
41x46
46x50
50x55
55x60
60x65
65x70
70x75
75x80

Size (WW)
1/4 x 5/16 WW
5/16 x 7/16 WW
7/16 x 9/16 WW
9/16 x 11/16 WW

Size (SAE)
5/8 x 3/4 SAE
1.1/8 x 1.1/4 SAE

## DOUBLE OPEN END SPANNERS SETS



SETS		
Set No.	Pcs. Per Set	Sizes
12/8mm	8	6x7 to 20x22mm
12/9mm	9	8x10, 10x12, 12x14, 14x17, 17x19, 19x22, 22x24, 24x27 & 30x32mm
12/10mm	10	6x7 to 24x27mm
12/100mm	10	6x7 to 30x32mm
12/12mm	12	6x7 to 30x32mm (Pouch Packing)

## RING SPANNERS



Size (mm)
6x7
7x9
8x9
8x10
10x11
10x12
12x13
12x14
14x15
14x17
16x17
17x19
18x19
18x20
19x22
20x22
21x23
21x26
22x24
24x26
24x27
25x28
27x30
27x32
30x32
32x36
34x36
36x41
41x46
46x50
50x55
55x60
60x65
65x70
70x75
75x80

Test Certificate is provided for each piece

NON SPARKING



## RING SPANNERS



Size
1/4 x 5/16 WW
5/16 x 7/16 WW
7/16 x 9/16 WW
9/16 x 11/16 WW
11/16 x 3/4 SAE

## RING SPANNER SETS



SETS		
Set No.	Pcs.Per Set	Sizes
13/8mm	8	6x7 to 20x22mm
13/10mm	10	6x7 to 24x27mm
13/100mm	10	6x7 to 30x32mm
13/1000mm	10	8x10, 10x12, 12x14, 14x17, 17x19 19x22, 22x24, 24x27, 27x30 to 30x32mm
13/12mm	12	6x7 to 30x32mm (Pouch Packing)

## COMBINATION SPANNER



Size (SAE)
1/4 SAE
5/16 SAE
3/8 SAE
7/16 SAE
1/2 SAE
9/16 SAE
19/32 SAE
5/8 SAE
11/16 SAE
3/4 SAE
7/8 SAE
15/16SAE
1 SAE
1.1/8 SAE
1.5/16 SAE

## COMBINATION SPANNER



Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
34
36
38
41
46
50

Test Certificate is provided for each piece

## COMBINATION SPANNER SET



SETS		
Set No.	Pcs.Per Set	Sizes
14/11	11	8,10,12,14,17,19, 22,24,27,30 & 32mm
*14/12	12	6-14, 17, 19, 22mm

\* Available in Pouch Packing

NON SPARKING

### SINGLE OPEN END SPANNERS



Size (mm)
8
10
12
14
17
19
22
24
27
30
32
34
36
38
41
46
50
55
60
65
70
75

### SLOGGING / HAMMERING RING SPANNER



Size (mm)	Size (mm)
17	52
18	55
19	60
22	65
24	70
26	75
27	80
28	85
30	90
32	95
34	100
36	105
38	110
40	115
41	120
42	125
45	130
46	135
50	140

Test Certificate is provided for each piece

### SINGLE RING SPANNER



Size (mm)
32
36

### SLOGGING / HAMMERING OPEN ENDED SPANNERS



Size (mm)	Size (mm)
17	56
18	60
19	63
22	65
24	70
26	75
27	76
28	80
29	85
30	90
32	95
34	100
36	105
38	110
41	115
42	120
45	125
46	130
50	135
52	140
55	145
-	2.3/4A

### SINGLE BENT RING SPANNER



Size (mm)
30
32
36
41
46

### CONSTRUCTION RING SPANNER



Size (mm)
30
32
36
41

NON SPARKING

### SLOGGING BOX BENT WRENCH



Size (mm)
30
32
36
41
46

### ADJUSTABLE WRENCH



Size (mm)	Opening Capacity (mm)
100	13
150	18
200	24
250	30
300	36
375	46
450	55
600	65

### VALVE SQUARE SPANNER



Item	Size (LxDxK)
DN-40	200x18x12

### PIPE WRENCH



Size (mm)	Opening Capacity (mm)
200	25
250	30
300	40
350	50
450	60
600	75
900	125
1200	150

### TUBULAR BOX SPANNERS



Size (mm)
6x7
8x9
10x11
12x13
14x15
16x17
18x19
20x22
21x23
24x27
25x28
30x32

### CHAIN PIPE WRENCH



Size (mm)
100
150
200
300

### CLAMP

Size (mm)
60mm
80mm
100mm
150mm

### HOOK WRENCH



Size (mm)	Length (mm)
19-50	162
32-75	205
50-120	288
115-170	310

### TORQUE WRENCH



Drive	Size (mm)	Torque (N.m)
1/4	290	5-25
3/8	360	5-50
1/2	405	10-100
1/2	500	20-200
1/2	595	60-260
3/4	1040	150-670
1	1253	200-900

Test Certificate is provided for each piece

NON SPARKING

### SCREW DRIVER FLAT (-)



Size (mm)
3 x 50
3 x 75
3 x 100
3 x 125
6 x 150
8 x 200
9 x 250
10 x 300
11 x 350
12 x 400
13 x 450

### SCREW DRIVER PHILIPS (+)



Size (mm)
50
75
100
125
150
200
250
300
350
400
450

### STUBBY SLOTTED SCREWDRIVER



Specification
3x36mm
4x36mm
5x36mm
6x36mm

### POZI DRIVE SCREW DRIVER

Size
0x50mm
1x75mm
2x100mm
3x150mm
4x200mm

### NUT DRIVER

Specification
7mm
10mm
13mm
5/32mm

### CENTRE PUNCH



Size (mm)
16x100
10x130
6x12x150
13x150
14x150
16x150
17x150
18x160
10x16x175
14x180
18x200
18x250
20x250
20x300
21x250
21x300
25x300

### CHISEL



Size (mm)
150x12
150x14
160x14
160x16
160x18
200x16
250x16
200x18
200x19
200x20
300x19
100x22
150x22
200x22
250x24
300x24
300x25
500x25
400x27

Note : Chisels available in Flat, Round & Hex.

Test Certificate is provided for each piece

NON SPARKING

**HAMMER BALL PEIN WITH HANDLE**



Weight (gms)
230
340
450
680
910
1130

**CROSS PEIN HAMMER**



Weight (gms)
500
900

**SLEDGE HAMMER WITH HANDLE**



Weight (gms)
450
1000
1400
1500
1800
2000
2200
2500
2700
3000
3600
4000
4500
5000
5400
6000
6400
7200
8000
8200
9100
10000

**CLAW HAMMER**



Weight (gms)
230
450
680
910

**ROUND PLANE HEAD HAMMER**



Size (gms)
900 (2 lb)

**NYLON HAMMER**



Weight (gms)
1000

Test Certificate is provided for each piece



NON SPARKING

### HACKSAW FRAME



Size

16-500mm

### HACKSAW BLADE



Size

12x1/2

### HAND SAW



Size  
(mm)

35x700mm

### WEDGE FLANGE



Size  
(mm)

10x50x100

13x25x150

12x50x200

30x40x250

40x40x200

40x50x300

8x2x3/4

### AXE



Size

82 x145 x 340mm

### SHOVEL



Size

(Square) 340x175x940mm

(Round) 420x240x990mm

(Square) 418x240x990mm

### PUTTY SCRAPER



Size  
(mm)

25x200

50x200

75x200

100x200

150x250

### DECK SCRAPER (HSN 8205)



Size  
(mm)

380

Breadth  
(mm)

38

### SPRAY BOOTH SCRAPER



Size  
(mm)

76X235

### FLAT SCRAPER



Size  
(mm)

30 x 200

30 x 300

### PINCH BAR



Size  
(mm)

∅ 25X300

### CROW BAR



Length  
(mm)

650

B  
(mm)

23

H  
(mm)

20

### FEELER GAUGE



Size  
(mm)

0.05 - 1.0mm

Test Certificate is provided for each piece

NON SPARKING

**COMBINATION PLIERS / LINEMAN PLIER**



Size  
(mm)

- 150
- 175
- 200
- 250

**LONG NOSE PLIER**



Size  
(mm)

- 150
- 175
- 200

**DIAGONAL SIDE CUTTING PLIER**



Size  
(mm)

- 150
- 200

**CIRCLIP PLIERS INTERNAL**



Size  
(mm)

- 200
- 250

**CIRCLIP PLIERS EXTERNAL**



Size  
(mm)

- 200
- 250

**WATER PUMP PLIER**



Size  
(mm)

- 250 (Box Joint)
- 300 (Groove Joint)

**SLIP JOINT PLIER**



Size  
(mm)

- 150
- 200

**WIRE STRIPPER**



Size  
(mm)

- 170

**PINCERS**



Size  
(mm)

- 200

**CRIMPING PLIER**



Size  
(mm)

- 160

**VICE GRIP LOCKING PLIER**



Size  
(mm)

- 225

Test Certificate is provided for each piece

NON SPARKING

### 1/2 DRIVE SOCKETS



Drive	Size (mm)
1/2	6
1/2	7
1/2	8
1/2	9
1/2	10
1/2	11
1/2	12
1/2	13
1/2	14
1/2	15
1/2	16
1/2	17
1/2	18
1/2	19
1/2	20
1/2	21
1/2	22
1/2	23
1/2	24
1/2	25
1/2	26
1/2	27
1/2	28
1/2	29
1/2	30
1/2	32
1/2	1/2WW
1/2	9/16 WW

### 3/4 DRIVE SOCKETS



Drive	Size (mm)
3/4	17
3/4	19
3/4	21
3/4	24
3/4	27
3/4	30
3/4	31
3/4	32
3/4	34
3/4	36
3/4	38
3/4	41
3/4	46
3/4	50

### 1/2 DRIVE IMPACT SOCKETS



Drive	Size (mm)
1/2	8
1/2	10
1/2	12
1/2	14
1/2	17
1/2	19
1/2	22
1/2	24
1/2	27
1/2	30
1/2	32

### 3/4 DRIVE IMPACT SOCKETS



Drive	Size (mm)
3/4	24
3/4	27
3/4	30
3/4	32
3/4	36
3/4	41
3/4	46
3/4	50

### 1 DRIVE SOCKETS



Drive	Size (mm)
1	41
1	46
1	50
1	55
1	60
1	65
1	70
1	75
1	80

Test Certificate is provided for each piece

NON SPARKING



### 1/2 DRIVE SOCKET SET- 17 Pcs.



**Contents**  
\*Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32 mm  
\*Ratchet Wrench 245 mm  
\*Sliding T-Handle 250 mm  
\*Speed Brace 400 mm  
\*Driver Extension 125 mm & 250 mm  
\*Socket Box

### 1/2 DRIVE SOCKET SET- 25 Pcs.



**Contents**  
\*Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm  
\*Ratchet Wrench 245 mm  
\*Sliding T-Handle 250 mm  
\*Speed Brace 400 mm  
\*Driver Extension 125 mm & 250 mm  
\*Universal Joint 80 mm  
\*Socket Box

### 1/2 DRIVE SOCKET SET- 32 Pcs.



**Contents**  
\*Sockets : 22 Numbers: 8-24, 26-28, 30, 32 mm  
\*13/16 Spark Plug  
\*Ratchet Wrench 245 mm  
\*Sliding T-Handle 250 mm  
\*Speed Brace 400 mm  
\*Driver Extension 125 mm & 250 mm  
\*Universal Joint 80 mm  
\*Screw Driver Socket 52 mm  
\*Offset Handle 230 mm  
\*Socket Box

### 3/4 DRIVE SOCKET SET- 15 Pcs.



**Contents**  
\* Socket 11 Numbers : Sockets : 21, 24, 27, 30, 32, 34, 36, 38, 41, 46, 50 mm  
\* Ratchet Wrench 320 mm  
\* Sliding T-Handle 3/4 400 mm  
\* Driver Extension 200 mm  
\* Socket Box

### REVERSIBLE RATCHET



Drive	Size (mm)
1/2	245
3/4	320

### EXTENSION BAR



Drive	Size (mm)
1/2	125
1/2	250
3/4	200

### SLIDING T-HANDLE



Drive	Size (mm)
1/2	250
3/4	350
3/4	400

### SPEED BRACE



Drive	Size (mm)
1/2	390

### UNIVERSAL JOINT



Drive	Size (mm)
1/2	80
3/4	110
1	132

### SPARK PLUG SOCKET



Drive	Size (SAE)
3/8	13/16
1/2	13/16

### L- HANDLE / OFFSET HANDLE



Drive	Size (mm)
1/2	230
3/4	280

### SCREW DRIVER SOCKET



Drive	Size (mm)
1/2	52

### SWIVEL HANDLE



Drive	Size (mm)
1/2	250
1/2	400
3/4	286

### ADAPTOR



Drive
1/2F x 3/4M
3/4F x 1/2M

Test Certificate is provided for each piece

NON SPARKING

**DRUM OPENER WITH BUNG WRENCH**



Size  
(mm)

300

**DRUM OPENER WITH ANGULAR BUNG WRENCH**



Size  
(mm)

385

**DRUM OPENER WITH CUTTER**



Size  
(mm)

520

**BOLT CUTTER**



Size  
(mm)

250mm-10  
350mm-14  
450mm-18  
600mm-24  
900mm-36

**VALVE HANDLE**



Size  
(mm)

30x200  
32x300  
48x375  
50x400  
55x450  
60x500

**CRATE OPENER**



Size  
(mm)

230

**ROUND FILE**



**Be-Cu**

Size  
(mm)

150mm-6  
200mm-8  
250mm-10  
300mm-12  
350mm-14

**FILES FLAT BASTARD WITH HANDLE**



**Be-Cu**

Size  
(mm)

150mm-6  
200mm-8  
250mm-10  
300mm-12  
350mm-14  
400mm-16

**HALF ROUND FILE**



**Be-Cu**

Size  
(mm)

150mm-6  
200mm-8  
250mm-10  
300mm-12  
350mm-14

**TRIANGLE FILE WITH HANDLE**



**Be-Cu**

Size  
(mm)

200mm-8  
250mm-10  
300mm-12  
350mm-14

**SQUARE FILE WITH HANDLE**



**Be-Cu**

Size  
(mm)

200mm-8  
250mm-10  
300mm-12  
350mm-14

Test Certificate is provided for each piece

NON SPARKING

**BRUSH**



Size (mm)	Rows
290x29	4x16

**BRUSH SHOE HANDLE (HSN 8205)**



Size (mm)	Rows
255	4x16

**BRUSH CUP**



Size (mm)
Φ 100x14mm

**TUBE BRUSH**



Size (mm)
Φ 20x100mm

**SPARK PLUG CLEANING BRUSH**



Size (mm)	Rows
196mm	3x7

**SCISSOR**



Size (mm)
225-9

**SHEAR TIN SCISSOR**



Size (mm)
300-12

**CYLINDER KEY**



Size (Opening) (mm)
6 (Square)
8 (Square)
10 (Square)
8 (Hex)
10 (Hex)

**OXYGEN BOTTLE WRENCH**



Size (mm)	Length (mm)
6	125
8	125

Both Square and Hex

**KNIFE**



Size (mm)
80x193 (Small)
137x250 (Big)

**TWEEZER**



Size (mm)
150
200

**TIN SNIP**



Size (mm)
280

Test Certificate is provided for each piece

NON SPARKING

**ALLEN KEYS HEX (mm)**



Size (mm)
1.5
2
2.5
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
24
27
30
32
<b>SETS</b>
<b>Pcs.Per Set</b>
9 Pcs. Set (mm) <b>(Pouch Packing)</b> 1.5,2,2.5,3,4,5,6,8,10

**ALLEN KEYS HEX (SAE)**



Size (Sae)
1/16
5/64
3/32
7/64
1/8
5/32
9/32
3/16
7/32
1/4
5/16
3/8
9/64
11/32
<b>SETS</b>
<b>Pcs.Per Set</b>
10 Pcs. Set (SAE) <b>(Pouch Packing)</b> 1/16,5/64,3/32,1/8,5/32,3/16,7/32,1/4,5/16,3/8

**ALLEN KEY HEX (T TYPE)**



Size (mm)	Handle Length (mm)
2	90
3	90
4	90
5	90
6	90
8	90
10	90

**ALLEN KEY BALL END**



Size (mm)
2
3
4
5
6
7
8
9
10
11
12

**CHAIN HOIST**



Capacity Lifting (T)
0.5
1
1.5
2
3
5
10
16

**TROLLEY FOR CHAIN HOIST (PULL TYPE)**



Capacity Lifting (ton)
0.5
1
2
3
5
10
16

Test Certificate is provided for each piece

NON SPARKING

**NON SPARKING TOOLS SET 10 PCS**



**NON SPARKING TOOLS SET (29 PCS)**



Test Certificate is provided for each piece

TOOLS	DESCRIPTION
ADJUSTABLE WRENCH	300mm
COMBINATION PLIER	8/200mm
LONG NOSE PLIER	6/150mm
SCREW DRIVER	6x150mm & 8x200mm
SCREW DRIVER(Philips)	#2x150mm & 3x200mm
HAMMER CROSS PEIN	1000 Gms
KNIFE, PUTTY	50mm x 200mm
METAL TOOL BOX WITH LOCK AND KEY (L x W x H)	400 x 290 x 90mm

TOOLS	DESCRIPTION
SLEDGE HAMMER	1800 Gms
HAMMER BALL PEIN	910 Gms
HAMMER CLAW	450 Gms
PIPE WRENCH	300mm & 450mm
ADJUSTABLE WRENCH	200mm & 300mm
COMBINATION SPANNER	8, 10, 12, 14, 17, 19, 22, 24, 27, 30, 32mm
COMBINATION PLIER	200mm
LONG NOSE PLIER	200mm
SLIP JOINT PLIER	200mm
PINCH BAR	25x300mm
CHISEL FLAT	25x300mm
SCREW DRIVER	100mm & 200mm
SCREW DRIVER (Philips)	100mm & 200mm
VALVE HANDLE	400mm
TOOL BOX	



NON SPARKING

INSULATED NON SPARKING TOOLS

# DE NEERS®

*Best Ever Tools*



# **DE NEERS<sup>®</sup>**

*Best Ever Tools*

## **INSULATED NON SPARKING**

### **INJECTION MOULDED INSULATION**

Injection Moulding is better for engineered parts that have significant loads and require tight tolerances.



**1000V**

**Manufactured according to IEC 60900 Standard**

---

### **DIPPED INSULATION**

Dip Moulding is better if physical requirements aren't demanding and close tolerances aren't required.



**SINGLE OPEN END SPANNER**



Available in Injection Moulding & Dipped Coated

Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
30
32

**SINGLE DEEP OFFSET RING SPANNER**



Available in Dipped Coated

Size (mm)	Size (mm)
6	18
7	19
8	20
9	21
10	22
11	23
12	24
13	25
14	27
15	28
16	30
17	32

**SINGLE RING END SPANNER**



Available in Injection Moulding & Dipped Coated

Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
30
32

**ADJUSTABLE WRENCH**



Available in Injection Moulding

Size (mm)
18x150
24x200
30x250
36x300

**HAMMER BALL PEIN**



Available in Dipped Coated

Weight (Gms.)
230
340
450
680
910
1130

Test Certificate is provided for each piece

NON SPARKING INSULATED TOOLS



**SCREW DRIVER ⊖**



Available in Injection Moulding

Blade Size (mm)
3x50
3x75
4x100
6x125
6x150
8x200
9x250

**SCREW DRIVER - PHILLIPS PATTERN ⊕**



Available in Injection Moulding

Blade Size (mm)
PH0 x 50
PH1 x 75
PH1 x 100
PH2 x 125
PH2 x 150
PH3 x 200
PH3 x 250

**COMBINATION PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**LONG NOSE PLIER / SNIPE NOSE PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
200mm-8

**SIDE/DIAGONAL CUTTING PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
200mm-8

**WATER PUMP PLIER (SLIP JOINT)**



Available in Dipped Coated

Size (mm)
250

**FLAT NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6
200mm-8

**ROUND NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6

**BENT NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6

**WIRE STRIPPER**



Available in Injection Moulding & Dipped Coated

Size (mm)
170

Test Certificate is provided for each piece

NON SPARKING INSULATED TOOLS

### SOCKET 3/8 SQUARE DRIVE



Available in Injection Moulding & Dipped Coated

Size (mm)
8
9
10
11
12
13
14
15
16
17
19
20

### SOCKET 1/2 SQUARE DRIVE



Available in Injection Moulding & Dipped Coated

Size (mm)
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
32

### T TYPE SOCKET

Available in Dipped Coated

Size (mm)
7
9
11
14
17
19

### T TYPE WRENCH



Available in Injection Moulding

Drive	Length (mm)
3/8	140
1/2	140

### EXTENSION BAR



Available in Dipped Coated

Drive	Length (mm)
3/8	75
3/8	150
1/2	125
1/2	250

### T-HANDLE



Available in Dipped Coated

Drive	Length (mm)
1/2	250
3/8	160

### L-HANDLE / OFFSET HANDLE



Available in Dipped Coated

Drive	Length (mm)
3/8	200
1/2	230

Test Certificate is provided for each piece

NON SPARKING INSULATED TOOLS

**RATCHET SOCKET WRENCH**



Available in Dipped Coated

Size (mm)
14x17
17x19
19x22
22x24

**WRENCH HEX KEY**



Available in Dipped Coated

Size (mm)
1.5
2
2.5
3
4
5
6
7
8
9
10
11
12



**NON SPARKING INSULATED TOOLS SET 25 PCS**



TOOLS	DESCRIPTION
SINGLE OPEN END SPANNER	10, 11, 12, 13, 14, 17 & 19mm
COMBINATION PLIER	8/200mm
SIDE CUTTING PLIER	6/150mm
SCREW DRIVER	3x50, 4x100 & 5x100mm
SCREW DRIVER PHILIPS	#0x50, #1x75, #2x150 & #1x100mm
SOCKET 1/2	10, 11, 12, 13, 14, 17 & 19mm
T TYPE WRENCH	1/2 Drive
TOOL BOX (L x W x H)	400x290x90mm

Test Certificate is provided for each piece

*Display at our Head Office*



NON SPARKING INSULATED TOOLS

# STAINLESS STEEL ANTIMAGNETIC TOOLS

Austenitic Stainless Steel Tools do not readily corrode, rust or stain with water as ordinary steel tool does.



**DE NEERS**®

*Best Ever Tools* 

[www.deneerstools.com](http://www.deneerstools.com)

[sales@deneerstools.com](mailto:sales@deneerstools.com)



/DeNeersTools



# DE NEERS®

## Best Ever Tools

### STAINLESS STEEL TOOLS

Austenitic Stainless Steel is the largest family of Stainless Steels. The best known grade of Austenitic Stainless Steel is Type 304, for its austenitic micro structure exclusivity by Nickel & Chromium alloying. It is less electrically & thermally conductive than Carbon Steel & is essentially Non Magnetic. It has Higher Corrosion resistance than regular steel.

**USED IN :-**

- ➡ **CONSTRUCTION INDUSTRIES**
- ➡ **FOOD INDUSTRIES**
- ➡ **AIRCRAFTS**
- ➡ **MEDICAL DEVICES**
- ➡ **PHARMACEUTICAL INDUSTRIES, ETC.**



**Chemical Composition, Mechanical & Physical Properties of Stainless Steel Anti Magnetic Tools (304QF) ANTIMAGNETIC**

Parameters		Stainless Steel Tools
<b>Chemical Properties</b>	Min.%	C:≤0.08%
	Max.%	Si:≤0.85% Mn:≤1.8% Cr:18-20% Ni:8.0-10.5% S:≤0.03% P:≤0.045% N:≤0.2%
<b>Physical Properties</b>	Density	7.93g/cm <sup>3</sup>
	Weight	<30nT
	Magnetic Conductivity	1398-1454
	Melting Point (°C)	HV 235-351
<b>Mechanical Properties</b>	Hardness	δ≥40%
	Extensibility	
	Yield Strength	σ <sub>0.2</sub> (MPa)=205MPa
	Tensile Strength	σ <sub>b</sub> =520 MPa
	Reduction of Area	ψ=60%

**Chemical Composition, Other Mechanical & Physical Properties of 420QF Stainless Steel Tools MAGNETIC**

Parameters		Stainless Steel Tools
<b>Chemical Properties</b>	Min.%	C : 0.16%-0.25%
	Max.%	Si : ≤1.00% Mn : ≤1.00% Cr : 12.0%-14.0% Ni : 0.6% S : ≤0.03% P : ≤0.04%
<b>Physical Properties</b>	Density	7.75 g/cm <sup>3</sup>
	Weight	δ≥20%
	Magnetic Properties	1427
	Melting Point (°C)	
<b>Mechanical Properties</b>	Hardness	HV 235-351
	Yield Strength	σ <sub>0.2</sub> (MPa)=440MPa
	Tensile Strength	σ <sub>b</sub> =365 MPa
	Reduction of Area	ψ=50%

**DOUBLE OPEN END SPANNER**



Size (mm)
6x7
8x9
10x11
12x13
14x15
16x17
18x19
19x22
20x22
21x23
21x26
22x24
24x27
25x28
27x30
30x32
32x34
32x36
34x36
36x38
36x41
41x46

**RING SPANNER**



Size (mm)
6x7
8x9
10x11
12x13
14x15
16x17
18x19
19x22
20x22
21x23
21x26
22x24
24x27
25x28
27x30
30x32
32x34
32x36
34x36
36x41
41x46

**COMBINATION SPANNER**



Size (mm)	Size (mm)
6	23
7	24
8	25
9	26
10	27
11	28
12	30
13	32
14	34
15	36
16	38
17	41
18	46
19	50
20	55
21	60
22	65

**CONSTRUCTION SINGLE RING WRENCH**



Size (mm)	Size (mm)
14	30
17	32
19	36
22	41
24	46
27	50

**CONSTRUCTION SINGLE OPEN WRENCH WITH PIN**



Size (mm)	Size (mm)
17	30
19	32
22	36
24	41
27	46

Test Certificate is provided for each piece

STAINLESS STEEL ANTIMAGNETIC TOOLS

**SINGLE END SPANNER**



Size (mm)
8
10
12
14
17
19
22
24
27
30
32
34
36
41
46

**SLOGGING OPEN END SPANNER**



Size (mm)
17
19
22
24
27
30
32
36
41
46
50
55
60
65

**SINGLE RING SPANNER**



Size (mm)
8
10
12
14
17
19
22
24
27
30
32
36
41
46
50
55
60
65

**SLOGGING RING SPANNER**



Size (mm)
17
19
22
24
27
30
32
34
36
38
41
46
50
55
60
65
70
75
80

Test Certificate is provided for each piece

STAINLESS STEEL ANTIMAGNETIC TOOLS



**SCREW DRIVER ⊖**



Blade Size (mm)
50
3 x 75
4 x 100
6 x 125
6 x 150
8 x 200
9 x 250
10 x 300
11 x 350
400

**SCREW DRIVER - PHILIPS PATTERN ⊕**



Blade Size (mm)
50
PH1 x 75
PH1 x 100
125
PH2 x 150
PH3 x 200
PH3 x 250
PH4 x 300
PH4 x 350
PH4 x 400
PH4 x 450

**NUT DRIVER (HEX)**



Size (mm)
6
8
10
12
14
17
19
22

**ADJUSTABLE WRENCH**



Size (mm)
100 x 13
150 x 18
200 x 24
250 x 30
300 x 36
375 x 46
450 x 55
600 x 65

**PIPE WRENCH**



Size (mm)
200 x 25
250 x 30
300 x 40
350 x 50
450 x 60
600 x 75
900 x 85
1200 x 110

**HOOK WRENCH**



Size (mm)
30-32
34-36
45-50
52-55
68-75
95-100
110-115
135-145

**HOOK WRENCH (ADJUSTABLE)**

Size (mm)
20-35 Adj.
35-60 Adj.
60-90 Adj.
90-155 Adj.
155-230 Adj.

Test Certificate is provided for each piece

STAINLESS STEEL ANTIMAGNETIC TOOLS

**COMBINATION PLIER**



Size (mm)
150mm-6
175mm-7
200mm-8
250mm-10

**SIDE / DIAGONAL CUTTING PLIER**



Size (mm)
150mm-6
200mm-8

**LONG NOSE PLIER / SNIPE NOSE PLIER**



Size (mm)
150mm-6
200mm-8

**WATER PUMP PLIER (SLIP JOINT)**



Size (mm)
250mm-10
300mm-12

**GRIP LOCK PLIER**



Size (mm)
225mm-9

**PINCER**



Size (mm)
175mm-7

**ALLEN KEY (HEX)**



Size (mm)	Size (mm)
1.5	14
2	15
2.5	16
3	17
4	18
5	19
6	21
7	22
8	24
9	25
10	26
11	27
12	30
13	32

Test Certificate is provided for each piece

**T TYPE ALLEN KEY**



Size (mm)
1.5
2
2.5
3
4
5
6
8
10

**ALLEN KEY HEX WITH INK BALL END**



Size (mm)	Size (mm)
2	8
3	9
4	10
5	11
6	12
7	14

**HAMMER BALL PEIN**



Weight (Gms)
230
340
450
680
910
1130

**SLEDGE HAMMER**



Weight (Gms)
450
1000
1400
1500
1800
2000
2200
2500
3000

**CLAW HAMMER**



Weight (Gms)
230
450
680

**NYLON HAMMER**



Weight (Gms)
150
250
350
500
1000

**HACKSAW FRAME**



Size (mm)
500mm

**SHOVEL**



Size
(Square) 270x175x1400mm
(Round) 418x240x1450mm

**PUTTY SCRAPER**



Size (mm)
25x200
50x200
65x200

**WEDGE FLANGE**



Size (mm)
100x50 (10-0)
150x25 (13-0)
200x40 (40-0)
250x40 (30-0)
300x50 (40-0)

**CHAIN PIPE WRENCH**



Size (mm)	Length (mm)
100	600
200	600
300	900
400	900

Test Certificate is provided for each piece

STAINLESS STEEL ANTIMAGNETIC TOOLS

**SOCKET 3/8 SQUARE DRIVE**



Size (mm)
5
5.5
6
7
8
9
10
11
12
13
14
15
16
17
19
20

**SOCKET 1/2 SQUARE DRIVE**



Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
32

**SOCKET 3/4 SQUARE DRIVE**



Size (mm)
17
19
21
22
24
26
27
29
30
32
34
36
38
41
46
50

Test Certificate is provided for each piece


**1/2 DRIVE SOCKET SET- 13 Pcs.**



**Contents**

- \*Sockets : 10 Numbers: 8, 10, 11, 12, 14, 17, 19, 22, 24, 27mm
- \*Ratchet Wrench 245 mm
- \*Swivel Handle 250 mm
- \*Socket Box


**1/2 DRIVE SOCKET SET- 17 Pcs.**



**Contents**

- \*Sockets : 11 Numbers: 10, 11, 12, 14, 17, 19, 22, 24, 27, 30, 32 mm
- \*Ratchet Wrench 245 mm
- \*Sliding T-Handle 250 mm
- \*Speed Brace 400 mm
- \*Driver Extension 125 mm & 250 mm
- \*Socket Box

**1/2 DRIVE SOCKET SET- 25 Pcs.**



**Contents**

- \*Sockets : 18 Numbers: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm
- \*Ratchet Wrench 245 mm
- \*Sliding T-Handle 250 mm
- \*Speed Brace 400 mm
- \*Driver Extension 125 mm & 250 mm
- \*Universal Joint 80 mm
- \*Socket Box

**EXTENSION BAR**



Drive	Length (mm)
3/8	75
1/2	125
1/2	250
3/4	200

**SLIDING T HANDLE**



Drive	Length (mm)
1/2	250
3/4	350
3/4	400
1	400

**SWIVEL HANDLE / HINGED HANDLE**



Drive	Length (mm)
3/8	190
1/2	250
1/2	400
3/4	286
1	304

**RATCHET WRENCH**



Drive	Length (mm)
3/8	200
1/2	245
3/4	320
1	550

**L-HANDLE / OFFSET HANDLE**



Drive	Length (mm)
3/8	200
1/2	230
3/4	280

**UNIVERSAL JOINT**



Drive	Length (mm)
1/2	80
3/4	110
1	132

**SPEED BRACE**



Drive	Length (mm)
3/8	300
1/2	390

**BUNG WRENCH**



Size (mm)
385

**SHEAR SCISSOR**



Size (mm)
120
140
160
180
200

**TWEEZER (FLAT NOSE)**



Size (mm)
150
200

**KNIFE**



Size (mm)
80x190 (Small)
137x250 (Big)

Test Certificate is provided for each piece

STAINLESS STEEL ANTIMAGNETIC TOOLS

**CHISEL FLAT**



Size (mm)
160x14
160x16
160x18
200x18
200x20
250x24
300x24
300x25
400x25
500x25
500x30

**C-CLAMP**



Size (mm)
50
75
100
150
200
250
300

**FLAT FILE (HEAVY DUTY)**



Size	Specification
200mm	5x200mm

**TRIANGLE FILE**



Size
8x200mm

**HALF ROUND FILE**

Size
8x200mm

**ROUND FILE**



Size
8x200mm

**STAINLESS STEEL TOOLS SET (27 PCS)**



TOOLS	DESCRIPTION
ALLEN KEY	5 & 6mm
REVERSIBLE RATCHET	1/2 DRIVE
SOCKET (1/2 Drive)	12, 14 & 16mm
COMBINATION SPANNER	13mm
RING SPANNER	12x13mm
SCREWDRIVER	5x100 & 8x150mm
SCREWDRIVER PHILIPS	PH 100, 150, 250mm
SLIDING T HANDLE	1/2 Drive (12.7mm)
SIDE CUTTING PLIER	150mm
LONG NOSE PLIER	150mm
PIPE WRENCH	350mm
CHISEL	18x200mm
SLOGGING OPEN SPANNER	36mm
SLOGGING RING SPANNER	36mm
COMBINATION PLIER	200mm
SLEDGE HAMMER	1000 Gms
ADJUSTABLE WRENCH	250mm
SINGLE END SPANNER	24mm
WATER PUMP PLIER	250mm
DOUBLE END SPANNER	12x13mm
TOOL BOX	

**Test Certificate is provided for each piece**

**TOOL BOX WITH COMPARTMENTS ANTIMAGNETIC**



» Easy to Handle

» Convenient to Move

Set No.
---------

350mm = 3 Trays

450mm = 3 Trays



**Our Wide Range of Exclusive Products**

# DE NEERS®


*Best Ever Tools*

## INSULATED STEEL TOOLS

Insulated Steel Tools belongs to the Safety protection product and can work normally under 1000 Volts. It is widely used in power facilities, precision instruments, electronic instruments, electric utensils, automatic switches and other Installation and Maintenance work which can achieve the ideal effect of Safety, comfort, dexterity and durability. Insulated tools are used by electricians to protect and reduce electrical related incidents such as: electrocution, arc flash, and arc blasts.

**MANUFACTURED  
TO IEC 60900 STANDARD**

**Stands normally  
under 1000 V**



[www.deneerstools.com](http://www.deneerstools.com)

[sales@deneerstools.com](mailto:sales@deneerstools.com)



[/DeNeersTools](https://www.instagram.com/DeNeersTools)

# DE NEERS®

*Best Ever Tools*



INSULATED STEEL TOOLS



# DE NEERS®

*Best Ever Tools*

## INSULATED STEEL TOOLS

### INJECTION MOULDED SLEEVES



▲ 1000V

- Manufactured according to IEC 60900 Standard

### DIPPED INSULATED SLEEVES



▲ 1000V

- Manufactured according to IEC 60900 Standard

### Quality Assurance

#### Flame Retardant

After 10 Seconds of exposure to flame, the insulation prove not to be easily inflammable.

#### Adhesion Test

After being exposed to temp. of +70°C, the handle must not be dropped within 3 minutes after a pull of 500N

#### High Voltage Test

Every Sleeve of DE NEERS Pliers in the VDE category is tested individually at 10,000 volts and is confirmed for under 1000 volts according to IEC 60900 Standard

#### Pressure Test

After being subjected to a pressure of 20N, a temperature of +70°C and current at 5,000 volts for 3 minutes, no pressure marks of lift-off must appear on the insulation

#### High & Low Temperature test oven

The temperature range : +70°C-40°C

#### Cold Shock Test

After being exposed to a temp. of -25°C for 2 hours, the insulation does not show any cracks or other damage when struck sharply.

**SINGLE OPEN END SPANNER**



Available in Injection Moulding & Dipped Coated

Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
30
32

**SINGLE RING END SPANNER / SINGLE DEEP OFFSET RING SPANNER**



Available in Injection Moulding & Dipped Coated

Size (mm)
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
30
32

Test Certificate is provided for each piece

**RING GEAR WRENCH**

Available in Dipped Coated


Size (mm)
10
11
12
13
14
15
16
17
18
19

**ADJUSTABLE WRENCH**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
200mm-8
250mm-10
300mm-12
375mm-15



**ALLEN KEY (HEX)**



Available in Injection Moulding & Dipped Coated

Size (mm)
3
4
5
6
8
10
12
ALLEN KEY SET 6 (3MM TO 10MM)

**HACKSAW FRAME**



Available in Dipped Coated

Size (mm)
470mm

**JUNIOR HACKSAW FRAME**



Available in Injection Moulding

Size (mm)
150mm

**HAMMER MALLET**



Available in Dipped Coated

Mallet Dia (mm)
30

**PRECISION TWEEZER**



Available in Injection Moulding & Dipped Coated

Size (mm)
6x150 (with Teeth)
6x150 (without Teeth)

**SCISSOR**



Available in Injection Moulding

Length (mm)
150

**SCREW DRIVER- FLAT SLOTTED ⊖**



Fasten & Unload Slotted Bolts (Screw Nails) under 1000V of Electricity  
Available in Injection Moulding

Length (mm)
50
60
75
80
100
125
150
175
200
250

**SCREW DRIVER - PHILIPS PATTERN ⊕**



Fasten & Unload Philips Bolts (Ph. Screw nails) under 1000V of Electricity  
Available in Injection Moulding

Length (mm)
50
60
75
80
100
125
150
200
250

**SCREW DRIVER - POZI DRIVE ⊕**



Fasten & Unload Pozi Drive Bolts (Pz Screw Nails) under 1000V of Electricity  
Available in Injection Moulding

Specification
PZ 0x60
PZ 1x80
PZ 2x100
PZ 3x150

**SCREW DRIVER SET (11 Pcs)  
(10 PCS + 1 TOOL BOX)**

**Contents**

- Screw Driver Flat :**  
75, 100, 150, 175mm
- Screw Driver Philips :**  
60, 80, 100, 150mm
- Screw Driver Pozi Drive :**  
100, 150mm



Test Certificate is provided for each piece

INSULATED TOOLS

INSULATED TOOLS

**COMBINATION PLIER / LINEMAN PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**LONG NOSE PLIER / SNIPE NOSE PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**DIAGONAL SIDE CUTTING PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
175mm-7
200mm-8

**FLAT NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6
200mm-8

**ROUND NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6

**CABLE CUTTING PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6
200mm-8
225mm-9
250mm-10

**BENT NOSE PLIER**



Available in Injection Moulding

Size (mm)
150mm-6
200mm-8

**WATER PUMP PLIER**



Available in Injection Moulding & Dipped Coated

Size (mm)
200mm-8
250mm-10
300mm-12

**WIRE STRIPPER**



Available in Injection Moulding & Dipped Coated

Size (mm)
150mm-6

**VOLTAGE TESTER**



Size (mm)
60
70
105

**TORQUE WRENCH**



Available in Injection Moulding

N.m	Drive
5-50 N.m	3/8
5-50 N.m	1/2

Test Certificate is provided for each piece

**SOCKET 3/8 SQUARE DRIVE**



Available in Injection Moulding & Dipped Coated

Size (mm)
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22

**SOCKET 1/2 SQUARE DRIVE**



Available in Injection Moulding & Dipped Coated

Size (mm)
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
32

**SOCKET SET (11 PCS) (10PCS + 1 TOOL BOX)**

TOOLS	DESCRIPTION
SOCKET 1/2	10, 11, 12, 14, 17, 19, 22, 27mm
T TYPE WRENCH	1/2 Drive (12.7mm)
OFFSET HANDLE	1/2 Drive (12.7mm)
TOOL BOX	

**1/2 DRIVE ALLEN SOCKET (HEXAGONAL)**



Available in Dipped Coated

Size (mm)	Size (mm)
4	8
5	10
6	

**3/8 DRIVE ALLEN SOCKET (HEXAGONAL)**



Available in Dipped Coated

Size (mm)	Size (mm)
4	8
5	10
6	

**T-TYPE SOCKET**



Available in Dipped Coated

Size (mm)	Length (mm)
10	200
12	200
13	200
14	200
16	200
17	200
18	200
19	200
10	300
12	300
13	300
14	300
16	300
17	300
18	300
19	300

Test Certificate is provided for each piece

INSULATED TOOLS

### T TYPE WRENCH



Available in Injection Moulding & Dipped Coated

Drive	Length (mm)
3/8	200
1/2	200

### EXTENSION BAR



Available in Injection Moulding & Dipped Coated

Drive	Length (mm)
3/8	75
3/8	125
3/8	150
3/8	250
1/2	125
1/2	250

### T HANDLE



Available in Dipped Coated

Drive	Length (mm)
3/8	160
1/2	250

### L HANDLE / OFFSET HANDLE



Available in Dipped Coated

Drive	Length (mm)
3/8	200
1/2	230

### RATCHETING / GEAR SOCKET WRENCH



Available in Dipped Coated

Size (mm)
13x17
14x17
17x19
19x22
19x24
22x24

### STICK TAPE VDE



Size (mm)
10x20mm

### INSULATED CABLE KNIFE CHANGEABLE



Available in Injection Moulding

Size (mm)
50x180

### INSULATED SEMI CIRCLE KNIFE



Available in Injection Moulding

Size (mm)
50x180

### INSULATED HALF MOON KNIFE



Available in Injection Moulding

Size (mm)
50x180

### INSULATED STRAIGHT KNIFE



Available in Injection Moulding

Size (mm)
50x180

### INSULATED GUARD CABLE KNIFE



Available in Injection Moulding

Size (mm)
50x180

### INSULATED CABLE SHEATHING KNIFE



Available in Injection Moulding

Size (mm)
50x180

### TEST PENCIL



Insulation (Volt)
12-250

### RATCHET



Available in Injection Moulding & Dipped Coated

Length (mm)	Drive
250	1/2
	3/8

Test Certificate is provided for each piece

**SINGLE DEEP OFFSET RING SPANNER  
20 PCS SET (POUCH PACKING)**



**Item Details**

(6-32MM) 20 PCS SET

**SINGLE DEEP OFFSET RING SPANNER  
20 PCS SET  
(IN SPECIAL POWDER COATED STEEL TOOL BOX)**



**Item Details**

(6-32MM) 20 PCS SET

**SINGLE OPEN END SPANNER SET  
20 PCS SET (POUCH PACKING)**



**Item Details**

(6-32MM) 20 PCS SET

**INSULATED TOOLS SET 25 PCS  
(24 Pcs + 1 Tool Box)**



TOOLS	DESCRIPTION
COMBINATION PLIER	200mm
DIAGONAL CUTTING PLIER	150mm
SLOTTED SCREWDRIVER	75, 100, 125mm
PHILIPS SCREWDRIVER	#60, #80, #100mm
Knife	Straight, Semi Circle
SINGLE OPEN END SPANNER	10, 11, 12, 13, 14, 17, 19mm
SOCKETS 1/2 DR.	10, 11, 12, 13, 14, 17, 19mm

**INSULATED TOOLS SET 22 PCS  
(21 Pcs + 1 Special Powder Coated Steel Tool Box)**



TOOLS	DESCRIPTION
COMBINATION PLIER	200mm
WIRE STRIPPER	160mm
CABLE CUTTER	225mm
DIAGONAL CUTTING PLIER	175mm
SLOTTED SCREWDRIVER	75, 100, 125, 175mm
PHILIPS SCREWDRIVER	#80, #150mm
SINGLE OPEN END SPANNER	12, 13, 14, 17mm
SINGLE DEEP OFFSET SPANNER	10, 13, 14, 17, 19, 22, 24mm
TOOL BOX (LxWxH)	

Test Certificate is provided for each piece

INSULATED TOOLS

**INSULATED PLIER SET OF 6 PCS  
(5 PCS + 1 ALUMINUM TOOL BOX)**



TOOLS	DESCRIPTION
COMBINATION PLIER	200mm
WIRE STRIPPER	160mm
WATER PUMP PLIER	250mm
LONG NOSE PLIER	200mm
SIDE CUTTING PLIER	150mm
TOOL BOX (LxWxH)	

**INSULATED TOOLS SET OF 9 PCS  
(8 PCS + 1 ALUMINUM TOOL BOX)**



TOOLS	DESCRIPTION
SCREW DRIVER POZI DR.	80mm
SCREW DRIVER FLAT	75, 150mm
SCREW DRIVER PHILIPS	150mm
VOLTAGE TESTER	60mm
WIRE STRIPPER	160mm
LONG NOSE PLIER	200mm
SIDE CUTTING PLIER	150mm
TOOL BOX (LxWxH)	

**INSULATED SCREW DRIVER & PLIER SET 13 PCS  
(12 PCS + 1 TOOL BOX)**



TOOLS	DESCRIPTION
INSULATING TAPE	20mmx10m
COMBINATION PLIER	200mm
WIRE STRIPPER	160mm
WATER PUMP PLIER	250mm
SLOTTED SCREWDRIVER	3x50, 3x75, 4x75, 4x100mm
PHILIPS SCREWDRIVER	#0x60, #1x80, #1x80
POZI DRIVE SCREWDRIVER	Pz 1x80
TOOL BOX (LxWxH)	

**INSULATED TOOLS SET OF 8 PCS  
(7 PCS + 1 ALUMINUM TOOL BOX)**



TOOLS	DESCRIPTION
SCREW DRIVER POZI DR.	100mm
SCREW DRIVER FLAT	75mm
VOLTAGE TESTER	60mm
WIRE STRIPPER	160mm
LONG NOSE PLIER	150mm
COMBINATION PLIER	150mm
SIDE CUTTING PLIER	150mm
TOOL BOX (LxWxH)	

Test Certificate is provided for each piece

INSULATED TOOLS



**INSULATED TOOL SET SET 13 PCS  
(12 PCS + 1 TOOL BOX)**



TOOLS	DESCRIPTION
INSULATING TAPE	20mmx10m
COMBINATION PLIER	200mm
WIRE STRIPPER	160mm
WATER PUMP PLIER	250mm
SLOTTED SCREWDRIVER	3x75, 4x75, 4x100,125mm
PHILIPS SCREWDRIVER	#0x60MM
POZI DRIVE SCREWDRIVER	Pz 80, 100mm
VOLTAGE TESTER	
TOOL BOX (LxWxH)	

**INSULATED TOOLS SET 21 PCS  
(20 Pcs + 1 Aluminum Case)**



TOOLS	DESCRIPTION
VOLTAGE TESTER	
STICK TAPE VDE	
COMBINATION PLIER	150mm
COMBINATION PLIER	200mm
LONG NOSE PLIER	150mm
LONG NOSE PLIER	200mm
DIAGONAL CUTTING PLIER	150mm
WIRE STRIPPER	160mm
WATER PUMP PLIER	250mm
CABLE CUTTER	150mm
ADJUSTABLE WRENCH	200mm
SLOTTED SCREWDRIVER	3x75, 4x100, 5x150, 8x175mm
PHILIPS SCREWDRIVER	#0x60, #2x100, #3x150mm
POZI SCREWDRIVER	2x100 & 3x150
TOOL BOX (LxWxH)	400x290x90mm

**INSULATED TOOLS SET 21 PCS (INJECTION)  
(20 Pcs + 1 Aluminum Case)**

TOOLS	DESCRIPTION
VOLTAGE TESTER	
STICK TAPE VDE	
COMBINATION PLIER	150mm & 200mm
LONG NOSE PLIER	150mm & 200mm
DIAGONAL CUTTING PLIER	150mm
WIRE STRIPPER	160mm
WATER PUMP PLIER	250mm
CABLE CUTTER	150mm
ADJUSTABLE WRENCH	200mm
SLOTTED SCREWDRIVER	75, 100, 150,175mm
PHILIPS SCREWDRIVER	#0x60, #2x100, #3x150mm
POZI SCREWDRIVER	80 & 100mm
TOOL BOX (LxWxH)	400x290x90mm

**INSULATED TOOLS SET 22 PCS  
(21 Pcs + 1 Powder Coated Tool Box)**

TOOLS	DESCRIPTION
SLOTTED SCREWDRIVER	75, 100, 125,175mm
PHILIPS SCREWDRIVER	80 &150mm
COMBINATION PLIER	200mm
WIRE STRIPPER	160mm
DIAGONAL CUTTING PLIER	150mm
CABLE CUTTER	200mm
SINGLE END SPANNER	12, 13, 14 & 17mm
SINGLE RING SPANNER	10, 13, 14, 17, 19, 22 & 24mm
TOOL BOX (LxWxH)	

Test Certificate is provided for each piece

INSULATED TOOLS



# DE NEERS®

*Best Ever Tools*



**DIPPED INSULATED SLEEVES**

# DE NEERS®

*Best Ever Tools*



We are also an Approved Vendor on **GEM** portal

E-mail : [sales@deneerstools.com](mailto:sales@deneerstools.com)

Website : [www.deneerstools.com](http://www.deneerstools.com)